



**JAWAHARLAL INSTITUTE OF POST GRADUATE MEDICAL
EDUCATION & RESEARCH (JIPMER)**



GOVERNMENT OF INDIA

(An Institution of National Importance under Ministry of Health & Family Welfare)
Dhanvantri Nagar, Puducherry-605006

**OPEN e-TENDER
ENQUIRY DOCUMENT
FOR
RATE CONTRACT
FOR
SUPPLY OF CONSUMABLES/NON-CONSUMABLES
FOR
DEPARTMENT OF CENTRAL STORES (FURNITURE)
for a period of TWO Years**

(This document consisting of **38** pages)

**JIPMER,
DHANVANTARI NAGAR,
PUDUCHERRY 605006**
Phone: - 0413-2296016/15/47 ; Fax:- 0413-2272067/66
Email: jipmercentralstores@gmail.com URL: - www.jipmer.edu.in

INDEX

Section	Topic	Page No.
Section-I	Notice inviting Tender (NIT)	03
Section-II	Schedule of Requirements and Specifications	05
Section-III	General Instructions to Tenderers (GIT)	20
Section-IV	General Conditions of Contract (GCC)	30
Section-V	Bid Application Form	32
Section-VI	Manufacturer's Authorization Form	33
Section-VII	Tender Form	34
Section-VIII	Check list for Submission of Tender	35
Appendix-A	Self-certification format for claiming purchase preference under the "Public Procurement preference to Make in India" order	36
Section-IX	GFR-144 (xi) compliance certificate	38

SECTION-I

JAWAHARLAL INSTITUTE OF POSTGRADUATE MEDICAL EDUCATION AND RESEARCH PUDUCHERRY – 6

(Institution of National Importance under the Ministry of Health & Family Welfare,
Govt. of India)

PURCHASE SECTION

No. PUR.5(1)/OeT/CISFUR/2022-23

Dated: 19.07.2022

NOTICE INVITING e-TENDER (e-NIT)

Sub: Supply of Consumables / Non-Consumables

e-Tenders are invited from eligible and qualified domestic manufacturer's or their distributors for the RATE CONTRACT for supply of CONSUMABLES/NON-CONSUMABLES for the Department of **Central Stores (Furniture)** for a period of TWO Years.

1. Scope of work: Supply of consumables/non-consumables for the Department of **Central Stores (Furniture)**
2. Tender timelines:
 - i. Opening date & time for download of Tender document: **06.00 PM on 19.07.2022**
 - ii. Last date for receipt of pre-bid queries: **06.00 PM on 25.07.2022**
 - iii. Pre-bid queries regarding Items and Samples can be made through e-mail to:
jipmercentralstores@gmail.com and other Document related queries may be raised through purchase@jipmer.edu.in
 - iv. Opening date & time for submission of online bids: **09.00 AM on 28.07.2022**
 - v. Closing date & time for submission of online bids **12.00 PM on 17.08.2022**
 - vi. Date and Time of opening of online bids for Technical evaluation: **02.30 PM on 18.08.2022**
 - vii. Date & time of opening of Price Bid: To be intimated later.
3. Earnest Money Deposit: **Rs. 5,000/-** to be paid through SBI collect only. The EMD shall be returned without interest to the non-successful tenderers after acceptance of award of contract by the successful bidder.
4. Tender Processing Fee (Non-refundable): **Rs. 590/- (including 18% GST) shall be paid through SBI collect only.**
5. Interested bidders are advised to download the complete Tender Enquiry document from the websites www.jipmer.edu.in or <https://eprocure.gov.in/eprocure/app> for complete details.

6. The prospective bidders must register with the E-procurement system of **<https://eprocure.gov.in/eprocure/app>**. Special Instructions to the bidders for the e-submission of the bids online through this e-Procurement Portal on completion of the registration process is given in **<https://eprocure.gov.in/eprocure/app>**, the bidders will be provided user ID and password upon enrollment. In order to submit the bids electronically, bidders are required to have a valid Class 3 Digital Signature Certificate (signing and encryption/ decryption certificates).
7. Bidders are requested to read the bidders help document on e-tender web site link before proceeding for bidding.
8. Post receipt of User ID & Password, Bidders can log on for downloading & uploading tender document.
9. The bidders shall submit the required EMD (as per G.I.T clause 2) before the due date and time mentioned above.
10. The online submission of tender(s) can only be done through **<https://eprocure.gov.in/eprocure/app>**
11. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through **<https://eprocure.gov.in/eprocure/app>** e-portal (as described above) only.
12. Prospective bidders are advised to browse the above websites regularly before submission of their bids as any further amendments will be published in these websites only.

Asst. Officer in Charge
Purchase Section,
For Director,
JIPMER, Puducherry

Section-II

SCHEDULE OF REQUIREMENTS AND SPECIFICATIONS

LIST OF ITEMS REQUIRED

1. Scope of work : Supply of Consumables/ Non-Consumables for the department of **Central Stores (Furniture)** as detailed below

Sl. No.	Name of the Item	Quantity Reqd.	Units
1.000	CONSUMABLES Note: For all Items sample should be submitted. Without sample quotation will be rejected		
1.001	Steel Clerical table: Steel table with with one Drawer and one cupboard with 18 mm Pre-laminted Particle board with 2mm PVC Edge banding. Top Size: 1200mm (L)x 600 mm(B) . Drawer Box Size: 380 mm x 510 mm x 510 mm. Drawer Size: 340 mm x 420 mm with handle and lock key. All sheets made of 18G. Table should be built on legs or frame of 1” square tubular pipe of 16G thickness.Colour olive green/TA Grey.(2 years warranty).	100	Per No.
1.002	Steel Supervisor table: Steel table of Size: 1370 mm x 760 mm x 760 mm with three Drawer on right side and with one cupboard at left side with 18 mm Pre-laminted Particle board with 2mm PVC Edge banding. Drawer Box Size: 330 mm x 510 mm x 510 mm. Cupboard Size: 13” x 20” x 20” with handle and lock key. Leg-space in the middle at least 570 mm. All sheets should be made of 18G. Table should be built on legs or frame of 1” square tubular pipe of 16G thickness Colour olive green/TA Grey. (2 years warranty).	50	Per No.
1.003	Steel officer’s table. Size: Steel officer’s table of Size: 1500 mm x 900 mm x 750 mm, with three Drawer on right side and with one cupboard at left side with 18 mm Pre-laminted Particle board with 2mm PVC Edge banding. Drawer Box Size: 380 mm x 510 mm x 510 mm. Drawer Size: 340 mm x 420 mm. Table Cupboard Size: 380 mm x 510 mm x 510 mm with handle and lock key. All sheets should be made of 18G. Table should be built on legs or frame of 1” square tubular pipe of 16G thickness Colour olive green / TA Grey (2 years warranty).	50	Per No.
1.004	Steel plain table Steel plain table for classrooms. Size: 90 mm x 600 mm x 750 mm. with 18 mm Pre-laminted Particle board with 2mm PVC Edge banding.. Leg size: steel square pipes 25 mm x 25 mm, 16 gauges, with crossbars between the legs on all four sides and good quality rubber shoes. Colour olive green /TA Grey (2 years warranty).	80	Per No.
1.005	Rectangular Steel Teapoy with shelf: Size: 92 cm x 46 cm Plywood with Mica finish, Wooden beeding, ¼” thick plywood with mica top, all 18G or better square pipe and ‘L’ shelf made of 18G or better C.R. sheet, 2.5 cm square pipe.(2 years warranty).	30	Per No.

1.006	Steel Revolving Executive High back chair with arms, lumbar support, with foam cushion 10 cm covered with fine quality cloth for seat and back, Steel revolving base fixed at bottom of the chair, Size: 74 cm (W) x 74 cm (D) x 100 cm (H) to 25mm Square tubular 111 cm. Frame SS 16G or better. Seat, back and armrest to be made of good quality. Wheel in 3/8 thread type. (2 years warranty).	50	Per No.
1.007	Executive High Back Ergonomically Chair. Mesh Office High Back Chair Seat and backrest follow the movements of the user synchronously thus ensuring the correct seated posture. Infinite adjustment of the backrest counter pressure by means of side tension control, for body weight of approximately 125 Kg. The synchronise movement can be locket in five positions. Seat depth adjustment	60	Per No.
1.008	All-purpose steel stool made up of M.S. Sheet 16G thickness with square top size: 300 mm. 16G tubular frame 22mm dia and Height 510mm with rubber shoes. (2 years warranty).	150	Per No.
1.009	Steel revolving stool with SS top: Revolving stool made of 2.5 cm dia tubular M. S. frame with four legs. S. S. Sheet 31 cm dia 18G or better for top with four stiffness channel of 16 G or better M.S flat, (top is fit with 6mm rivet) in 16G or better square threaded 2.22 cm dia shaft of 41 cm length. Size 41 cm (height). Pretreated and powder coated. (2 years warranty).	150	Per No.
1.010	Steel Almirah (BIG): Steel Almirah (Big): Size: 1980 mm x 900 mm x 480 mm. All sheets made with 18G thickness. Five compartments strongly fixed for carrying load. Double door with suitable locking(ISO) arrangement with handle.And with stable base Colour: olive green./TA grey (2 years warranty).	300	Per No.
1.011	Steel Almirah (SMALL) minor cupboard: Size: 127 cm x 76 cm x 43 cm. All sheets made with 18G or better thickness, four compartments strongly fixed for carrying load. Double door with suitable locking arrangement with handle. Pretreated and powder coated. Colour: olive green/ TA grey. Locks should be ISO certified. (2 years warranty).	50	Per No.
1.012	Steel Locker 18 Pigeons hole Locker. Locker Size: 30 cm x 30 cm x 43 cm. Over all size: 198 cm x 99 cm x 48 cm. Every locker should be provided with individual door pad lock arrangement. Ventilating louvers and name holder.And with stable base. All sheets made of 18G or better. Colour: Olive Green. (2 years warranty).	80	Per No.
1.013	Steel filing cabinet made of 18G sheet with four drawers with single locking arrangement at the top. Size: 1380 mm x 470 mm x 700 mm. Drawer movement should be on rails with balls. Every drawer should be provided with name holder and good quality handle. Colour: TA Grey/Ivory with Brown Locks should be ISO certified.(2 years warranty).	50	Per No.
1.014	Steel bookshelf made of 18G sheet. Size 1680 mm x 840 mm x 300 mm. Four compartments with top push-in-type glass doors and individual locking system with handle at both edges. Colour: olive green/TA Grey. Locks should be ISO certified. (2 years warranty).	50	Per No.

1.015	Steel closed rack with four compartments. Size: 1980 mm x 900 mm x 480 mm (closed on three sides). All sheets made of 18G. Angle 30 mm x 3 mm The ground clearness of 15 mm Colour: olive green/TA Grey.(2 years warranty).	250	Per No.
1.016	Steel small office files rack. Closed on two sides only. Size: 900 mm x 900 mm x 380 mm with two shelves, made of 30mm x 3mm angle and sheets made of 18G. The ground clearance of 7.5 mm height. Colour: Olive green/TA Grey.(2 years warranty).	80	Per No.
1.017	Shoe Rack (Chappal Stand) : 915x915x380 mm made of 1 1/4 x 1/8 Angle & sheet 18G with 4 steps, slanting position. 3 side closed with 18G or better Sheet. (2 years warranty).	50	Per No.
1.018	S.S. Medicine trolley. Size: 76cm x 51cm x 82cm with 22mm tubular pipe framework of 18G or better mounted on four 100mm dia double ball race swiveling caster wheels. SS 18G or better sheet shelves two nos. with SS rails 10mm dia on all four sides over both the shelves. Wheels preferably "Rexola". (2 years warranty).	200	Per No.
1.019	SS.Dressing trolley: Size: 76cm (L) x 51cm (W) x 82cm (H). 22mm tubular framework of 18G or better SS pipe mounted on four 18 cm dia double ball race swiveling caster wheels. Two SS shelves 20G or better with SS rails 10mm dia on four sides over both the shelves. To provide with SS bowl with lid and SS bucket (5lt.) suitably. Wheels preferably "Rexola".	150	Per No.
1.020	Soiled Linen Trolley S. S. Overall size : 960 mm H x 510 mm dia SS tubular framework made of 25.4 mm x 1.2 mm (18 G) SS 304 fitted with three.	100	Per No.
1.021	Acrylic Door covered Notice Board (portrait) 61cm x 122 cm x 61 cm . Front cover should be made with single door, of aluminium framed acrylic sheet and should be lockable. Aluminium should be anodized upto 25 microns. Door should be made of 3 mm clear acrylic sheet.The inner portion should be finished with soft material (Felt cloth) and minimum 9 mm thick. Corners should be made of 100% virgin ABS material and chromium plated. The board shall be provided with suitable wall mounting mechanism and necessary fitting clamps. The clamps should be heavy duty to take the weight of the board. (2 years warranty).	30	Per No.
1.022	Acrylic Door covered Notice Board (landscape) 122 cm x 61 cm x 122 cm . Front cover should be made with two doors, of aluminium framed acrylic sheet and should be lockable. Aluminium should be anodized upto 25 microns. Door should be made of 3 mm clear acrylic sheet.The inner portion should be finished with soft material (Felt cloth) and minimum 9 mm thick. Corners should be made of 100% virgin ABS material and chromium plated. The board shall be provided with suitable wall mounting mechanism and necessary fitting clamps. The clamps should be heavy duty to take the weight of the board. Locks should be ISO certified. (2 years warranty).	30	Per No.

1.023	Three fold Screen stand: 168 cm height 245 cm with 3/4" 18G or better MS tubular constructions in three sections. Middle span 121 cm wide mounted on four swivel castors 50mm diameter, side span 61 cm wide each rotating on one swivel castors 5 cm diameter supplied with hooks and springs for curtains. Inches are in bush type male female, inside dia 6mm outer 10mm. Pretreated and powder coated. (2 years warranty).	150	Per No.
1.024	Steel I.V. Stand (double hook): 22mm dia tubular construction mounted on cast iron heavy base fitted with five 10cm dia double ball race swiveling castor wheels. S. S. rod with double hooks. Height adjustable frame 137cm to 243cms. Pretreated and powder coated (2 years warranty).	300	Per No.
1.025	<p>BASIC FOWLER BED (Fixed Height,Four Section) with wheel (3 years warranty)</p> <p>Overall Size: Approx 2090 mm L x 920 mm W X 600 mm H (Without Mattress). (Without Castor).</p> <p>Overall Size Buffer to Buffer : Approx 2140 mm L x 970 mm W X 600mm H (Without Mattress). (With Castor).</p> <p>Bed Platform frame size : Approx 2070 mm L x 910 mm W.</p> <p>Mattress Platform size : 1970 mm L x 790 mm W.</p> <p>Buffer to Handle Length : 2275 mm.</p> <p>Fixed Height : 600 mm.</p> <p>Four section 1.2 mm (18 G) CRCA M.S perforated sheet top for easy breathing of mattress. Backrest section is welded with MS CRCA tube size 25.4 mm x 2.0 mm (14 G) and Leg section is welded with MS CRCA tube 25.4 mm x 1.6 mm (16 G) for support.The size of perforated hole is having 21 mm diameter.</p> <p>Screw mechanism welded with ERW MS tube 31.75 mm x 1.2 mm (18 G) in M.S. cover made from dia 38.10 mm x 1.6 mm (16 G)ERW tube.</p> <p>Manual adjustments : Backrest, kneerest through two screw systems with thrust bearings individually manouvred by a single handle.</p> <p>Size of Back Rest : Over all - 785 mm L x 795 mm W. Only section : 720 mm L x 795 mm W.</p> <p>Size of Knee Rest : Over all - 470 mm L x 820 mm W. Only Section : 380 mm L x 795 mm W.</p> <p>Size of Leg Rest : Over all - 610 mm L x 795 mm W . Only Section : 610 mm L x 795 mm W.</p> <p>Size of Fix Section : Over all - 140 mm L x 780 mm W. Only Section : 610 mm L x 780 mm W.</p> <p>Raised Backrest Angle - 65°</p> <p>Raised Kneerest Angle - 40°</p> <p>Back rest - min 45 % of the frame length of 750 mm - O.K.</p> <p>Bed frame made from 60 mm x 30 mm x 1.6 mm (16 G) Thick ERW tube shall have proper support. This frame is fitted on H leg made from ERW tubes diameter 31.75 mm x 1.2 mm (18 G) thick and diameter 22.22 mm x 1.2 mm (18 G) thick and MS sheet</p>	120	Per No.

	<p>having thickness 3.0 mm (11 G). The bottom end of the H legs are provided with PVC shoes in case of with out castors.</p> <p>The bed has head & foot panels detachable by hand without need of any tool.These head & foot panels are mounted in round bracket size 50 mm OD x 48 mm ID made from MS sheet having 2.0 mm (18 G) thick and welded with bed frame and used along with PVC sleeve. Four corner rubber buffers of 100 MM dia.for with castor application.</p> <p>There are four locations on the bed platform to hold stainless steel Telescopic Saline rod 12mm dia with 15.87 mm dia x 1.2 mm (18 G) stainless steel outer covering tube with a knob to mount syringe pump.</p> <p>Patient Working Load - 130 kg.</p> <p>Safe Working Load - 150 kg.</p> <p>Finishing & workmanship in the medical furniture is of prime importance and must be of high standard. All corners shall be rounded off so that there shall be no sharp corners and holes should be burr free.M.S. tubular parts, linkages, flats are to be In-house, pretreated / shot blasted and Epoxy powder coated with coating thickness 50 to 100 microns.</p> <p>All Process Parameters as per documented IMS Procedures for Quality Assurance (ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 & ISO 13485:2003).</p> <p>Accessories: Polymer Moulded Handle .</p> <p>H' Type Legs 910 mm W & 600 mm Height with 125 mm(5") dia High Grade Synthetic Body Castors, two with brake, two w/o brake (Imp) .</p> <p>S.S Laminated Head & Foot Boards (0182G) (Diameter of SS 304 tube is 31.75 mm x 1.2 mm (18 G) thick with 12 mm thick pre laminated MDF board.Lenght of Head bow and foot bow are 900 mm , Height of Head bow & Leg Bow is 370 mm (without Mattress).</p> <p>Telescopic I.V. Pole with 2 hooks .</p> <p>Urine Bag Holder .</p> <p>Provided with four section 4" thk PU Foam of 40 density covered PVC .The Back Rest size is 760 mm L x 865 mm W x 100 mm T , Fix section size is 180 mm L x 865 mm W x 100 mm T , Knee Rest size is 416 mm L x 865 mm W x 100 mm T and Leg Rest size is 620 mm L x 865 mm W x 100 mm</p> <p>TM.S collapsible Railing . Mattress Arrestor Set of two.</p>		
1.026	<p>BASIC BACK ADJUSTABLE BED with wheel (Fixed Height,Two Section) (3 years warranty)</p> <p>Overall Size Buffer to buffer : Approx 2050 mm L x 970 mm W (for With Castor) (Without Mattress).</p> <p>Overall Size Frame to Handle : Approx 2130 mm L x 920 mm W (for With out Castor) (Without Mattress).</p> <p>Bed Frame size : Approx 2005 mm L x 920 mm W.</p> <p>Mattress Platform size : 1885 mm L x 820 mm W.</p>	80	Per No.

	<p>Fixed Height : 600 mm.</p> <p>Buffer to Handle length : 2180 mm. (for With Castor)</p> <p>Two section 1.2 mm (18 G) CRCA M.S perforated sheet top for easy breathing of mattress. Beckrest made from 1.2 mm (18 G) M.S CRCA perforated sheet welded with MS CRCA Tube 25 .4 mm x 2.0 mm (14 G) for support. The size of perforated hole is having 21 mm diameter.</p> <p>Manual adjustments : Backrest through one screw system with thrust bearings individually manouvred by a single handle.</p> <p>Screw mechanism welded with ERW MS tube 31.75 mm x 1.2 mm (18 G) in M.S. cover made from dia 38.10 mm x 1.6 mm (16 G) ERW tube.</p> <p>Size of Back Rest : Over all - 765 mm L x 790 mm W. Only Section : 720 mm L x 790 mm W.</p> <p>Size Body Rest : Over all - 1107 mm L x 815 mm W . Only Section : 1107 mm L x 815 mm W.</p> <p>Raised Backrest Angle - 65°</p> <p>Back rest - min 45 % of the frame length of 770 mm.</p> <p>Bed frame made from 60 mm x 30 mm x 1.6 mm (16 G) Thick ERW tube shall have proper support. This frame is fitted on H leg made from ERW tubes diameter 31.75 mm x 1.2 mm (18 G) thick and diameter 22.22 mm x 1.2 mm (18 G) thick and MS sheet having thickness 3.0 mm (11 G).</p> <p>The bottom end of the H legs are provided with PVC shoes in case of with out castors.</p> <p>The bed has head & foot panels detachable by hand without need of any tool.These head & foot panels are mounted in round bracket size 50 mm OD x 48 mm ID made from MS sheet having 2.0 mm (18 G) thick and welded with bed frame and used along with PVC sleeve. Four corner rubber buffers of 100 MM dia.for with castor application.</p> <p>There are four locations on the bed platform to hold stainless steel Telescopic Saline rod 12mm dia with 15.87 mm dia x 1.2 mm (18 G) stainless steel outer covering tube with a knob to mount syringe pump.</p> <p>Patient Working Load - 100 kg.</p> <p>Safe Working Load - 135 kg.</p> <p>Finishing & workmanship in the medical furniture is of prime importance and must be of high standard. All corners shall be rounded off so that there shall be no sharp corners and holes should be burr free.</p> <p>M.S. tubular parts, linkages, flats are to be In-house, pretreated / shot blasted and Epoxy powder coated with coating thickness 50 to 100 microns.</p> <p>All Process Parameters as per documented IMS Procedures for Quality Assurance (ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 & ISO 13485:2003).</p>		
--	---	--	--

	<p>Standard Accessories:</p> <p>Polymer Moulded Handle .</p> <p>H' Type Legs 910 mm W & 600 mm Height with 125 mm(5") dia High Grade Synthetic Body Castors, two with brake, two w/o brake (Imp) .</p> <p>S.S Laminated Head & Foot Boards (0182G) (Diameter of SS 304 tube is 31.75 mm x 1.2 mm (18 G) thick with 12 mm thick pre laminated MDF board.Length of Head bow and foot bow are 900 mm , Height of Head bow & Leg Bow is 370 mm (without Mattress).</p> <p>Alternatively M.S conventional Head & Foot Bow (0181). Bow made from Tube size 31.75 mm x 1.2 mm (18 G) , Horizontal support tube size 25.4 mm x 1.2 mm (18 G) & for vertical support tube size 15.8 mm x 1.2 mm (18 G). Length of Head bow is 900 mm , Height of Head bow is 370 mm (without Mattress). Length of Leg bow is 900 , height of Leg bow is 280 mm (without Mattress). side railing height should be adequate for cot.</p> <p>Telescopic I.V. Pole with 2 hooks .</p> <p>Urine Bag Holder .</p> <p>Provided with two section 4" thk PU Foam of 40 density covered PVC .</p> <p>M.S collapsible Railing .</p> <p>Mattress Arrestor Set of two.</p>		
1.027	<p>EMERGENCY & RECOVERY TROLLEY with wheel (3 years warranty)</p> <p>Overall size: 1905 mm L x 710 mm W x 660 mm Min. H. and 910 mm Max. H.</p> <p>Mattress Platform : 1785 mm L x 555 mm W.</p> <p>Stretcher Dimension Appox. : 1830 mm L x 555 mm W.</p> <p>Height adjusted by foot operated high quality hydraulic pump. The pump shaft actuation stroke length is 140 mm with push force 10KN at 270 bars. No of stroke required to acheive maximum height is 25 nos.</p> <p>Trendelenberg & Reverse Trendelenberg assisted by two gas spring for easy , smooth and jerk free action.</p> <p>Trendelenberg - 190</p> <p>Reverse Trendelenberg - 60</p> <p>Removable Two section stretcher supported on MS tubular frame size 25.4 mm x 2 mm (14 G).</p> <p>Top is made from decorative laminated (compact) sheet of 8 mm thick.</p> <p>Backrest is raised by ratchet mechanism having five different position as 250, 350 , 450 , 550 & 650</p> <p>Ratchet mechanism is consists of SS 304 rod having diamater 12 mm and flat size 275 mm x 6 mm.</p>	80	Per No.

	<p>X ray cassette holder in MS "L" channel size 25 mm x 25 mm x 2.0 mm (14 G) with aluminium channel 22 mm x 14 mm x 2.6 mm thick</p> <p>Synthetic rubber cover on pushing handles having rod size 12 mm attached to MS frame made from 60 mm x 30 mm x 1.2 mm (18 G).</p> <p>Four corner rubber buffers of 135mm diameter.</p> <p>MS tray having size : 310 mm x 260 mm made from 1.2 mm (18 G) CRCA sheet.</p> <p>Mild steel tubular frame work made of 60 mm x 30 mm x 1.2 mm (18 G) supported by MS tube 25 mm x 25 mm x 1.2 mm (18 G) 25.4 mm x 1.2 mm (18 G) and linkages made from flats thickness 10 mm. This frame is mounted on four 125 mm dia. castor with synthetic body two with brakes and two without brakes.</p> <p>Side railing- lifting and fixing (not button type) suitable for Stretcher on Trolley (pair) with S.S. tubular frame. The railing height (Effective Height) above stretcher top so that patient should not fall..</p> <p>Safe working load of 165 kgs and patient load bearing capacity of 135 kgs. Supplied in Semi SKD condition.</p> <p>Supplied with M.S storage tray.</p> <p>M.S. tubular parts, linkages, flats are to be In-house, pretreated / shot blasted and Epoxy powder coated with coating thickness 50 to 100 microns.</p> <p>All Process Parameters as per documented IMS Procedures for Quality Assurance (ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 & ISO 13485:2003).</p> <p>Standard Accessories:</p> <p>Swing away type Railing suitable for Stretcher on Trolley (pair) with S.S. tubular frame.</p> <p>Telescopic I.V. Rod with 2 Hooks provision at four locations. .</p> <p>Oxygen Cylinder Cage With Epoxy powder coated</p> <p>M.S. Storage Tray.</p> <p>Safety belts</p> <p>Optional Accessories:</p> <p>Rexine Covered 50mm thick Mattress made from PU foam having 40 density with Two sections002E</p>		
1.028	<p>Steel Patient's Examination Table – Adjustable head section (+ 35*) incl. longitudinal and transversal bracing , powder coated. Upholstery 50mm, incl pape . dimension 1950 x 650 x 800 mm. Top with M.S.sheet 18G or better The head flap adjustable.(note - head rest should not hang independantly it should incl along with 4 legs of the table.) on toothed rack. Tubular legs should be made of 2.5 cm dia with 18G or better ERW pipe – provided rubber bush and finished in over backed white enamel paint, with suitable good quality mattress. (3years warranty)</p>	50	Per No.

1.029	Domestic cot: Single bedded size of Steel M.S. 18G or better Sheet, 18G or better M.S. pipe (3 years warranty)	80	Per No.
1.030	<p>STAINLESS STEEL RIGID WHEELCHAIR WITH CUSHIONED SEAT AND BACK</p> <p>Overall size: 1120 mm D x 680 mm W x 935 mm H.</p> <p>SS tubular frame work of diameter 22 mm x 1.2 mm (18 G) except for the four widthwise stays of diameter 19.05 mm x 1.2 mm (18 G) SS tube. Stainless steel tubular frame works with fitted cushioned seat and back is mounted on two 200mm diameter Swivel Castor mounted on SS tube of diameter 25.4 mm x 1.2 mm (18 G). The castor is having semi round rubber hardness : 80 shore fitted over polyamide molded pulley. The wheel shall have two number ball bearings and 3/8 " nut and bolt. The size of cushioned seat is 430 mm L x 418 mm W x 65 mm H (Thickness) and size of cushioned back is 400 mm L x 390 mm W x 50mm H (Thickness). Cushion Seat and back is made for P.U. foam having 32 density. Thickness of Rexene : 0.6 mm. Seat section provided with 12 mm ply frame. Back seat (cushion) : No MS flat. Provided with wooden frame size fitted with wooden screw to ERW tube. Two Adjustable aluminium footrest provided 75 mm above the floor. Arms : Two nos. inject molded from black polypropylene and fixed with bolts to the tubular arms. Two solid rubber tyre bicycle wheels diameter 635 mm with brakes and provided with S.S hoops made from Diameter 15.8 mm x 1.2 mm (18 G) tube for self propulsion. Two handle with proper hand grip made from black PVC provided. The the outer diameter of wheel rim made from MS is 600 mm. The diameter of the spoke made from MS is 2.6 mm. Total nos. of spoke used is 32. The spoke is fixed with wheel rim with the help of MS nut. Patient bearing and Weighing bearing capacity 135 Kgs. The wheel rim and spokes are nickle - chrome plated. All the SS parts should be of 304 grade material. Finishing & workmanship of high standard. All corners shall be rounded off so that there shall be no sharp edge. Safe working load of 150 kgs. Supplied in KDC condition. Standard Accessories: Safety belts, Molded Chart holder.</p> <p>(3 years warranty).</p>	100	Per No.
1.031	<p>FOLDABLE WHEELCHAIR (3 years warranty).</p> <p>Overall dimensions : 1070 mm L x 660 mm W x 940 mm H.</p> <p>Height floor to seat : 450 mm.</p> <p>Back support height above seat : 430 mm.</p> <p>Seat width : 450 mm W x 400 mm L.</p> <p>Mild Steel tubular frame works made of 22.22 mm x 1.2 mm (18 G) round MS tube mounted on two front castor wheel having 200mm diameter and outer with solid rubber.</p> <p>Frame is provided with MS plated side penal.</p> <p>Cross bar is made of 22.22 mm x 1.2 mm (18 G) MS round tube.</p> <p>Two solid rubber tyre wheels of 24 " with brakes and provided with Polymer Molded hoops of diameter 21 mm for self propulsion. This hoop is made of polymer molded rod / tube</p>	30	Per No.

	<p>having diameter of 17 mm</p> <p>Seat and back is made of leatherite cushion material.</p> <p>Two Adjustable aluminum die casted footrest with up down and swivel type adjustment.</p> <p>Provided with fixed type PU molded Arm rest for better arm support and holder base made of ABS material.</p> <p>Provided with leatherite strap for calf rest.</p> <p>Back is provided with poccker for keeping documents and tools.</p> <p>Handles provided with molded PVC grip to push the wheel chair.</p> <p>Patient bearing and Weighing bearing capacity 135 Kgs.</p> <p>Hand brakes provided to lock the wheelchair at desired location.</p> <p>Provision of extended base with molded plastic grip to lift the wheelchair front to overcome obstructions while maneuvering.</p> <p>Mild Steel frame is having nickel chromium plating.</p> <p>Provided with patient safety belt.</p> <p>All Process Parameters as per documented IMS Procedures for Quality Assurance (ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 & ISO 13485:2003).</p>		
1.032	<p>Crash Cart (3 years warranty).</p> <p>Overall Size: 960 mm L x 500 mm W X 1545 mm H. The crash cart should have 25.4 mm x 1.2 mm (18 G) Stainless steel tubular frame work. The emergency equipment cart should have the following facilities: 6 Nos. hand out bins to keep important supplies easily accessible of size approx 110 mm W x 125 mm D x 75 mm H. Two lockable box units made of high impact polystyrene with 3 drawers should have dimension 305 mm L x 380 mm D x 320 mm H. The three drawers each to hold emergency medicines, ambu. bags, IV solutions, catheters, etc. separately and methodically in boxes of sizes approx - 85 mm W x 85 mm L x 50 mm H – 6 nos., - 85 mm W x 175 mm L x 50 mm H – 3 nos. and 85 mm W x 255 mm L x 50 mm H – 4 nos.</p> <p>Facility to carry monitors, ECG, suction apparatus on open areas at top centre and bottom shelves.</p> <p>Stainless steel saline rod made of 12 mm dia. 304 grade S.S. approx. 750 mm long and bent at top to have an arm of 400 mm approx. at the end of which of 6 mm dia. S.S. hook shall be welded with TIG process.</p> <p>Crash cart with 125 mm dia non-rusting castor two with brakes and two without. Castor made from high grade non floor-staining synthetic materials with integrated thread guards. Wheel centre having precision ball bearing to run smoothly. Provided with round rubber buffer, one on each corner.</p> <p>The size of middle and bottom shelf is 620 mm L x 388 mm W made from SS 304 0.9 mm (20 G) sheet. The shelf are provided with railing on three sides. This railing is made from SS 304 Rod of diameter 10 mm.</p> <p>The size of top shelf is 670 mm L x 235 mm W made from SS 304 0.9 mm (20 G) sheet. Two side support size 237 mm W and</p>	100	Per No.

	<p>75 mm made from SS 304 2.0 mm (14 G) sheet provided to top shelf.</p> <p>Pullout cardiac massage board made of MDF of minimum size 670 mm x 330 mm x 12 mm laminated on top and bottom of laminate of 1 mm and 0.6 mm respectively. MDF shall have water resistance property and it should be made from eco friendly material.</p> <p>Oxygen cylinder cage epoxy powder coated, on one side. Handle for pushing the crash cart is made from SS 304 tube size 25.4 mm x 1.2 mm (18 G) and SS flat size 25 mm x 5 mm thick , provided on other side. Safe Working Load & Patient bearing capacity - 50 kg. Supplied in KDC condition.All stainless steel wherever used should be 304 grade. S.S parts finished with Matt Polish.</p> <p>M.S. tubular parts, linkages, flats aluminium base are to be In-house, pretreated / shot blasted and Epoxy powder coated with coating thickness 50 to 100 microns.All Process Parameters to be as per documented IMS Procedures for Quality Assurance (ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 & ISO 13485:2003 Quality Management Systems).</p>		
1.033	<p>Bedside Locker with Membrane Pressed top (2 years warranty).</p> <p>Overall size: 400 mm x 400 mm x 820 mm H.</p> <p>Over all size from Handle to buffer : 454 mm x 820 mm.</p> <p>Body consisting of 2 sides and back are made from one piece of 1.0 MM (20 G) MS CRCA sheet. Fitted with top with raised edges of 8.0 mm on four sides and pressed with mambrane material.</p> <p>Drawer front and cabinet door front also made from mambrane pressed material . Mambrane material used of UV-rays resistant of 400 microns thick.</p> <p>Drawer and cabinet is made of 1.0 mm (20 G) CRCA MS sheet.</p>	50	Per No.
1.034	<p>Adjustable Bedside Table (2 years warranty).</p> <p>Overall approx size of top should be 960 mm L x 420 mm W from handle to base</p> <p>Top size is 810 mm x 355 mm. M.S. Tubular telescopic stem made from MS CRCA sheet 2.0 mm (14 G) with hardened EN grade meterial gear and SS handle with HDP bush for grip for height adjustment from approx.: minimum 715 mm to maximum 1080 mm.</p> <p>M.S. Tubular stem is connected with base with the help flat size 57 mm x 57 mm x 6 mm thick having thread size M8 & bolts.</p> <p>MS flat size 100 mm L x 50 mm W x 5 mm thick is welded at the bottom of the base at telescopic stem area for strength.</p> <p>Two sections top shall be fixed on frame work made from 19 mm Square ERW tube and MS HR flat 20 mm x 5 mm and 170 mm L x 50 mm W x 6 mm thickness. Size of Fixed section is 205 mm x 355 mm. Size of adjustable section is 610 mm x 355 mm</p> <p>Bigger section of the table top should be hinged & could be inclined to three raised position options. The raised position is achecived by three slot provided in MS flat size 70 mm x 3 mm</p>	50	Per No.

	<p>and lever made from MS rod diameter 6 mm. The one end of the rod is covered with red color PVC sleeve. Small section is mounted on the telescopic stem with help of MS "U" shape external size 120 mm x 96 mm x 6 mm. welded with 19 mm square tube.</p> <p>Weighing bearing capacity 20 Kgs.</p> <p>All the three sides of the bigger section and small section of the top should be provided with raised Aluminum T channel edge to prevent things from the top.</p> <p>Base of the adjustable table should be made from 60 mm x 30 mm x 1.6 mm (16 G) M.S. rectangular tube and should be fitted with four twin wheel castors made from anti rusting material with wheel dia 50 mm , all without brake.</p> <p>Finishing & workmanship in the furniture is of prime importance and must be of high standard. All corners shall be rounded off so that there shall be no sharp corners.</p> <p>M.S. tubular parts, linkages, flats are to be In-house, pretreated / shot blasted and Epoxy powder coated with coating thickness 50 to 100 microns.</p> <p>All Process Parameters as per documented IMS Procedures for Quality Assurance (ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 & ISO 13485:2003).</p>		
1.035	<p>Mayo's Trolley</p> <p>Adjustable height of SS tray from approx 730 mm to 1300 mm.</p> <p>Tray size approx : 560 mm L x 400 mm W.</p> <p>SS tubular frame mainly made of 31.7 mm dia x 1.2 mm (18 G) round tube. Tray made from 0.9 mm (20 G) thick S.S. 304 grade sheet. - O.K.</p> <p>Tray frame made from SS fllat size 25 mm x 5 mm with a cantilever of 10 mm dia SS 304 grade rod and SQ. bar of 16mm S.S. 304.</p> <p>SS tubular frame mounted on four swivel, twin wheel non rusting castors of 50 mm wheel dia. All without brake.</p> <p>SS parts finished with Matt Polish.</p> <p>Supplied in SKD condition.</p> <p>Load bearing capacity : 5 Kgs</p> <p>All Process Parameters to be as per documented IMS Procedures for Quality Assurance (ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 & ISO 13485:2003 Quality Management Systems). (2 years warranty).</p>	50	Per No.
1.036	<p>Single Step Stool ,Size: 510mm Lx 300mm W x 230 mm H. Step height 230 mm.</p> <p>Step made of 1.2 mm (18 G) MS CRCA sheet. Welded on MS. tubular frame of 25.4 mm x 1.2 mm (18 G) fitted with aluminum tread flats of size: 500 mm L x 32 mm W x 3.4 mm thick fitted by aluminum pop rivet. MS tubular frame is supported with MS rod diameter 10 mm.The legs fitted with high quality PVC shoes with nylon reinforcement. Load bearing capacity : 135 Kgs. M.S.</p>	50	Per No.

	tubular parts, linkages, flats are to be In-house, pretreated / shot blasted and Epoxy powder coated with coating thickness 50 to 100 microns.(2 years warranty).		
1.037	<p>Double Step Stool - Size: 600 mm L x 515 mm W x 450 H. First step height 230 mm & second step size 450 mm.</p> <p>Step made of 1.2 mm (18 G) MS CRCA sheet. Welded on MS tubular frame of 25.4 mm x 1.2 mm (18 G) fitted with aluminum tread flats of size: 500 mm L x 32 mm W x 3.4 mm thick fitted by aluminum pop rivet. Load bearing capacity : 135 Kgs. The legs fitted with high quality PVC shoes with nylon reinforcement.</p> <p>M.S. tubular parts, linkages, flats are to be In-house, pretreated / shot blasted and Epoxy powder coated with coating thickness 50 to 100 microns.</p> <p>(2 years warranty).</p>	100	Per No.
1.038	<p>Kick Bucket with Castor Wheel</p> <p>Stainless steel bowl of approx. dia 375 mm.</p> <p>Overall Height is 345 mm.</p> <p>SS tubular framework fitted with three 125 mm dia non-rusting castor wheels, all without brake.</p> <p>Castor made from non floor-staining synthetic materials with integrated thread guards. Wheel centre having precision ball bearing to run smoothly.</p> <p>Frame work made of 25.4 mm dia x 1.2 mm (18 G) verticals stainless steel tubes, upper ring made of rod dia 10 mm.</p> <p>S.S. rod and tubes shall be of 304 grades. SS parts finished with Matt polish.</p> <p>Supplied in SKD condition.</p> <p>All Process Parameters to be as per documented IMS Procedures for Quality Assurance (ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 & ISO 13485:2003 Quality Management Systems). (2 years warranty).</p>	50	Per No.
1.039	Uro stand : Triangle shape uro stand made of 8 mm rod of height 45 Cm with base 21cm x 26 cm with rubber shoes at bottom and one hook on top.(2 years warranty).	50	Per No.
1.040	Swab Stand: Hook for Hanging towel, tray for collecting waste with 4" swivel castor. Full stainless steel, Wheels preferably "Rexola".(2 years warranty).	50	Per No.
1.041	Steel Double basin stand: ERW steel tubular pipe constructed on four 6.5 cms. Dia. Castors. Provision for two 35 cms. Dia. S.S basin, Cartor wheel 7.5 cm. Pre-treated and epoxy powder coated. (2 years warranty).	50	Per No.
1.042	Steel single basin stand: ERW steel tubular pipe construction mounted on Nylon shoes. Provision for 35 cms. Dia. S.S basin, with castor 5cm. Pre-treated and epoxy powder coated. (2 years warranty).	50	Per No.

1.043	O2 cylinder trolley: Suitable for Oxygen Gas cylinder. MS tubular framework fitted with two wheels, 100mm dia. Pretreated and powder coated.(2 years warranty).	50	Per No.
1.044	Perforated type Back rest.(2 years warranty).	50	Per No.
1.045	Reinforced Moulded plastic pallets of Size: 1200x1000x125H mm Capacity-2500kg unified load (Static) of weight 13 kgs. Colour-Blue (3 years warranty).	50	Per No.
1.046	Reinforced Moulded plastic pallets of Size: 1200x800x145H mm Capacity-1500kg unified load (Static) of weight 11 kgs. Colour-Blue (3 years warranty).	50	Per No.
1.047	Patient trolley with detachable stretcher. Size: 202cm(L) x 56cm(W) x 82cm(H) with 22mm dia 16 gauge MS tubular framework with removable 16 gauge metal sheet Stretcher with SS handle on both sides. Trolley mounted on 20cm dia double balls race swiveling castor wheels. Detachable I.V.SS rod and provision to fix at both side of the trolley. Pretreated and powder coated. Wheels preferably "Rexola". (rate quotes should include 50 numbers of spare wheels)	100	Per No.

Samples should be given to the Storeroom, Department of Central Stores (Furniture) as per terms and Conditions (mentioned in Page 19) within ten days of the closing of online submission of bids failing which the bids will be rejected.

Terms and Condition

1. JIPMER SUPPLY NOT FOR SALE should be printed / inscribed on all units as well as packages.
2. DOOR DELIVERY of the items, i.e., delivery to the department of **Central Stores (Furniture)** is must.
3. Samples labeled each item with tender Serial no. must be sent to the Officer-in-Charge of **Central Stores (Furniture)**, JIPMER, Puducherry, before the date of opening of the tender, if failing which the tender will not be consider as lowest.
4. Supplied items should have a minimum shelf life of two years.
5. Samples of non-consumable costly items above Rs.1500/- if not selected should be collected by the concerned firm before the date of opening of next tender. No claim shall be entertained after this period.
6. Items having ISI / ISO similar certification or equivalent are likely to get preference.
7. Selected firms should supply the items in conformance with samples and specifications within the stipulated period with clear details in the packing such as quantity, date of manufacture, expiry date and batch nos if any, PACK SIZE should be maintained & delivery quantity should be in one or two lot only.
8. Furniture samples of each item 03 Nos should be submitted. Samples labeled each item with tender Serial No. must be sent to the Officer-in-Charge of **Central Stores (Furniture)**, JIPMER, Puducherry, before the last date, if failing which the tender will not be consider as lowest.
9. Expiry of goods if any during the supply period, the expiry goods should be replaced with long period with free of cost to **Central Stores (Furniture)**, JIPMER, Puducherry.

Section-III

GENERAL INSTRUCTIONS TO TENDERERS

1. Period of contract:

The contract shall initially be for a period of **TWO years** that may be extended to **6 months**. The rates approved shall remain unchanged during the period of contract.

2. Earnest Money Deposit (EMD)

- i. The tenderer shall furnish along with its tender, Earnest Money for an amount of **Rs.5000/- (Rupees five thousand only)**. The Earnest Money is required to protect the purchaser against the risk of the tenderer's unwarranted conduct.
- ii. The tenderers who are currently registered and, also, will continue to remain registered during the tender validity period as Micro and Small Enterprises (MSEs) (**Only Manufacturers** for the items being quoted) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or with National Small Industries Corporation, shall be eligible for exemption from EMD. In case the tenderer falls in this category, it should furnish copy of its valid registration details (with MSME or NSIC, as the case maybe). **Traders and service providers are not exempted from EMD.**
- iii. The registered vendors of JIPMER are exempted for EMD as per JIPMER purchase guidelines. In case the tenderer falls in this category, it should furnish copy of its valid registration details.
- iv. The earnest money shall be denominated in Indian Rupees only and paid through SBI collect only.
- v. The earnest money shall be valid for a period of forty-five (45) days beyond the validity period of the tender.
- vi. Unsuccessful tenderers' earnest money will be returned to them without any interest after expiry of the tender validity period, but not later than thirty days after conclusion of the resultant contract. Successful bidder's earnest money will be returned without any interest, after receipt of performance security from that tenderer.
- vii. Earnest Money is required to protect the purchaser against the risk of the Tenderer's conduct which would warrant the forfeiture of the EMD. Earnest money of a tenderer will be forfeited if the tenderer withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to notice that the information/documents furnished in its tender is incorrect, false, misleading or forged without prejudice to other rights of the purchaser. The successful bidder's earnest money will be forfeited without prejudice to other rights of Purchaser if it fails to furnish the required performance security within the specified period.

3. Eligibility conditions of bidders:

- i. For items where the estimated value of annual procurement exceeds Rs 5 lakhs, the conditions as stated in Public Procurement (Preference to Make in India), order 2017 of MoC and I (DIPP), Govt. Of India, as amended from time to time, shall apply. For such items, the Tenderer must be a domestic manufacturer that is a 'Class-I local supplier' or a 'Class-II local supplier' as defined under the above mentioned orders. For determining the eligibility of bidders to participate in the tender for such items where the estimated value of annual procurement of the item is more than Rs.5 lakhs bidders must furnish in tabular form as given in Appendix A the percentage of local content added and the place in this country where it was added, for each of such items, failing which the quote for such items where the required information is not provided in the Appendix as mentioned above, will be rejected summarily as being nonresponsive. In case the manufacturer does not quote directly, they may authorize an agent as per proforma of Manufacturer authorization form as given in the Tender enquiry document to quote and enter into a contractual obligation.
- ii. In compliance with order (Public Procurement No.1) No. 6/18/2019-PPD dated 23rd July 2020 issued by the Public Procurement Division, Dept. of Expenditure, Min of Finance under Rule 144(xi) of GFR 2017 any bidder 'from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.
 - a. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
 - b. "Bidder from a country which shares a land border with India" for the purpose of this Order means: -
 - I. An entity incorporated, established or registered in such a country; or
 - II. A subsidiary of an entity incorporated, established or registered in such a country; or
 - III. An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - IV. An entity whose beneficial owner is situated in such a country; or
 - V. An Indian (or other) agent of such an entity; or
 - VI. A natural person who is a citizen of such a country; or
 - VII. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
 - c. The beneficial owner for the purpose of above will be as under:
 - I. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation—

- “Controlling ownership interest” means ownership of or entitlement to more than twenty-five per cent, of shares or capital or profits of the company;
 - "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- II. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership.
 - III. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals.
 - IV. Where no natural person is identified under (a) or (b) or (c) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
 - V. In case of a trust, the identification of the beneficial owner(s) shall include the identification of the author of the trust, the trustee, the beneficiaries with 15% or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- d. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- e. In case of turnkey contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.
- f. Bidders must certify compliance with the above mentioned provisions in the tender form as per **Section VII**.
- g. The bidder should have successfully completed the delivery of the item of at least 25% of the quantity required in this tender to a government hospital in the last 3 years.
- h. The bidder or the manufacturer must have an average annual turnover of at least Rs.1,00,00,000/-(Rupees one crore only) each during the last three financial years i.e. 2019-20, 2020-21, 2021-22.
- i. Bidder should have ISO Certification.

4. Purchase Preference

- i. The Procurement of goods and services under this e-tender will be regulated as per the applicable provisions of Public Procurement (Preference to Make in India), order 2017 of MoC and I (DIPP), Govt. Of India, as further amended by orders of even number dated 28.05.2018, 29.05.2019, 04.06.2020 and 16.09.2020. Salient portions of the order are reproduced in Appendix A of this tender document by way of information. Bidders are advised to see the original orders and satisfy themselves that they qualify

to participate in the tender. Bidders who are claiming eligibility to participate in this tender must submit a certificate in format given in Appendix A along with documentary evidence in support of their claim wherever necessary failing which their bid will be summarily rejected. The purchaser reserves the right to give preference to the 'Class-I local supplier'.

- ii. The Purchaser reserves the right to give the purchase preference to small-scale sectors, Micro and small scale enterprises etc. as per the instruction in vogue while evaluating, comparing and ranking the responsive Tenders as given in the MSMED Act 2006 reproduced below:
 - a. In exercise of powers conferred in Section 11 of the Micro, Small and Medium Enterprises Development (MSMED) Act 2006, the Government has notified a new Public Procurement Policy for Micro & Small Enterprises effective from 1st April 2012. The policy mandates that 25% of procurement of annual requirement of goods and services by all Central Ministries/Public Sector Undertakings will be from the micro and small enterprises. The Government has also earmarked a sub-target of 4% procurement of goods & services from MSEs owned by SC/ST entrepreneurs out of above said 25% quantity.
 - b. In accordance with the above said notification, the participating Micro and Small Enterprises (MSEs) in a tender, quoting price within the band of L1+15% would also be allowed to supply a portion of the requirement by bringing down their price to the L1 price, in a situation where L1 price is from someone other than an MSE. Such MSEs would be allowed to supply up to 25% of the total tendered value. In case there are more than one such eligible MSE, the 25% supply will be shared equally. Out of 25% of the quantity earmarked for supply from MSEs, 5% quantity is earmarked for procurement from MSEs owned by SC/ST entrepreneurs. However, in the event of failure of such MSEs to participate in the Tender process or meet the tender requirements and the L1 price, the 5% quantity earmarked for MSEs owned by SC/ST entrepreneurs will be met from other participating MSEs.
 - c. The MSEs fulfilling the prescribed eligibility criteria and participating in the Tender shall enclose with their tender a copy of their valid registration certificate with District Industries Centres or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or any other body specified by Ministry of Micro and Small enterprises in support of their being an MSE, failing which their tender will be liable to be ignored.
 - d. Special provision for Micro and Small Enterprise owned by women: – Out of the total annual procurement from Micro and Small Enterprises, 3 per cent from within the 25 per cent target shall be earmarked for procurement from Micro and Small Enterprises owned by women.
 - e. Note: “If the bidder is a MSME, it shall declare in the bid document the Udyog Aadhar Memorandum Number issued to it under the MSMED Act, 2006. If a MSME bidder do not furnish the UAM Number along with bid documents, such MSME unit will not be eligible for the benefits available under Public Procurement Policy for MSEs Order 2012.

5. Demonstration of sample

The tenderer must give a sample within **ten** days of the closing of online submission of bids failing which the bids will be rejected.

6. Instructions for the filling the tender form

- i. E-Tender form shall be completed in all respect, signed in full and stamped at appropriate places and initialed and stamped on all remaining pages. Incomplete or e-tenders without tender processing fee, EMD, Make-in-India self-certification as in **Appendix-A** only by original manufacturer, **GFR 144 (xi) compliance certificate** as in **Section-IX** shall be treated as invalid.
- ii. Bidders have to ensure that all the documents are properly filled.
- iii. Conditional tenders are liable to be rejected.
- iv. Bids received and found valid will be evaluated by JIPMER to ascertain the complete work/services under the specification and documents. The bidder should take care to submit all the information sought by JIPMER in prescribed formats.
- v. Incomplete bids, bids in paper format, conditional bids, telephonic bids or tenders submitted after the due date and time will not be considered and summarily rejected. Vendors are, therefore, advised to submit their bids well on time.
- vi. **The bidder can quote for one or more items mentioned in the list. Bidder has to give all details (HSN, MSME, Make-in-India, make/brand, model, pack size and remark) mentioned in BOQ for all quoted items, failure of that the bid will be rejected summarily.**

7. Submission of tenders

The bidders must ensure that they submit the **on-line bids** within the scheduled closing date & time.

8. Late Tender:

There is NO PROVISION of uploading late tender beyond stipulated date & time in the e- tendering system.

9. Alteration and Withdrawal of Tender

- i. The bidder, after submitting its bid, is permitted to alter/modify its bid, within the deadline for submission of bids. Alterations/modifications to bids received after the prescribed deadline will not be possible on the e-tender portal.
- ii. No tender should be withdrawn or modified after the deadline for submission of tender and before expiry of the tender validity period. If a bidder withdraws or modifies the tender during this period, it will result in forfeiture of the EMD furnished by the bidder in its bid.

10. Preparation of e-tenders

This is a Two-Bid Tender system, consisting of the **Techno-Commercial Bid and Price Bid** that are to be uploaded in the prescribed formats in the e-tendering portal. The tender(s) shall only be submitted online as mentioned below:

I. **Techno-commercial Bid shall comprise**

- a. Fee Cover
 - i. **E-tender Processing fee of Rs.590/-** (Rupees five hundred and ninety only) inclusive of 18% GST payment **receipt** duly self-attested and rubber stamped should be uploaded.
 - ii. Scanned copy in pdf format of **EMD receipt** or, if EMD exemption is claimed, **copy of valid registration** details proving that the bidder is a Micro or Small enterprise (**Only Manufacturer** for the items being quoted) or is registered as a Small-Scale Industry with MSE or Valid registration certificate if registered with JIPMER, as the case may be, should be uploaded. **Traders and service providers are not exempted from EMD.**
- b. In the cover named “**Prequal**” the scanned copy in pdf format of the following documents are to be uploaded:
 - i. The **Bidder’s Profile** as per in **Section-V** must be downloaded duly filled signed and stamped and uploaded.
 - ii. **Tender Form** as in **Section-VII** must be downloaded duly filled signed and stamped and uploaded.
 - iii. **Copies of abridged Annual report of last 03 years** (Income tax return acknowledgement, Assets and Liabilities, Balance sheet and Profit & Loss Account) must be uploaded as a single PDF file
 - iv. Copy of Self Certified **GST registration certificate** and Copy of **PAN Card** must be uploaded as a single PDF file.
 - v. **Bank Details** (Beneficiary name, Bank name, Account number, IFSC code, Branch address on letterhead).
 - vi. **Check list** as in **Section-VIII** in the prescribed format duly filled and signed must be uploaded.
- c. In the cover named “**Technical**” the scanned copy in pdf format of the following documents are to be uploaded:
 - i. **Copies of Supply orders/Completion certificate** in support of Eligibility condition 1 and 2.
 - ii. **Manufacturer’s Authorization letter** in company letterhead in format in given **Section-VI**
 - iii. Competent Authority under **GFR 144 (xi) (mandatory)** a copy of the same or **GFR 144(xi) compliance certificate** as in **Section-IX** must be uploaded.
 - iv. Self-certification for supporting the claim to be a local supplier under the

“Public Procurement preference to Make in India” order in format as in **Appendix-A (mandatory)** mentioning percentage of value addition in India and address of value addition for each item quoted, by Original Manufacturer and any other document that the bidder wishes to submit as a single PDF file.

- v. A file mentioning the list of items with their Make/Brand, Model and Pack size **WITHOUT PRICE** for which bidder is quoting must be uploaded as a single PDF file.

II. Price Bid:

Prices are to be quoted in the prescribed Price Bid format provided in the e-tender portal using the BOQ template only. The price should be quoted for the **accounting unit** indicated in the e-tender document.

Note:

- i) The bidder has to be diligent while filling up the Techno-Commercial Bid and Price Bid provided in prescribed formats and must not tamper with the contents of the sheets.
- ii) Bidders must ensure that the documents uploaded in pdf format are legible.
- iii) It is the responsibility of bidder to go through the Tender document to ensure furnishing all required documents in addition to above, if any.
- iv) The Make in India self-certification as in Appendix-A must be given and uploaded by original manufacture. The distributor can upload the Appendix-A given by original manufacture.
- v) ITE- Item-wise Eligibility Sheet should be downloaded, the items that the bidder wishes to quote must be selected as “Eligible”, and this “ITE file” must also be uploaded for the price bid to be considered by the system. The selected items will be displayed once uploaded and the bidder can verify that all items he wishes to quote for, are present in the list
- vi) A person signing (manually or digitally) the tender form or any documents forming part of the contract on behalf of another shall be deemed to warrant that he has authority to bind such other persons and if, on enquiry, it appears that the persons so signing had no authority to do so, the purchaser may, without prejudice to other civil and criminal remedies, cancel the contract and hold the signatory liable for all cost and damages.
- vii) A bid, which does not fulfill any of the above requirements and/ or give evasive information/reply against any such requirement, shall be liable to be ignored.
- viii) Tender sent by fax/telex/cable shall be ignored.

11. Digital Signing of Tender

The tenderers shall submit their tenders as per the instructions contained as above. Tenders shall be uploaded with all relevant tender documents in the prescribed format. The relevant tender documents should be uploaded by an authorized person having Class 3 digital signature certificate.

12. Tender currencies.

The tender shall be quoted only in INR.

13. Additional information and instruction on GST:

If the Tenderer desires to ask for GST or any other taxes to be paid extra, the same must be specifically stated. In the absence of any such stipulation, the price will be taken inclusive of such taxes and no claim for the same will be entertained later. The rate of GST quoted in the tender shall be taken for price comparison. However, the rate of GST quoted in the tender or the actual rate of GST applicable, whichever is lower shall be payable by the purchaser. The supplier can charge a higher GST than quoted in the tender only if the rate of GST was revised by the government after the tender closing date.

14. Tender opening

- i. The Tender Inviting Authority will open the e-tenders at the specified date and time and at the specified place as indicated in the NIT. In case the specified date of tender opening falls on / is subsequently declared a holiday or closed day for the Tender Inviting Authority, the tenders will be opened at the appointed time and place on the next working day.
- ii. Authorized representatives of the tenderers, who have submitted tenders on time, may attend the tender opening provided they bring with them letters of authority from the corresponding tenderers. The tender opening official(s) will prepare a list of the representatives attending the tender opening. The list will contain the representatives' names & signatures and corresponding tenderers' names and addresses.
- iii. This being a Two-Bid Tender system, the **Techno-Commercial Tenders** are to be opened in the first instance, at the prescribed time and date as indicated in NIT. These Tenders shall be scrutinized and evaluated by the competent committee/ authority with reference to parameters prescribed in the tender document. During the Techno-Commercial Tender opening, the tender opening official(s) will read the salient features of the tenders like brief description of the goods offered, delivery period, EMD and any other special features of the tenders, as deemed fit by the tender opening official(s). Thereafter, in the second stage, the Price bids of only the Techno - Commercially acceptable offers (as decided in the first stage) shall be opened for further scrutiny and evaluation on a date notified after the evaluation of the Techno-Commercial tender.

15. Scrutiny and evaluation of tenders

A. Basic Principle

Tenders will be evaluated on the basis of the terms & conditions already incorporated in the tender enquiry document, based on which tenders have been received and the terms, conditions etc. mentioned by the tenderers in their tenders. No new condition will be brought in while scrutinizing and evaluating the tenders.

B. Scrutiny of Tenders

- i. The Purchaser will examine the Tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished and, whether the documents uploaded are in legible form.

- ii. The Purchaser's determination of a Tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- iii. The tenders will be scrutinized to determine whether they are complete and meet the essential and important requirements, conditions etc. as prescribed in the tender document. The tenders, which do not meet the basic requirements, are liable to be treated as non-responsive and will be summarily ignored.
- iv. The following are some of the important aspects, for which a tender shall be declared non-responsive during the evaluation and will be ignored;
 - i. Tender validity is shorter than the required period.
 - ii. Non-submission of EMD receipt or EMD exemption certificate.
 - iii. Non-submission of receipt of tender processing fee.
 - iv. Non-submission of self-certification in format as given in Appendix-A only by original manufacturer, for determining eligibility to participate in the tender under the "Public Procurement preference to Make in India" order.
 - v. Non-submission of GFR-144 (xi) compliance certificate.
 - vi. Tenderer has not agreed to give the required performance security of required amount in an acceptable form.
 - vii. Non-submission of samples within ten days of the closing of online submission of bids
 - viii. Poor/ unsatisfactory past performance.
 - ix. Tenderers who stand de-registered/banned/blacklisted by any Central Govt. Ministries/Departments/Hospitals/Institutes.
 - x. Tenderer is not eligible as per tender conditions.
 - xi. Tenderer has not quoted for the entire quantity as specified in the List of Requirements/ BOQ for the item quoted.
 - xii. Non-submission of all details of quoted items (HSN, MSME, Make-in-India, make/brand, model, pack size and remark).
 - xiii. Tenderer has not agreed to other essential condition(s) specially incorporated in the tender enquiry, like delivery terms, delivery schedule, terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism applicable law.

16. Minor Informality/Irregularity/Non-Conformity

If during the preliminary examination, the purchaser find any minor informality and/or irregularity and/or non-conformity in a tender, the purchaser may waive the same provided it does not constitute any material deviation and financial impact and, also, does not prejudice or affect the ranking order of the tenders. Wherever necessary, the purchaser will convey its observation on such 'minor' issues to the tenderer by registered/speed post etc. asking the tenderer to respond by a specified date. If the tenderer does not reply by the specified date or gives evasive reply without clarifying the point at issue in clear terms, that tender will be liable to be ignored.

17. Award of work

- i. The selection of the agency will be at the sole discretion of the JIPMER who reserves its right to accept or reject any or all the proposals without assigning any reason thereof.
- ii. The lowest bid will be evaluated on the basis of annual estimated amount as quoted by bidders in the quotation including taxes.
- iii. Upon evaluation of offers the decision on the award of contract will be intimated to the successful bidder.
- iv. The annual estimate is given only as an indication. The actual quantity procured may increase or decrease. No assurance is given that the quantity stated will actually be procured.

Section-IV

GENERAL CONDITIONS OF CONTRACT

1. **Price of goods**

The rate quoted in the e-tender will be fixed for the whole contract period.

2. **Technical Specifications and Standards**

The Goods & Services to be provided by the supplier under this contract shall conform to the technical specifications mentioned in “Technical Specification” under **Section II**.

3. **Terms of Delivery**

- i. Goods shall be delivered by the supplier within 30 days of issue of supply order. Please note that the time shall be the essence of the contract.
- ii. Any unexcused delay by the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following sanctions:
 - a) Imposition of liquidated damages,
 - b) Forfeiture of its performance security and
 - c) Termination of the contract for default.

4. **Liquidated Damages**

If the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, the Purchaser/Consignee shall, without prejudice to other rights and remedies available to the Purchaser/Consignee under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods, installation, commissioning and/or services until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached Purchaser/Consignee may consider termination of the contract as per GCC 8. Since the Liquidated damages are in virtue of non-performance of services, it will attract GST or any other applicable taxes which in turn shall be deducted from the bidder.

5. **Performance Security**

The successful bidder shall have to deposit an amount 3% of the value of contract as Performance Security Deposit (PSD) within two weeks after award of contract, through SBI Collect available on JIPMER website. In the event of any failure /default of the supplier with or without any quantifiable loss to the purchaser, the amount of the performance security is liable to be forfeited.

Subject to the condition mentioned above the Performance Security will be released without any interest to the supplier on completion of the supplier's all contractual obligations including the warranty obligations and extension of time (with or without Liquidated Damages).

6. Payment Procedure

The contractor shall submit bill in triplicate upon satisfactory supply of goods. Bill must be raised based on the rate quoted in e-tender. Every effort shall be made to ensure that the payment will be made within 45 days of submission of bill. No advance payment will be considered. TDS will be deducted as per provision of Income Tax Act, GST Acts and other statutes as relevant.

7. Risk Clause

The contractor shall at all times have standby arrangements for carrying out the work under the contract, in case of any failure of the existing arrangements. JIPMER reserves the right for termination of the contract at any time by giving 30 days written notice, if the items delivered are found to be unsatisfactory and also has the right to award the contract to the next higher bidder willing to supply the item at the cost, risk and responsibilities of contractor and excess expenditure incurred on account of this will be recovered by JIPMER from the contractor's Performance Security Deposit or pending bills or by raising a separate claim.

8. Termination clause:

During the period of agreement if it is found that the agency is not providing proper services, the JIPMER reserves rights to make the vendor forfeit the security deposit deposited with JIPMER or part thereof in favour of JIPMER and agreement will be terminated after giving 30 days' notice. Furthermore, in such situations, tender can be allotted to second lowest bidder and the difference in cost shall be recovered from the earlier vendor who is breach of the contract. In addition in case it is found that the supplier is charging by fraudulent means or indulging in criminal activities the contract will be terminated immediately.

9. Jurisdiction of the courts

Jurisdiction of the courts for settlement of disputes:- Jurisdiction for the settlements of disputes if any is Puducherry only.

In above mentioned conditions Director JIPMER reserves all the rights.

Section-V

BIDDER'S PROFILE

This form duly filled and signed by authorized representative of the bidder and the scanned copy must be uploaded online

1.	Name & Designation of the contact person	
2.	Name and Address of the Tenderer	
3.	Phone No a) Land line number (functional between 9 am and 5 pm)	
4.	Mobile No of contact person (available from 9 am to 6 pm)	
5.	Email ID of the Tenderer	
6.	Email ID of the contact person	
7.	Local supplier/Distributor in Chennai/ Puducherry or any other place (complete address must be written)	
8.	Manufacture Name	
9.	Manufacture Address	
10	Whether Tenderer is registered MSE (Manufacture the product quoted) (If registered MSE, submit copy of the Udyog Aadhaar certificate or Equivalent Certificate)	Yes / No
<p>If there is any change in the above details, I will immediately intimate you by speed post or fax or email</p> <p>I.....hereby declare that the details given above are true to the best of my knowledge and I have thoroughly read and understood the terms and conditions of the tender and shall abide by the rules,</p> <p style="text-align: right;">Signature (Name and Designation & Seal)</p> <p>Dated:</p>		

NB: This form must be duly filled in by an authorized person

Section-VI
MANUFACTURER'S AUTHORISATION FORM
(Letterhead)

Date: _____

To
The Director,
JIPMER, Puducherry

Dear Sir,

Ref: Your TE document No: _____ dated: _____

We, _____ who are proven and reputable manufacturers of _____ (name and description of the goods offered in the Tender) having factories at _____, hereby authorize Messrs. _____ (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred TE documents for the above goods manufactured by us.

We also state that we are not participating directly in this tender for the following reason(s):

(Please provide reason here).

We further confirm that no supplier or firm or individual other than Messrs _____ (name and address of the above agent) is authorised to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred TE documents for the above goods manufactured by us. We also hereby extend our full warranty, CMC/AMC as applicable as per the General Conditions of Contract, read with modification, if any, in the Special Conditions of Contract for the goods and services offered for supply by the above firm against this TE document. We also hereby confirm that we would be responsible for the satisfactory execution of contract placed on the authorised agent.

We also confirm that the price quoted by our agent shall not exceed the price which we would have quoted directly”

Yours faithfully,
[Signature with date, name, designation and Email]
for and on behalf of Messrs _____
[Name & address of the manufacturers]

Note:

- (1) This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
- (2) Original letter may be sent.
- (3) The purchaser reserves the right to verify this document with its signatory.

SECTION-VII
TENDER FORM
(On Firms' Letter Head)

To
The Director
JIPMER, Puducherry 605006

Date: _____

Ref. Your TE document No. _____ dated _____

We, the undersigned have examined the above mentioned TE document, including amendment/corrigendum No. _____, dated _____ (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver _____ (Description of goods and services) in conformity with your above referred document **for the sum as shown in the price schedules attached herewith and made part of this tender**. If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC, Special Conditions of Contract”, for due performance of the contract.

We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and we certify that this bidder is not from such a country/ from such a country and has been registered with the Competent Authority and a copy of the valid registration by the Competent Authority is attached as evidence of the same (Strike out what is not applicable). In case there are Turnkey works to be carried out this bidder will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered.

We agree to keep our tender valid for acceptance as required in the GIT, Special Instructions to Tenderers” or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender up to the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We confirm that we do not stand deregistered/banned/blacklisted by any Govt. Authorities in the last 7 years.

We confirm that we fully agree to the terms and conditions specified in above mentioned TE document, including amendment/ corrigendum if any.

(Signature with date)
(Name and designation)

Duly authorized to sign tender for and on behalf of

Section-VIII

CHECK LIST FOR SUBMISSION OF TENDER

(To be filled by the tenderer and submitted along with the bid)

Sl. No.	Particular	Yes / No
1	i. Tender Processing Fee (Mandatory for all bidders) ii. EMD receipt or if EMD exemption, Valid MSE (Only Manufacturer) certificate or JIPMER Registration Certificate	
2	Copies of Supply orders/Completion certificate in support of Eligibility condition 2(ii).	
3	Copy of PAN Card	
4	Copy of ISO Certification of bidder, ISI/CE Certification of each product wherever asked	
5	Copies of last three years Income Tax Return statement with Balance sheets & Profit & Loss A/c i.e. 2019-20, 2020-21, 2021-22.	
6	Copy of GST Registration Certificate	
7	Authorization letter for signing tender documents if a person other than the Owner, Partner, Managing Director is signing/uploading the tender	
8	Tender form as in Section – VII duly signed and stamped	
9	Manufacturer's authorization form in format as in Section VI and	
10	Self-certification for supporting the claim to be a local supplier under the "Public Procurement preference to Make in India" order in format as in Appendix A	
11	A copy bidder's empanelment by the Competent Authority under GFR 144 (xi) or GFR 144 (xi) compliance certificate	
12	A PDF file containing list of all items quoted by the bidder without price bid in technical cover	
13	All details of the items (HSN, MSME, Make-in-India, make/brand, model, pack size and remark) quoted by the bidder.	
14	Any other document(s) enclosed (To be specified)	

I/We certify that the information furnished above is true and correct. The terms and conditions are acceptable to us and have the authority to bid a tender.

Signature of the owner/
Managing Partner/Director

Date:
Place:

Name:
Seal:

Appendix-A
(To printed on the Firm's letterhead)
Self-certification format for claiming purchase preference under the "Public Procurement preference to Make in India" order

As per the order issued by

(i) Department of Industrial Policy and Promotion (DIPP) vide No. P-45021/2/2017-BE-II dated 15.06.2017 as further amended by Order No.P-45021/2/2017-B.E.-II dated 28.05.2018, Order No.P-45021/2/2017-B.E.-II dated 29.05.2019, Order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020 and Order No. P-45021/2/2017-PP (BE-II) dated 16.09.2020; and

(ii) Department of Pharmaceuticals vide No. F- 31026/36/2016-MD dated 18.05.2018 and the subsequent orders thereof; The purchaser reserves the right to give preference to the local supplier.

A local supplier (definition of "local supplier" is given in clause 2 of the aforesaid order of DIPP as amended from time to time) has to submit the following along with their e-tender(s) failing which their bid will be evaluated without considering such preference mentioned in the DIPP order dated 15.06.2017 further amended on 28.05.2018, 25.09.2019 and 04.06.2020:

a. The local supplier at the time of e-tender, bidding or solicitation shall be required to provide self-certification that the item offered meets the minimum local content and shall give details of the location(s) at which the local value addition is made in the format in Annexure A.

b.

"Certified that the following items quoted has more than 50% or 20% to 50% of value addition in India at the location(s) mentioned against each and is eligible for purchase preference as per the Govt. of India "Public Procurement preference to Make in India" order Dt.15.06.2017 as further amended by Order No.P-45021/2/2017-B.E.-II dated 28.05.2018, Order No.P-45021/2/2017- B.E.-II dated 29.05.2019, and Order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020.

Item Code	Name of the Item	Percentage of Local content	Location of value addition in India.	Mention whether Class I local supplier or Class II local supplier or non-local Supplier

Authorized Signature:
Name:
Designation:

c. In cases of procurement for a value in excess of Rs. 10 Crore. the local supplier shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.

d. Minimum Local Content: 'Class-I local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50%, as defined

under the Order. “Class-II local supplier” means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this Order.

e. Margin of Purchase Preference: The margin of purchase preference shall be 20%.

f. Manufacture under license/technology collaboration agreements with phased indigenization are exempted from meeting the stipulated local content if the product is being manufactured in India under a license from a foreign manufacturer who holds intellectual property rights and where there is a technology collaboration agreement/transfer of technology agreement for indigenous manufacture of a product developed abroad with clear phasing of increase in local content.

g. Decisions on complaints relating to implementation of this Order shall be taken by the competent authority which is empowered to look into procurement-related complaints relating the procuring entity.

h. A constituted committee with internal and external experts will examine for independent verification of self-declarations and auditor’s/accountant’s certificates on random basis and in the case of complaints.

i. A fees of Rs.10000/- in the form of demand draft favoring The Director, JIPMER, payable at Puducherry, is required to be deposited with complaints for verification of local content.

j. False declarations will be breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

k. A supplier who has been debarred by any procuring entity for violation of this Order shall not be eligible for preference under this Order for procurement by any other procuring entity for the duration of the debarment. The debarment for such other procuring entities shall take effect prospectively from the date on which it comes to the notice of other procurement entities.

SECTION – IX

**GFR-144 (xi) compliance certificate
(To be printed on the Firm's letterhead)**

Tender No:

GFR-144(xi) compliance certificate (as per order F.No. 6/18/2019-PPD, Ministry of Finance, GOI)

Item Code	Name of the Item	I have read the clauses regarding restrictions under GFR144(xi) on procurement from a bidder of a country which shares a land border with India	Signature of Bidder (required in each row failing which that row will not be considered)
		I certify that the Bidder is NOT from such a country for this item.	

I hereby certify that we fulfill all requirement in this regard and is eligible to be considered for the procurement on CPP portal.

Thanking you.

Authorized Signatory