

Bid Document

Bid Details	
Bid End Date/Time	03-02-2021 13:00:00
Bid Opening Date/Time	03-02-2021 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	65 (Days)
Ministry/State Name	Ministry Of Health And Family Welfare
Department Name	Department Of Health And Family Welfare
Organisation Name	Jawaharlal Institute Of Postgraduate Medical Education And Research (jipmer)
Office Name	Jawaharlal Institute Of Postgraduate Medical Education And Research
Total Quantity	1
Item Category	C ARM FLUOROSCOPE X RAY MACHINE
Bidder Turnover (Last 3 Years)	17 Lakh (s)
OEM Average Turnover (Last 3 Years)	100 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
Comprehensive Maintenance Charges Required	Yes
Time allowed for Technical Clarifications during technical evaluation	2 Days
Inspection Required	No
Estimated Bid Value	3500000
Evaluation Method	Total value wise evaluation

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	70000

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	60

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Director, JIPMER

Jawaharlal Institute of Postgraduate Medical Education and Research, Department of Health and Family Welfare, Jawaharlal Institute of Postgraduate Medical Education and Research (JIPMER), Ministry of Health and Family Welfare (Director, Jipmer)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

C ARM FLUOROSCOPE X RAY MACHINE (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Performance Parameters	Type of Mechanical Motion of C Arm	Manual
	Angulation Movement of C Arm in degrees	± 190

Source to Image Distance in mm	950-1000
Arc Orbital Movement of C Arm	At least +90° - 40°
Panning Movement of C Arm (Swivel movement)	±12.5°
Range of Frequency of X ray Generator in khz	51-60
Generator Power output in Kw	2.5
Fluoroscopy Range in kvp	40-110
Fluoroscopy mA range, maximum in mA	0.2 to 17
Dual focus Rotating Anode X-Ray Tube of focal spot	0.6mm ² (small) & 1mm ² (large)
Anode heat storage capacity with tolerance ±10%	50 KHU
Pulses per sec	1 to 25
Mode selection for Kv and mA	Automatic
Type of Image Intensifier	9 " triple Field
Number of Monitors provided on intensifier system	Single monitor with dual image display touch screen
Type of monitor to be provided with intensifier system	LED
Size of Monitors in inch	21-24
Type of Collimator controlled	Motorized IRIS
Type of Camera	CMOS Camera
Camera Resolution in pixels	1K x 1K
Acquisition of Camera	16 bits
Image storage capacity in images	20000 to 50000
Zoom function available	2x
DICOM Compatibility	Yes, No
The system should be ready to connect with HIS/ PACS	Yes, No
Data transfer	USB
Radiography through Cassette with holder	Yes
Size of Cassette holder provided (for radiographic mode) in inch x inch	10 x 12
Upgradable option to digital substration of angigraphy and peripheral angiography	Yes, No
UPS Availability	External
UPS backup time in minutes	15
Servo Stabilizer supplied	Yes
Rating of Servo Stabilizer	5 KVA

	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	5
Reports	Confirmity to Manufacturing Standards	ISO 13485

Comprehensive Maintenance Charges	
Warranty of required product	5 Year
Comprehensive Maintenance Duration (Post Warranty)	5 Year

*Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog specification

Additional Specification Parameters - C ARM FLUOROSCOPE X RAY MACHINE (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
VINYL LEAD FREE APRON AND THYROID SHIELD MADE OF BISMUTH AND ANTIMONY (FULL BODY - 3 NUMBERS; SKIRT TYPE - 2 NUMBERS; THYROID SHIELD - 3 NUMBERS) PROVIDED	YES
MOBILE APRON RACK WITH 10 PIVOTED ARMS WITH VEST AND SKIRT ADAPTER PROVIDED	YES
SYSTEM INTEGRATED DAP METER DISPLAYING DOSE AREA PRODUCT AND AIR KERMA PROVIDED	YES

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Senthamizh Selvan Kuppusamy	605006,Jawaharlal Institute of Postgraduate Medical Education and Research, Dhanvantari Nagar, Puducherry	1	60

Special terms and conditions for category C ARM FLUOROSCOPE X RAY MACHINE

1.1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with

complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .

4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. Comprehensive warranty Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period. Service centres Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies. Source of supply It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them. Packing and Marking Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage,

deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity , . Packing list reference number , country of origin of goods and any other relevant details.Spare PartsSeller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.Installation, Training, ManualsSeller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable. Electrical safety checkingSellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call. Software All software updates should be provided free of cost during warranty period.

Bid Specific Additional Terms and Conditions

- 1.Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
- 2.If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
- 3.Make in india specific authorisation certificate needs to be enclosed.
- 4.Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
- 5.Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 6.To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): (1) GFR144xi compliance certificate as per order F.No.6/18/2019-PPD dated 23-July-2020 from DoE, Ministry of Finance, PPD, Government of India. (2) Self - Certificate for local content as per 'preference to Make-in-India' order No P-45021/2/2017-PP (BE-II) dated 16-Sep-2020, issued by DPIIT. Ministry of Commerce and Industry, Govt. of India.

Additional Clause For Comprehensive Maintenance Charges

- 1.CMC shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, after satisfactory completion of Warranty. During the CMC period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. CMC shall not be including the consumables. Further there will be 98% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
- 2.CMC charges to be indicated as percentage of cost of equipment quoted for each year after the warranty period.
- 3.GST shall be included in the CMC Charges quoted.
- 4.Cost of CMC will be added for Ranking/Evaluation purpose with depreciation formula. A 10% discounting rate per year shall be applied on CMC Charges for price evaluation on present value.
- 5.The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user.
- 6.While creating a bid or RA buyers shall indicate whether CMC is required against Yes/No options. If CMC Charges are included an option for number of years for CMC required after the warranty period shall be available. Under this options up to 5 years can be chosen for CMC charges beyond warranty period.

7. The CMC functionality shall be available in bid only and no direct RA shall be applicable. In case of bid to RA decrement rules shall be applicable on total price inclusive of CMC charges. Bunching of products shall not be available while creating bids with CMC charges.

7.1. Buyer shall indicate number of years of warranty by selecting option of 2 or 5 available in the field depending on warranty parameter applicable in category parameters for the equipment. The Seller while participating in Bid/RA will get fields to indicate CMC charges as percentage depending on number of years of CMC selected by Buyer. The following shall be applicable If 5 year CMC selected

- CMC charges for first year after warranty period - Percentage to be indicated- A 1
- CMC charges for second year after warranty period - Percentage to be indicated A2
- CMC charges for third year after warranty period - Percentage to be indicated A3
- CMC charges for fourth year after warranty period - Fixed amount to be indicated A4
- CMC charges for 5th year after warranty period - Percentage to be indicated A5

7.2. The calculation of CMC Charges shall take in to account of number of years of warranty and duration of CMC as specified while creating bid.

7.3. In the price evaluation, the system shall provide function to calculate the cost of each equipment by formula indicated below including CMC and then show the inter-se- ranking of the bidders. The following are the variables.

(i) Number of years for which CMC required.

(ii) Number of years of warranty. The formula for calculating total cost including CMC charges shall be :

Total cost for evaluation= $C + C * (A1/100) / (1.10^n) + A2/100 / (1.10^{n+1}) + A3/100 / (1.10^{n+2}) + A4/100 / (1.10^{n+3}) + A5/100 / (1.10^{n+4})$

C - Cost for equipment quoted and n shall be number of years of warranty specified

If 2 year warranty specified n shall be 2 and if 5 year specified n shall be 5.

A1,A2 A3 A4 A5 shall depend on how many years CMC selected If 3 year means only A1,A2 and A3 factor to be not taken in to account and A4 and A5 will not be applicable

7.4. CMC charges to be indicated for each subsequent year should be same or higher than preceding year.

7.5. The CMC charges shall be offered within range of 3 to 10% of cost of equipment.

8. Since CMC charges are to be paid only later for each year during CMC period , applicable performance guarantee amount after placement of contract shall be based on the cost of equipment and not on basis of cost of equipment along with CMC Charges.

9. Performance bank guarantee applicable for CMC is to be submitted at start of the CMC and shall be applicable % as specified in bid on the total contract value including CMC Charges The PBG submitted after award of contract shall be released only after new PBG for the CMC period is submitted and accepted by buyer/consignee after due verification. Bank guarantee for CMC is to remain valid till completion of CMC period plus one year .The bank guarantee for CMC shall be submitted to buyer directly.

10. In case of splitting of quantity equipment cost and CMC charges offered by L-1 in the evaluated cost shall be matched by higher quoting eligible bidders on one to one basis .The equipment cost shall be matched and CMC charges shall be matched year to year.

11. The CMC Contract shall be an offline contract to be handled by buyer. The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user and scope of CMC will be as per para 1 above.

12. The above terms and conditions shall be part of the bid as well as part of the contract.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---