

### Bid Document

Bid Details	
<b>Bid End Date/Time</b>	06-08-2022 15:00:00
<b>Bid Opening Date/Time</b>	06-08-2022 15:30:00
<b>Bid Offer Validity (From End Date)</b>	60 (Days)
<b>Ministry/State Name</b>	Ministry Of Health And Family Welfare
<b>Department Name</b>	Department Of Health And Family Welfare
<b>Organisation Name</b>	Jawaharlal Institute Of Postgraduate Medical Education And Research (jipmer)
<b>Office Name</b>	Jawaharlal Institute Of Postgraduate Medical Education And Research
<b>Total Quantity</b>	1
<b>Item Category</b>	Orthopedic Operating Table (Q3)
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	10 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)</b>	30 Lakh (s)
<b>Years of Past Experience Required for same/similar service</b>	3 Year (s)
<b>MSE Exemption for Years of Experience and Turnover</b>	No
<b>Startup Exemption for Years of Experience and Turnover</b>	No
<b>Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Past Performance</b>	20 %
<b>Bid to RA enabled</b>	No
<b>Comprehensive Maintenance Charges Required</b>	Yes
<b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
<b>Evaluation Method</b>	Total value wise evaluation

#### EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	5.00
EMD Amount	245000

#### ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	62

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### Beneficiary:

ADDITIONAL PROFESSOR & HEAD

Jawaharlal Institute of Postgraduate Medical Education and Research, Department of Health and Family Welfare, Jawaharlal Institute of Postgraduate Medical Education and Research (JIPMER), Ministry of Health and Family Welfare  
(G Gopisankar)

#### Splitting

Bid splitting not applied.

#### MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

#### MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a

certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Orthopedic Operating Table ( 1 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

Brand Type	Registered Brand
------------	------------------

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Table features	<b>Type of OT table Actuator</b>	Electro-hydraulic
	<b>Type of mechanism for functioning or controlling the table movements</b>	Electrohydraulic movement through remote and backup panel
	<b>Remote controlled positions</b>	Trendelenburg / reverse Trendelenburg, lateral tilt,longitudinalshift, height adjustment, antiflex and flex position and back plate up / down
	<b>Table top length, Range</b>	1900 mm-2100 mm
	<b>Table top Height, Range</b>	520 mm-1150 mm

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Provision of X ray cassette channel</b>	Yes, No
Table Positions	<b>Table top longitudinal sliding, Range</b>	5" to 12", 5" to 16"
	<b>Kidney Bridge required</b>	Yes
	<b>Split leg section , detachable-1 pair</b>	Yes
	<b>Battery backup of operating table in hrs</b>	3 or more than 3 hrs
	<b>Battery backup provided</b>	Yes
	<b>Foot pump</b>	Yes
	<b>Both arm board should have up and down and rotation function</b>	Yes
Standard Accessories	<b>Leg support or Lithotomy with side clamp &amp; lock-1pair</b>	Yes
	<b>Extension bar-1pair</b>	Yes
	<b>Horizontal Attachments-1no</b>	Yes
	<b>Remote-1 no</b>	Yes
Orthopedic Attachments	<b>Orthopedic Attachments</b>	Hanging type
	<b>Foot plate mount</b>	2
	<b>Supports bars</b>	2
	<b>Radial setting clamps</b>	4
	<b>Side rail extension</b>	2
	<b>Transport cart</b>	1
	<b>Traction stirrup clamp with rotation</b>	1
	<b>Rotation and tilting clamp</b>	1
	<b>Foot plate for adult</b>	2
	<b>Traction boot pair</b>	2
	<b>Femur nailing - Counter traction post for femur</b>	2
	<b>Counter traction post for tibia</b>	1
	<b>Condylar fixation</b>	1
	<b>Guide bar</b>	2

Specification	Specification Name	Bid Requirement (Allowed Values)
Reports	<b>Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)</b>	3

<b>Comprehensive Maintenance</b>	
Warranty of required product	5 Year
Comprehensive Maintenance Duration (Post Warranty)	5 Year

\*Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog specification

**Additional Specification Parameters - Orthopedic Operating Table ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Electromechanical or Electrohydraulic operation of the table should be possible, five sectionable table top with detachable radiolucent electrically non conductive pads. Rechargeable wired remote with manual override option.	Yes
Table top frame made of carbon fiber or similar durable material other than wood or plywood and be water proof, with multi directional castors.	Yes
Sliding of the table 30 to 50 cm, Trendelenberg range of 25 to 40, Tilt of 20 to 35 degrees, width of the table 45 to 55 cm, compatible maximum weight of 300 to 350 kg (static zero position), 230 to 270 Kg (for all articulated positions)	Yes
Table should have automated table lock release mechanism with auto levelling function in the remote.	Yes

Specification Parameter Name	Bid Requirement (Allowed Values)
Table should have battery built in with Indian type power plug with minimum power cord length of 5 meters and should work with electricity of 220V - 240 V AC, 50-60 Hz	Yes

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pasupathy	605006, Jawaharlal Institute of Postgraduate Medical Education and Research, Dhanvantari Nagar, Puducherry	1	45

#### Buyer Added Bid Specific Terms and Conditions

- Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
- If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
- Make in india specific authorisation certificate needs to be enclosed.
- Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

- Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

- Generic**

**Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

- Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

- Warranty**

Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide Comprehensive Maintenance Service for next 5 years for the offered products at the rate not more than 10 % of contract price per annum. Buyer reserves the right to enter into a CMC agreement with the

Successful Bidder / OEM after expiry of the Warranty period at above mentioned rate and the payment for the CMC charges would be made Biannually after rendering of the CMC Services of the relevant CMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the CMC contract when called upon by the buyer. CMC would include cost of all accessories and should be 10% of the equipment cost. Performance Bank Guarantee applicable for CAMC should be 3% of Total CAMC Charges (Upload the undertaking). The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 3% of total CMC value valid up to CMC period plus 2 months (if there is no other claim).

#### 9. **Warranty**

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 10. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

#### 11. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

#### 12. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 13. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 14. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): BIS, Electrical Certification like IEC-60601-1(Electrical Safety), IEC-60601-1-2 (Electromagnetic Compatibility), IEC 60601-2-46(Particular requirements for the safety of Operating Table)..

#### 15. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 16. **Financial Criteria**

**NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

**17. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

**18. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Fracture table attachment: Telescopic extension bars made of carbon fiber preferably or chrome nickel steel with traction bars installed so as to be pivotable making possible trouble free intraoperative use of image intensifier in AP, lateral and oblique planes (2 pieces or 1 assembly). Should include Traction boots (Leather boots with bottom plates attached to screw tension device):Adult 1 pair, Child 1 pair. The boots should be durable and should securely hold the foot in place using restraints and straps of adequate quality and number.
2. Leg rest: preferably made of carbon fiber or similar durable material and should not be made of wood or plywood; should be radiolucent with post and clamp that attaches to extension bar
3. Knee support (Table): height adjustable, radiolucent (carbonfiber), padded and should get attached to the side rails with brackets and clamps
4. Knee crutch (Goepel type): with clamp and Velcro strap and attachment to table and extension bar mounted on a ball joint.
5. Femoral counter post for nailing in both supine and lateral position (Radiolucent).
6. Radiolucent multiway adjustable spine support frame which fixes firmly to the table and is provided with pressure mitigation mattress at patient contact points.
7. Hand operating side attachment: padded height adjustable radiolucent top with single post preferably made of carbon fiber or similar durable material and should not be made of wood or plywood.
8. Padded height adjustable radiolucent table extender with posts for support, preferably made of carbon fiber or similar durable material and should not be made of wood or plywood. The attachment should add length (1000 mm to 1400 mm) to the table and allow for unobstructed use of the image intensifier.
9. Lateral or side support consisting of length and height adjustable telescopic rods made of stainless steel with pressure management mattress. It should be possible to mount on the side rails with brackets and clamps
10. L shaped anesthesia frame
11. Padded arm boards with stainless steel back - 2 pieces
12. Raised arm support with pad: two numbers
13. Head holder with padding for holding the head in prone position, and mirror to view the face of the patient by the anesthetist during prone positioning.
14. Removable and washable patient restraint strap with attachment to side rails and should be provided with Velcro fasteners.
15. Accessories stand: mobile with casters; frames and baskets made of stainless steel for storing small parts and extension bar. Trolley/ stand should be supplied for the assembled fracture table to enable easy attachment and removal
16. Thigh/leg holder should fix stably to the table and should allow free range of the suspended leg for nailing of tibia as well as knee arthroscopy.
17. The table should be supplied with Gel pads made of progel silicone or similar material which is soft and has pressure mitigation properties. Gel pads: Round shaped for head support open in the bottom (1 no.), Horse shoe shaped head support with eye pressure relief - universal size (1 no.), Flat shaped arm support (2 nos.), multi utility bolsters (medium -2, large -2), contoured heel and knee support (2 nos. each)



## 19. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address HEAD OF THE DEPARTMENT DEPARTMENT OF ORTHOPAEDICS, GROUND FLOOR, PMRC BLOCK, JAWAHARLAL INSTITUTE OF POST GRADUATE MEDICAL EDUCATION AND RESEARCH (JIPMER) DHANVANTRI NAGAR, GORIMEDU, PUDUCHERRY - 605 006.

## 20. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

## **Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

## **Additional Clause For Comprehensive Maintenance Charges**

- 1.CMC shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, after satisfactory completion of Warranty. During the CMC period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months or as per user requirement. Cost of consumables shall not be included in CMC. Further there will be 98% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
- 2.CMC charges to be indicated as percentage of cost of equipment quoted for each year after the warranty period.
- 3.GST shall be included in the CMC Charges quoted.
- 4.Cost of CMC will be added for Ranking/Evaluation purpose with depreciation formula. A 10% discounting rate per year shall be applied on CMC Charges for price evaluation on Net Present Value.
- 5.The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user.
- 6.While creating a bid or RA, buyers shall indicate whether CMC is required against Yes/No" options. If CMC Charges are included, an option for number of years for CMC required after the warranty period shall be available. Under this option up to 10 years can be chosen for CMC charges beyond warranty period.
- 7.In case the bid has a provision for CMC, the warranty of the product will also be deemed to have been converted into Comprehensive warranty including preventive maintenance and calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, during the Warranty Period also. Sellers are therefore advised to include the cost of Comprehensive Warranty including spares (excluding consumables) also in product Cost.
- 8.The CMC functionality shall be available in bid only and no direct RA shall be applicable. In case of bid to R/A decrement rules shall be applicable on total price inclusive of CMC charges. Bunching of products shall not be available while creating bids with CMC charges.

8.1. Buyer shall indicate number of years of warranty by selecting different options available in the field depending on warranty parameter applicable in category parameters for the equipment. No. of years of warranty indicated here shall supersede the warranty period indicated elsewhere in bid or product specifications. The Seller while participating in Bid/RA will get fields to indicate CMC charges as percentage depending on number of years of CMC selected by Buyer. The following shall be applicable, if 5 year CMC selected:

- CMC charges for 1st year after warranty period- Percentage to be indicated- A1
- CMC charges for 2nd year after warranty period- Percentage to be indicated- A2
- CMC charges for 3rd year after warranty period - Percentage to be indicated- A3
- CMC charges for 4th year after warranty period - Percentage to be indicated- A4
- CMC charges for 5th year after warranty period - Percentage to be indicated- A5

Similarly, A6 to A10 are to be indicated for 6th to 10th year of CMC if applicable.

8.2. The calculation of CMC Charges shall take into account the number of years of warranty and duration of CMC as specified while creating bid.

8.3. In the price evaluation, the system shall provide function to calculate the cost of each equipment by formula indicated below including CMC and then show the inter-se-ranking of the bidders. The following are the variables

- (i) Number of years for which CMC required.
- (ii) Number of years of product warranty

The formula for calculating total cost including CMC charges shall be as under:

Total Cost for evaluation=

$C + C * \left\{ \frac{A1}{100} / (1.10^n) + \frac{A2}{100} / (1.10^{n+1}) + \frac{A3}{100} / (1.10^{n+2}) + \frac{A4}{100} / (1.10^{n+3}) + \frac{A5}{100} / (1.10^{n+4}) \right\}$  and so on

C - Cost for equipment quoted and n shall be number of years of product warranty specified.

If 2 year warranty specified, n shall be 2 and if 5 year warranty specified, n shall be 5. A1, A2, A3, A4 & A5 shall depend on how many years CMC selected. For 3 year CMC, only A1, A2 and A3 factors are to be taken into account and A4 and A5 will not be applicable.

8.4. CMC charges offered for each subsequent year should be same or higher than preceding year.

8.5. The CMC charges shall be offered within range of 3 to 10% of cost of equipment.

9. Since CMC charges are to be paid only later for each year during CMC period, applicable performance guarantee amount after placement of contract shall be based on the cost of equipment excluding the cost of CMC Charges.

10. Performance bank guarantee applicable for CMC is to be submitted at start of the CMC and shall be applicable between 2.5% to 5% as specified in bid on total CMC Charges. The PBG submitted after award of contract shall be released only after new PBG for the CMC period is submitted and accepted by buyer/consignee after due verification. Bank guarantee for CMC is to remain valid till completion of CMC period plus one year. The bank guarantee for CMC shall be submitted to buyer directly. In case, seller fails to submit the PBG or does not provide services for the CMC contract after expiry of warranty period then PBG of equipment shall be forfeited.

11. In case of splitting of order quantity, equipment cost and CMC charges offered by L1 bidder shall be matched by higher quoting eligible bidders on one-to-one basis. The equipment cost and CMC charges (year to year) shall be matched individually.

12. The CMC Contract shall be an offline contract to be handled by buyer. The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user and scope of CMC will be as per para 1 above.

13. CMC Charges are inclusive of all the charges for Transportation, Lodging, Boarding, all insurances including third party insurance and all other incidental charges. The same shall include GST. The prices also include cost of spares and damaged parts. Purchaser does not have any liability, whatsoever, over and above the cost of CMC. It also includes for arranging hand tools & tackles, special tools etc. required to carry out the work.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**