

Bid Corrigendum

GEM/2023/B/3557412-C1

Following terms and conditions supersede all existing "Buyer added Bid Specific Terms and conditions" given in the bid document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions:

Buyer Added Bid Specific Additional Terms and Conditions

1. Authorised Service Centre within the state of Odisha, along with a dedicated contact person with telephone number for technical solution in a fast track basis at this institution as and when required basis.
2. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
3. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
4. Make in india specific authorisation certificate needs to be enclosed.
5. Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address
ENT office, ENT Department
OLD block, First floor
Dhanvantri Nagar, JIPMER
JIPMER- Puducherry 605006
JIPMER
6. **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
7. **End User Certificate:** Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.
8. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
9. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
10. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
11. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
12. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the

date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

13. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
14. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
15. ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.
16. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
17. Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.
18. Bidders can also submit the EMD with Account Payee Demand Draft in favour of
Director, JIPMER
payable at
Director
.
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.
19. Buyer Added text based ATC clauses

- 1. Advance Micro Controlled based electro surgical unit with LCD display Touch screen for all power settings with touch screen**
- 2. Facility for monopolar under water cutting**
- 3. Output Power should be Maximum In Monopolar Cut- 400 w, Maximum in Monopolar coagulation
150 w, Maximum in Bipolar Coagulation-120 w**
- 4. At least 5 Monopolar Cut modes :- Pure cut, Lap cut, Blend cut , Endocut , I-Cut**
- 5. At least 8 Monopolar Coagulation modes :- Fulgurate, Hi Spray, Low spray, Hi Desiccate,
Low Desiccate, Soft & 2 auto modes**
- 6. At least 6 bipolar modes :- Cut, Macro, Micro, 2 Auto Stop & Auto Start**
- 7. Should have a facility for Simultaneous Coagulation by hand switch and foot switch combination in Monopolar outputs**
- 8. Adjustable Auto Start delay from 0 to 9.5 Secs in the step of 0.5 sec**
- 9. The unit should have 3 pedal foot switch, explosion proof / water proof preferable Wireless Foot Switch.**

10. Should have wireless pedal with multifunctional toggle button to select different mode and foot switch functions.

11. Machine should be compactable for both wired pedal and wireless pedal.

12. Wireless Pedal battery life should be more than 3 - 5 years.

13. Facility for Digital Volume Control with different sounds for monopolar Cut

-

Standard Consumables and Accessories:

-

- **Wireless Three Pedal Foot Switch** with Autolock plug - 1no
- Bayonet Bipolar Forceps - 2 nos
- Silicon cable for Bipolar Forceps - 1no
- Monopolar Foot operated Hand pencil & Four electrodes - 1no
- Monopolar Handswitch pencil-Reusable - 1no

Monopolar handswitch pencil single use- 10 nos

- Power cord - 1no

EMD payment process

1. Go to <https://jipmer.edu.in/>

2. Select Online Payment Option.

3. Redirect to SBI Collect window

4. Make the Payment

5. Upload the SBI Collect receipt in GeM Portal under Additional Document (1 or 2 or 3 or 4).

for further details, Kindly call JIPMER purchase Section - 0413 - 2296047

20. Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and

conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

[This Bid is also governed by the General Terms and Conditions](#)