

4Form – IV

(See rule 13)

MONTHLY REPORT-December -2024

Sl. No.	Particulars	
1.	Particulars of the Occupier :	
	(i) Name of the authorised person (occupier or operator of facility)	: Dr. L.N. Dorairajan, Medical Superintendent
	(ii) Name of HCF or CBMWTF	: Jawaharlal Institute of Postgraduate Medical and Research
	(iii) Address for Correspondence	: Dhanvantri Nagar, Puducherry – 6.
	(iv) Address of Facility	: Medical Superintendent office, Dhanvantri Nagar, Puducherry – 6.
	(v) Tel. No, Fax. No	: 0413-2296501, 0413-2272735
	(vi) E-mail ID	: bmwjipmer@gmail.com
	(vii) URL of Website	: www.jipmer.edu.in
	(viii) GPS coordinates of HCF or CBMWTF	: -
	(ix) Ownership of HCF or CBMWTF	: Autonomous Institute
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.:429685, dated:09-12-2024 No.1/PPCC/BMW/AUTHO//JSA(PPCC)/2024/27 valid up to November 2027
	(xi). Status of Consents under Water Act and Air Act	: Applied
2.	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds: 1884
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: N.A
	(iii) License number and its date of expiry	: N.A
3.	Details of CBMWTF	:
	(i) Number healthcare facilities covered by CBMWTF	: N.A
	(ii) No of beds covered by CBMWTF	: N.A
	(iii) Installed treatment and disposal capacity of CBMWTF:	: N.A
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	: N.A
4.	Quantity of waste generated or disposed in Kg per month	: Yellow Category : 38,131Kg Red Category : 25,712Kg White: 426Kg Blue Category : 3,660Kg General Solid waste: 1,36,190Kg
5	Details of the Storage, treatment, transportation, processing and Disposal Facility	
	(i) Details of the on-site storage facility	: Size : 2100 sq.ft (approx.) Capacity : 2500kg Provision of on-site storage : (cold storage or any other provision)



		Type of treatment equipment	No of units	capacity kg/day	Quantity treated or disposed in kg per Month
	(ii) Details of the treatment or disposal facilities :	Incinerators	-	-	-
		Plasma Pyrolysis	-	-	-
		Autoclaves	6units	~ 29kg/day	~ 871kg/month
		Microwave	-	-	-
		Hydroclave	-	-	-
		Shredder	-	-	-
		Needle tip cutter or destroyer	-	-	-
		Sharps encapsulation or concrete pit	-	-	-
		Deep burial pits:	-	-	-
		Chemical disinfection:	-	-	-
		Any other treatment equipment:	-	-	-
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	: All the Bio-Medical Waste generated in JIPMER has been handed over to the CBMWTF.			
	(iv) No of vehicles used for collection and transportation of biomedical waste	: 1 Vehicle			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<b>Quantity generated</b>	<b>Where disposed</b>	
		Incineration	-	} NIL	All the Bio-Medical Waste generated in JIPMER has been handed over to the M/s. Pondicherry Solid Waste Company Private Limited, Thuthipet.
		Ash	-		
		ETP Sludge	-		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	: M/S. Pondicherry Solid Waste Management, Thuthipet.			
	(vii) List of member HCF not handed over bio-medical waste.	-			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes			
7	Details trainings conducted on BMW				
	(i) Number of trainings conducted on BMW Management.	2			
	(ii) number of personnel trained	50			
	(iii) number of personnel trained at the time of induction	-			
	(iv) number of personnel not undergone any training so far	-			
	(v) whether standard manual for Training is available?	Available. Utilized through posters, Google form, videos & Power Point Presentation.			
	(vi) any other information)	-			
8	Details of the accident occurred during the year	Nil			



	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		N.A
	(iv) Any Fatality occurred, details.		
9	Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards?		N.A
	Details of Continuous online emission monitoring system installed		No
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		SEWAGE TREATMENT PLANT Standards have been met
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes
			Nil
12	Any other relevant information	:	N.A


Certified that the above report is for the period from 01/12/2024 to 31/12/2024.


December 2024

Date:

08-01-25

Place: Puducherry

 21/1/25

 08.01.25  
Signature of the Medical Superintendent  
चिकित्सा अधीक्षक / Medical Superintendent  
जिपमेर चिकित्सालय / JIPMER Hospital  
पुदुच्चेरी / Puducherry-6.