4Form – IV

(See rule 13)

MONTHLY REPORT-November -2025

Sl. No.	Particulars		
1.	Particulars of the Occupier :		
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr. Saka Vinod Kumar, Medical Superintendent
	(ii) Name of HCF or CBMWTF	:	Jawaharlal Institute of Postgraduate Medical and Research
	(iii) Address for Correspondence	:	Dhanvantri Nagar, Puducherry – 6.
	(iv) Address of Facility		Medical Superintendent office, Dhanvantri Nagar, Puducherry – 6.
	(v)Tel. No, Fax. No	:	0413-2296501, 0413-2272735
	(vi) E-mail ID	:	bmwjipmer@gmail.com
	(vii) URL of Website		www.jipmer.edu.in
	(viii) GPS coordinates of HCF or CBMWTF		-
	(ix) Ownership of HCF or CBMWTF	:	Autonomous Institute
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.:429685, dated:09-12-2024 No.1/PPCC/BMW/AUTHO//JSA(PPCC)/2024/27valid up to November 2027
	(xi). Status of Consents under Water Act and Air Act	:	Applied
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 1884
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	N.A
	(iii) License number and its date of expiry		N.A
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	N.A
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	N.A
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	N.A
4.	Quantity of waste generated or disposed in Kg per month	:	Yellow Category : 40,949 Kg
			Red Category : 27,079 Kg
			White:509 Kg
			Blue Category : 3,805 Kg
			General Solid waste: 1,21,195Kg
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : 2100 sq.ft (approx.)
			Capacity : 2500kg
			Provision of on-site storage : (cold storage or any other provision)

	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment / No of units / capacity kg/ day / Quantity treated or disposed in kg per Month Incinerators - - - Plasma Pyrolysis - - - Autoclaves 6units ~ 78kg/day ~ 2249kg/month Microwave Hydroclave - - - Shredder Needle tip cutter or - - destroyer - - Sharps encapsulation - - or concrete pit Deep burial pits: Chemical disinfection: - - Any other treatment equipment:
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	All the Bio-Medical Waste generated in JIPMER has been handed over to the CBMWTF.
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1 Vehicle
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		**Quantity generated** Incineration - } Ash - } NIL ETP Sludge - } **Where disposed** All the Bio-Medical Waste generated in JIPMER has been handed over to the M/s. Pondicherry Solid Waste Company Private Limited, Thuthipet.
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/S. Pondicherry Solid Waste Management, Thuthipet.
	(vii) List of member HCF not handed over bio-medical waste.		-
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		11
	(ii) number of personnel trained		258
	(iii) number of personnel trained at the time of induction		-
	(iv) number of personnel not undergone any training so far		-
	(v) whether standard manual for Training is available?		Available. Utilized through posters, Google form, videos & Power Point Presentation.
	(vi) any other information)		-
8	Details of the accident occurred during the year		Nil

	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		N.A
	(iv) Any Fatality occurred, details.		
9	Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards?		N.A
	Details of Continuous online emission monitoring system installed		No
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		SEWAGE TREATMENT PLANT Standards have been met
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes Nil
12	Any other relevant information	:	N.A

Certified that the above report is for the period from 01/11/2025 to 30/11/2025.

November 2025

.....

.....

.....

.....

Signature of the Medical Superintendent

Ag. MEDICAL SUPERINTENDENT
कार्यकारी चिकित्सा अधीक्षक
JIPMER HOSPITAL
जिपमेर चिकित्सालय
पांडिच्चेरी / PONDICHERRY - 605 006

Date:

Place: Puducherry