



**JAWAHARLAL INSTITUTE OF POST GRADUATE MEDICAL
EDUCATION & RESEARCH (JIPMER)**

GOVERNMENT OF INDIA

(An Institution of National Importance under Ministry of Health & Family Welfare) Dhanvantri
Nagar, Puducherry-605006

**OPEN TENDER
ENQUIRY DOCUMENT
FOR
RATE CONTRACT
FOR
SUPPLY OF CONSUMABLES/NON-CONSUMABLES
FOR
DEPARTMENT OF
Central Instrument Stores (Surgicals) for a period of
TWO Years**

(This document consisting of **55** pages)

**JIPMER,
DHANVANTARI NAGAR,
PUDUCHERRY 605006
Phone: - 0413-2296016/15/47 ; Fax:- 0413-2272067/66
Email: jipmercentralstores@gmail.com URL: - www.jipmer.edu.in**

INDEX

Section	Topic	Page No.
Section-I	Notice inviting Tender (NIT)	03
Section-II	Schedule of Requirements and Specifications	05
Section-III	General Instructions to Tenderers (GIT)	38
Section-IV	General Conditions of Contract (GCC)	47
Section-V	Bid Application Form	49
Section-VI	Manufacturer's Authorization Form	50
Section-VII	Tender Form	51
Section-VIII	Check list for Submission of Tender	52
Appendix-A	Self-certification format for claiming purchase preference under the "Public Procurement preference to Make in India" order	53
Section-IX	GFR-144 (xi) compliance certificate	55

SECTION-I

JAWAHARLAL INSTITUTE OF POSTGRADUATE MEDICAL EDUCATION AND RESEARCH PUDUCHERRY – 6

(Institution of National Importance under the Ministry of Health & Family Welfare,
Govt. of India)

Purchase Section

No. JIP/PUR6(1)/OeT/CS(Surgical)/2021-22

Dated: 10.03.2022

NOTICE INVITING e-TENDER (e-NIT)

Sub: Supply of Consumables / Non-Consumables

E- tenders are invited from eligible and qualified domestic manufacturer's or their distributors for the RATE CONTRACT for supply of CONSUMABLES/NON-CONSUMABLES for the Department of **Central Instrument Stores (Surgical)** for a period of TWO Years

1. Scope of work: Supply of consumables/non-consumables for the Department of Central Stores (Surgical)
2. Value of tender: Approximate Cost **Rs. 5,00,00,000**
3. Tender timelines:
 - i. Opening date & time for download of Tender document: **06.00 PM on 10.03.2022**
 - ii. Last date for receipt of pre-bid queries: **06.00 PM on 16.03.2022**
 - iii. Pre-bid queries regarding Items and Samples can be made through e-mail to: jipmercentralstores@gmail.com and other Document related queries may be raised through purchase@jipmer.edu.in
 - iv. Opening date & time for submission of online bids: **09.00 AM on 21.03.2022**
 - v. Closing date & time for submission of online bids **06.00 PM on 11.04.2022**
 - vi. Date and Time of opening of online bids for Technical evaluation: **10.00 AM on 13.04.2022**
 - vii. Date & time of opening of Price Bid: To be intimated later.
4. Earnest Money Deposit: **Rs.5,000/-** to be paid through SBI collect only. The EMD shall be returned without interest to the non-successful tenderers after acceptance of award of contract by the successful bidder.
5. Tender Processing Fee (Non-refundable): **Rs. 590 (including 18% GST) shall be paid through SBI collect only.**
6. Interested bidders are advised to download the complete Tender Enquiry document from the websites www.jipmer.edu.in or <https://eprocure.gov.in/eprocure/app> for complete details.

7. The prospective bidders must register with the E-procurement system of <https://eprocure.gov.in/eprocure/app>. Special Instructions to the bidders for the e-submission of the bids online through this eProcurement Portal on completion of the registration process is given in <https://eprocure.gov.in/eprocure/app> , the bidders will be provided user ID and password upon enrollment. In order to submit the bids electronically, bidders are required to have a valid Class 3 Digital Signature Certificate (signing and encryption/ decryption certificates).
8. Bidders are requested to read the bidders help document on e-tender web site link before proceeding for bidding.
9. Post receipt of User ID & Password, Bidders can log on for downloading & uploading tender document.
10. The bidders shall submit the required EMD (as per G.I.T clause 2) before the due date and time mentioned above.
11. The online submission of tender(s) can only be done through <https://eprocure.gov.in/eprocure/app>
12. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through <https://eprocure.gov.in/eprocure/app> e-portal (as described above) only.
13. Prospective bidders are advised to browse the above websites regularly before submission of their bids as any further amendments will be published in these websites only.

Asst. Officer in Charge
Purchase Section,
For
Director,
JIPMER, Puducherry

Section-II

SCHEDULE OF REQUIREMENTS AND SPECIFICATIONS

LIST OF ITEMS REQUIRED

1. Scope of work : Supply of Consumables/ Non-Consumables for the department of **Central Stores (Surgicals)** as detailed below

Sl. No	Name of the Item	Quantity
1.001	<p>DIGITAL BLOOD PRESSURE DEVICE with adopter Should be portable to carry easily.</p> <ul style="list-style-type: none">o Should be One-button touch device to start capturing Blood pressure on cuff inflationo Blood pressure readings should take about 20 secondso Should not weigh more than 300 gm without battery.o Should have digital lcd display screen, pressure and pulse displayed- The cuff of the BP Apparatus should be compatible to Measuring device.o Should display systolic, Diastolic, and Pulse rate (PR)o Should work with oscillometric measuring methodo Should have measurement range of 50 to 260 mmhg (for Blood Pressure) and 40 to 199 Beats per minute (Pulse rate)o Should be CE and US FDA or equivalent approved	300 Nos
1.002	<p>Aneroid Sphygmomanometer with an adult cuff with dual rubber tubing for the bulb and the meter separately</p> <ul style="list-style-type: none">- High precision and accuracy- Field Calibration facility should be available- Preferably should have method for checking calibration in the field- Preferably should offer periodic free calibration check demonstration- Baldder tubings and bulb should withstand hot environmental conditions- Option for velcro or cloth cuff- Cost for accessories such as thigh cuff, cuff for obese individuals should be mentioned- One year Warranty- Preferably should have supplied to large hospitals and provide certificat of satisfactory performance- Should provide samples for testing in the hospital as part of regular use for a period of 3 months to assess performance- Mention the number of samples that can be provided for testing	300 Nos

1.003	<p>Sphygmomanometer- Aneroid Type Stand Model</p> <ul style="list-style-type: none"> - Should have ISI - Should have a measuring range from 0 to 300 - Should be provided with adult arm cuffs of size medium & large and paediatric cuff - The dial manometer markings and graduations should be permanent and clearly visible and filled with pigments, with diameter of minimum diameter of 160 mm - Body & Bazel-Aluminium die casted (Power coated), Screw type baze. - Sensing - corrugated phosphorous bronze twin capsule bellows. - Movement mechanism - Brass - Connection : Brass, Nickel plated for 3-4 mm rubber hose - Dial- Aluminium - Pointer- white coated, thin & sharp made of phosphorous Bronze - Window lenses - Clear plastic - All Plastic parts, if any used should not crack, flake, peel or disintegrate in normal use. - The inflating rubber should be capable of withstanding an internal pressure of 450 mm Hg without leaking - The inflating bulb should be soft and should not have any joints or ridges. - The fastening arrangements of the cuff should be hook and loop type (Velcro) - The threading and fastening arrangement of the cuff should show no sign of slip or failure when subjected to the maximum test conditions. - The rubber tubes used should have an internal diameter of 3 + 0.5 mm and the external diameter should not be less than 8mm. - The tubes should be fitted with male and female luer connectors - Should be mounted on good quality wheel - The stand body shall be made of mild steel and powder coated. 	60 Nos
1.004	<p>PVC Drains with Suction Bellow for Closed Suction Drainage Size:10F (Pack Size - Box of 10 units)</p>	1000 Nos
1.005	<p>PVC Drains with Suction Bellow for Closed Suction Drainage Size:12F (Pack Size - Box of 10 units)</p>	1000 Nos
1.006	<p>PVC Drains with Suction Bellow for Closed Suction Drainage Size:14F (Pack Size - Box of 10 units)</p>	1200 Nos

1.007	PVC Drains with Suction Bellow for Closed Suction Drainage Size:16F (Pack Size - Box of 10 units)	750 Nos
1.008	PVC Drains with Suction Bellow for Closed Suction Drainage Size:18F (Pack Size - Box of 10 units)	750 Nos
1.009	Infant Feeding Tube Siliconized EO Gas Sterilized Size - 05 (Pack Size - Box of 20 units)	15000 Nos
1.01	Infant Feeding Tube Siliconized EO Gas Sterilized Size - 06 (Pack size - Box of 20 units)	27500 Nos
1.011	Infant Feeding Tube Siliconized EO Gas Sterilized Size - 07 (Pack Size - Box of 20 units)	27500 Nos
1.012	Infant Feeding Tube Siliconized EO Gas Sterilized Size - 08 (Pack Size - Box of 20 units)	27500 Nos
1.013	Infant Feeding Tube Siliconized EO Gas Sterilized Size - 09 (Pack Size - Box of 20 units)	27500 Nos
1.014	Infant Feeding Tube Siliconized EO Gas Sterilized Size - 10 (Pack Size - Box of 20 units)	27500 Nos
1.015	Urine collecting bag with attached measuring chamber (Urinometer) of the capacity at least 150 ml to enable measuring hourly urine output & total bag capacity of 1.5 – 2 Lit with connector for urine catheter	5000 Nos
1.016	Sterile Translucent Leak Proof Urine Drainage Bag with non-return valve, attached spigot central suspension, TOP stiffener and kink resistant tube of 1 meter length (Pack Size - Box of 20 units)	100000 Nos
1.017	Silicone Coated Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 8F	3500 Nos
1.018	Silicone Coated Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 10F	2000 Nos

1.019	Silicone Coated Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 12F	8000 Nos
1.02	Silicone Coated Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 14F	27500 Nos
1.021	Silicone Coated Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 16F	15000 Nos
1.022	Silicone Coated Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 18F	3000 Nos
1.023	Silicone Coated Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 20F	1000 Nos
1.024	Silicone Coated Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 22F	1000 Nos
1.025	Silicone (100% Pure Silicon 2 way bulb) Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 12F	1500 Nos
1.026	Silicone (100% Pure Silicon 2 way bulb) Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 14F	1500 Nos
1.027	Silicone (100% Pure Silicon 2 way bulb) Latex Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - (Pack Size - Box of 10 units) Size: 16F	1500 Nos
1.028	I.V.Cannula with Injection Port FEP Teflon or with Injection Valve with Removable Flush Back Chamber and tip should be well tapered to prevent wrinkling on insertion and PTEF Sterilized Indian Make (Pack Size :Box of 100 units) Size : 16 G	15000 Nos

1.029	I.V.Cannula with Injection Port FEP Teflon or with Injection Valve with Removable Flush Back Chamber and tip should be well tapered to prevent wrinkling on insertion and PTEF Sterilized Indian Make (Pack Size :Box of 100 units) Size : 18 G	70000 Nos
1.03	I.V.Cannula with Injection Port FEP Teflon or with Injection Valve with Removable Flush Back Chamber and tip should be well tapered to prevent wrinkling on insertion and PTEF Sterilized Indian Make (Pack Size :Box of 100 units) Size : 20 G	260000 Nos
1.031	I.V.Cannula with Injection Port FEP Teflon or with Injection Valve with Removable Flush Back Chamber and tip should be well tapered to prevent wrinkling on insertion and PTEF Sterilized Indian Make (Pack Size :Box of 100 units) Size : 22 G	160000 Nos
1.032	I.V.Cannula with Injection Port FEP Teflon or with Injection Valve with Removable Flush Back Chamber and tip should be well tapered to prevent wrinkling on insertion and PTEF Sterilized Indian Make (Pack Size :Box of 100 units) Size : 24 G	70000 Nos
1.033	Disposable Sterile 3-Way Stop Cock (Pack Size - Box of 50 units)	100000 Nos
1.034	Disposable Underwater Seal Inter Costal Chest Drainage PVC bottle 2000ml (Adult) with level markings and a stable base. The connecting tube to be provided with a connector. (Pack Size - Box of 10 units)	1500 Nos
1.035	Disposable Underwater Seal Inter Costal Chest Drainage PVC bottle 500ml (kid) with level markings and a stable base. The connecting tube to be provided with a connector (Pack Size - Box of 10 units)	1100 Nos
1.036	Three way stop cock with extension 10 cms Stop cock should have polycarbonate body with male Luer lock nut and polyethylene luer caps. Flow rate: Straight: 650-700 ml / min; Side port: 450 - 500 ml / min (Low pressure)	5000 Nos
1.037	Three way stop cock with extension 25 cms. Stop cock should have polycarbonate body with male Luer lock nut and polyethylene luer caps. Flow rate: Straight: 650-700 ml / min; Side port: 450 - 500 ml / min (Low pressure)	5000 Nos

1.038	Three way stop cock with extension 50 cms. Stop cock should have polycarbonate body with male Luer lock nut and polyethylene luer caps. Flow rate: Straight: 650-700 ml / min; Side port: 450 - 500 ml / min (Low pressure)	10000 Nos
1.039	Three way stop cock with extension 100 cms. Stop cock should have polycarbonate body with male Luer lock nut and polyethylene luer caps. Flow rate: Straight: 650-700 ml / min; Side port: 450 - 500 ml / min (Low pressure)	10000 Nos
1.04	Three way stop cock with extension 150 cms. Stop cock should have polycarbonate body with male Luer lock nut and polyethylene luer caps. Flow rate: Straight: 650-700 ml / min; Side port: 450 - 500 ml / min (Low pressure)	10000 Nos
1.041	Three way stop cock with extension 200 cms. Stop cock should have polycarbonate body with male Luer lock nut and polyethylene luer caps. Flow rate: Straight: 650-700 ml / min; Side port: 450 - 500 ml / min (Low pressure)	10000 Nos
1.042	Disposable Inter Costal Chest Drainage catheter of superior quality with radioopaque line & gradations - with smooth surface and flexibility and to be provided with suitable connector Size: 14 F	500 Nos
1.043	Disposable Inter Costal Chest Drainage catheter of superior quality with radioopaque line & gradations - with smooth surface and flexibility and to be provided with suitable connector Size: 16 F	500 Nos
1.044	Disposable Inter Costal Chest Drainage catheter of superior quality with radioopaque line & gradations - with smooth surface and flexibility and to be provided with suitable connector Size: 20 F	500 Nos
1.045	Disposable Inter Costal Chest Drainage catheter of superior quality with radioopaque line & gradations - with smooth surface and flexibility and to be provided with suitable connector Size: 24 F	1000 Nos
1.046	Disposable Inter Costal Chest Drainage catheter of superior quality with radioopaque line & gradations - with smooth surface and flexibility and to be provided with suitable connector Size: 28 F	1000 Nos
1.047	Disposable Inter Costal Chest Drainage catheter of superior quality with radioopaque line & gradations - with smooth surface and flexibility and to be provided with suitable connector Size: 32 F	1000 Nos

1.048	Malecot Catheter (Pack Size - Pack of 10 units)Size : 32 F	300 Nos
1.049	Malecot Catheter (Pack Size - Pack of 10 units)Size : 34 F	300 Nos
1.05	Rubber Tubing 1/4" dia inner (Red Colour) 1.5mm wall thickness (Pack Size - Roll of 10 mtrs)	10000 Mtrs
1.051	<p>Naso Jejunal Feeding tube 10F Surgical jujunostomy kit - A surgically placed jejunal tube for enteral nutrition. Tube design -Material: Polyurethane -Tube size: CH/FR: 9 -Length: 75cm -Internal diameter: 1.5 – 2 mm - External diameter: 2 – 3 mm -Interval markings every 5cm (Radio-opaque strip) Open ended -External fixation plate (silicone) -Clamp -Latex, PVC, DEHP free Pack contents -75cm polyurethane tube with distal open end -Long split cannula/introducer -Short split cannula 10F</p>	200 Nos
1.052	<p>Naso Jejunal Feeding tube 12F Surgical jujunostomy kit - A surgically placed jejunal tube for enteral nutrition. Tube design -Material: Polyurethane -Tube size: CH/FR: 9 -Length: 75cm -Internal diameter: 1.5 – 2 mm - External diameter: 2 – 3 mm -Interval markings every 5cm (Radio-opaque strip) Open ended -External fixation plate (silicone) -Clamp -Latex, PVC, DEHP free Pack contents -75cm polyurethane tube with distal open end -Long split cannula/introducer -Short split cannula 12F</p>	200 Nos

1.053	<p>Naso Jejunal Feeding tube 14F Surgical jejunoscopy kit</p> <ul style="list-style-type: none"> - A surgically placed jejunal tube for enteral nutrition. <p>Tube design</p> <ul style="list-style-type: none"> -Material: Polyurethane -Tube size: CH/FR: 9 -Length: 75cm -Internal diameter: 1.5 – 2 mm - External diameter: 2 – 3 mm -Interval markings every 5cm (Radio-opaque strip) <p>Open ended</p> <ul style="list-style-type: none"> -External fixation plate (silicone) -Clamp -Latex, PVC, DEHP free <p>Pack contents</p> <ul style="list-style-type: none"> -75cm polyurethane tube with distal open end -Long split cannula/introducer -Short split cannula 14F 	300 Nos
1.054	<p>Automatic Core Biopsy Gun - 14G X 10Cm</p> <ul style="list-style-type: none"> - Should be spring loaded fully automatic biopsy gun - Should have one handed cocking mechanism with Non-roll handle design. - Should have angled sample notch for enhanced needle action. - Instrument should have choice of two firing buttons, one on the body and one on the rear end - Should have double press cocking mechanism. - Should have penetration depth of 22 cm and core sample should be 19mm 	1000 Nos
1.055	<p>Automatic Core Biopsy Gun - 16G X 16Cm</p> <ul style="list-style-type: none"> - Should be spring loaded fully automatic biopsy gun - Should have one handed cocking mechanism with Non-roll handle design. - Should have angled sample notch for enhanced needle action. - Instrument should have choice of two firing buttons, one on the body and one on the rear end - Should have double press cocking mechanism. - Should have penetration depth of 22 cm and core sample should be 19mm 	1500 Nos

1.056	<p>Automatic Core Biopsy Gun - 18G X 16Cm</p> <ul style="list-style-type: none"> - Should be spring loaded fully automatic biopsy gun - Should have one handed cocking mechanism with Non-roll handle design. - Should have angled sample notch for enhanced needle action. - Instrument should have choice of two firing buttons, one on the body and one on the rear end - Should have double press cocking mechanism. - Should have penetration depth of 22 cm and core sample should be 19mm 	1250 Nos
1.057	<p>Automatic Core Biopsy Gun - 18G X 25Cm</p> <ul style="list-style-type: none"> - Should be spring loaded fully automatic biopsy gun - Should have one handed cocking mechanism with Non-roll handle design. - Should have angled sample notch for enhanced needle action. - Instrument should have choice of two firing buttons, one on the body and one on the rear end - Should have double press cocking mechanism. - Should have penetration depth of 22 cm and core sample should be 19mm 	50 Nos
1.058	Adult 7 Fr triple lumen central venous cathetar	10000 Nos
1.059	Ultrasonic 5mm ,laparoscopic curved blade shaft length 36cm with advanced hemostasis (seal up to 7mm vessel) compatible with Gen 11	250 Nos
1.06	Ultrasonic 5mm ,laparoscopic curved shear with integrated transducer,shaft length 36cm indication for dissection ,grasping ,coagulation, cutting and coagulation up to and including 7mm vessels, Minimal thermal injury and utilizes adaptive tissue technology	250 Nos
1.061	Disposable laparoscopic Clip applicator 5 mm with 15 preloaded medium-large clips available with colour code indicator for last clip	200 Nos
1.062	Disposable laparoscopic Clip applicator 10 mm with 20 preloaded medium-large clips available with colour code indicator for last clip	200 Nos
1.063	Disposable laparoscopic Clip applicator 12 mm with 20 preloaded large clips available with colour code indicator for last clip	200 Nos
1.064	Curved circular stapler 25mm with universal closed staple height ranges 1.5mm-2.0mm	100 Nos

1.065	Curved circular stapler 28mm with universal closed staple height ranges 1.5mm-2.0mm	100 Nos
1.066	Curved circular stapler 31mm with universal closed staple height ranges 1.5mm-2.0mm	100 Nos
1.067	Curved circular stapler 33mm with universal closed staple height ranges 1.5mm-2.0mm	100 Nos
1.068	Curved circular stapler 25mm with universal closed staple height ranges 1mm-2.5mm	100 Nos
1.069	Curved circular stapler 29mm with universal closed staple height ranges 1mm-2.5mm	75 Nos
1.07	Curved circular stapler 33mm with universal closed staple height ranges 1mm-2.5mm	100 Nos
1.071	Linear Cutter 55 mm 3 staggered row with selectable staple height	300 Nos
1.072	3 staggered Reloads for Linear cutter 55mm, compatible with above Linear Cutter	1000 Nos
1.073	Linear Cutter 75 mm 3 staggered row with selectable staple height	300 Nos
1.074	3 staggered Reloads for Linear cutter 75mm, compatible with above Linear Cutter	1000 Nos
1.075	Linear Cutter 100 mm inbuilt knife with 2.0mm cartridge	100 Nos
1.076	Green 2.0mm Reloads for Linear cutter 100mm, compatible with above Linear Cutter	200 Nos
1.077	Blue 2.0mm Reloads for Linear cutter 100mm, compatible with above Linear Cutter	200 Nos
1.078	Red Rubber Catheter & Tube Size: 03	5000 Nos
1.079	Red Rubber Catheter & Tube Size: 04	5000 Nos
1.08	Red Rubber Catheter & Tube Size: 05	10000 Nos
1.081	Red Rubber Catheter & Tube Size: 06	10000 Nos
1.082	Red Rubber Catheter & Tube Size: 07	10000 Nos

1.083	Red Rubber Catheter & Tube Size: 08	10000 Nos
1.084	Red Rubber Catheter & Tube Size: 09	7000 Nos
1.085	Red Rubber Catheter & Tube Size: 10	1000 Nos
1.086	Red Rubber Catheter & Tube Size: 11	1000 Nos
1.087	Red Rubber Catheter & Tube Size: 12	600 Nos
1.088	Ryles Tube PVC Sterilized (pack of 20 units)Size: 8F	500 Nos
1.089	Ryles Tube PVC Sterilized (pack of 20 units) Size: 10F	500 Nos
1.09	Ryles Tube PVC Sterilized (pack of 20 units) Size: 12F	7000 Nos
1.091	Ryles Tube PVC Sterilized (pack of 20 units) Size: 14F	17500 Nos
1.092	Ryles Tube PVC Sterilized (pack of 20 units) Size: 16F	17500 Nos
1.093	Ryles Tube PVC Sterilized (pack of 20 units) Size: 18F	8000 Nos
1.094	Ryles Tube PVC Sterilized (pack of 20 units) Size: 20F	1000 Nos
1.095	Stainless Steel - Shaving Blade ISI (IS7371) (Pack Size - Box of 10 units)	75000 Nos
1.096	Shaving Razor Set (Plastic) (Pack Size - Box of 5 units)	4000 Nos
1.097	Hair clipping Machine (Battery operated - For preoperative preparational hair removal from body with no risk of cuts on the skin. To be supplied with suitable charger & blades -(items quoted in i,ii should be compatible to each other) Hair clipper machine should be used in Wet/Dry condition & ReCharger)	150 Nos
1.098	Hair clipping blades (Surgical hair clipper - Cleaning Regular area suitable for above machine)	4000 Nos
1.099	Hair clipping blades (Surgical hair clipper - Cleaning Sensitive area suitable for above machince)	4000 Nos

1.1	Stainless Steel 20G Basin 25cm dia inside	100 Nos
1.101	Stainless Steel 20G Basin 36cm dia inside	100 Nos
1.102	Stainless Steel 20G Bowl with Lid 10cm dia	150 Nos
1.103	Stainless Steel 20G Bowl with Lid 15cm dia	100 Nos
1.104	Stainless Steel 20G Bowl with Lid 20cm dia	200 Nos
1.105	Stainless Steel 20G Circular Jar with Lid and Handle 10x10cm	150 Nos
1.106	Stainless Steel 20G Circular Jar with Lid and Handle 15x15cm	150 Nos
1.107	Stainless Steel 20G Circular Jar with Lid and Handle 20x20cm	150 Nos
1.108	Stainless Steel 20G Dressing Bin 12x15 inches	200 Nos
1.109	Stainless Steel 20G Dressing Bin 14x17 inches	100 Nos
1.11	Stainless Steel 20G Dressing Bin 11x11 inches	100 Nos
1.111	Stainless Steel 20G Dressing Bin 9x9 inches	100 Nos
1.112	Stainless Steel 20G Kidney Tray 15cm	100 Nos
1.113	Stainless Steel 20G Kidney Tray 20cm	100 Nos
1.114	Stainless Steel 20G Kidney Tray 25cm	100 Nos
1.115	Stainless Steel Round Edge 20G Tray with Lid 20x15cmx5cm	100 Nos
1.116	Stainless Steel Round Edge 20G Tray with Lid 30x20cmx5m	100 Nos
1.117	Stainless Steel Round Edge 20G Tray without lid 30x20cmx5cm	200 Nos
1.118	Stainless Steel Round Edge 20G Tray with Lid 45x30cm7.5cm	100 Nos

1.119	Stainless Steel Round Edge 20G Tray without Lid 45x30cmx7.5cm	100 Nos
1.12	Stainless Steel Round Edge 20G Tray with Lid 75x25x8cm	25 Nos
1.121	Stainless Steel Cup 9cm dia	300 Nos
1.122	Suction Apparatus, Trolley Model Metallic covered with IS996, 1/4HP or 0.18KW 220/240 AC, 1400 rpm single phase 50 cycle motor, pump directly coupled in the motor shaft, 2 Nos. of 3 ltrs capacity bottles, pressure guage vacuum 500 to 800 mm/hg. Main Cord Wire, Pilot Lamp, Switch control automatic cutoff device, float valve system with tubing and cannula - Venky Model	20 Nos
1.123	Wide Mouth Bottle with Rubber Cork 9cm dia (for Suction Apparatus)	200 Nos
1.124	Yankauer suction set moulded with flexible non kinked with ribs resistant tube soft flexible adopt both end of tube with vent control facilities	5000 Nos
1.125	Suction Catheter (Sterile) (Pack Size - Box of 10 units)Size: 12 F	15000 Nos
1.126	Suction Catheter (Sterile) (Pack Size - Box of 10 units) Size: 14 F	25000 Nos
1.127	Suction Catheter (Sterile) (Pack Size - Box of 10 units) Size: 16 F	17500 Nos
1.128	Graduated suction catheter with thumb control for endotracheal & bronchial suction- The catheter should not be too rigid and injurious - should have smooth round end and forsted surface. The thumb control of vacuum should have a Y profile for ease of control Size: 6F	300 Nos
1.129	Graduated suction catheter with thumb control for endotracheal & bronchial suction- The catheter should not be too rigid and injurious - should have smooth round end and forsted surface. The thumb control of vacuum should have a Y profile for ease of control Size: 8F	300 Nos

1.13	Graduated suction catheter with thumb control for endotracheal & bronchial suction- The catheter should not be too rigid and injurious - should have smooth round end and forsted surface. The thumb control of vacuum should have a Y profile for ease of control Size: 10F	500 Nos
1.131	Graduated suction catheter with thumb control for endotracheal & bronchial suction- The catheter should not be too rigid and injurious - should have smooth round end and forsted surface. The thumb control of vacuum should have a Y profile for ease of control Size: 12F	1000 Nos
1.132	Graduated suction catheter with thumb control for endotracheal & bronchial suction- The catheter should not be too rigid and injurious - should have smooth round end and forsted surface. The thumb control of vacuum should have a Y profile for ease of control Size: 14F	1000 Nos
1.133	Graduated suction catheter with thumb control for endotracheal & bronchial suction- The catheter should not be too rigid and injurious - should have smooth round end and forsted surface. The thumb control of vacuum should have a Y profile for ease of control Size: 16F	1000 Nos
1.134	Graduated suction catheter with thumb control for endotracheal & bronchial suction- The catheter should not be too rigid and injurious - should have smooth round end and forsted surface. The thumb control of vacuum should have a Y profile for ease of control Size: 18F	500 Nos
1.135	Surgical Blade Pre-Sterilised by Gamma Radiation Carbon Steel VPI protected with ISI Mark (IS3319) (Pack of 25 units) Size: no.10	60000 Nos
1.136	Surgical Blade Pre-Sterilised by Gamma Radiation Carbon Steel VPI protected with ISI Mark (IS3319) (Pack of 25 units) Size: no.11	100000 Nos
1.137	Surgical Blade Pre-Sterilised by Gamma Radiation Carbon Steel VPI protected with ISI Mark (IS3319) (Pack of 25 units) Size: no.12	100000 Nos

1.138	Surgical Blade Pre-Sterilised by Gamma Radiation Carbon Steel VPI protected with ISI Mark (IS3319) (Pack of 25 units) Size: no.15	100000 Nos
1.139	Surgical Blade Pre-Sterilised by Gamma Radiation Carbon Steel VPI protected with ISI Mark (IS3319) (Pack of 25 units) Size: no.20	100000 Nos
1.14	Surgical Blade Pre-Sterilised by Gamma Radiation Carbon Steel VPI protected with ISI Mark (IS3319) (Pack of 25 units) Size: no.22	100000 Nos
1.141	Surgical Blade Pre-Sterilised by Gamma Radiation Carbon Steel VPI protected with ISI Mark (IS3319) (Pack of 25 units)Size: no.23	100000 Nos
1.142	White Cotton Thread 1000 mtrs Reel (Pack Size of 10 units) Size no. 10	200 Nos
1.143	White Cotton Thread 1000 mtrs Reel (Pack Size of 10 units)Size no. 20	100 Nos
1.144	White Cotton Thread 1000 mtrs Reel (Pack Size of 10 units) Size no. 30	100 Nos
1.145	White Cotton Thread 1000 mtrs Reel (Pack Size of 10 units) Size no. 40	100 Nos
1.146	PVC Bed Pan with Lid (Pack Size - Box of 10 units)	1000 Nos
1.147	PVC Ounce Glass 60ml capacity (Pack Size - Box of 10 units)	500 Nos
1.148	PVC Sputum Cup (Pack Size - Box of 10 units)	1500 Nos
1.149	PVC Urinal (Pack Size - Box of 5 units)	1000 Nos
1.15	PVC Measure Jar Capacity 250 ml	250 Nos
1.151	PVC Measure Jar Capacity 500 ml	250 Nos
1.152	PVC Measure Jar Capacity 1000 ml	250 Nos

1.153	PVC Measure Jar Capacity 2000 ml	200 Nos
1.154	In Patient tag - Orange (Skin friendly Polymer fiber reinforced paper or similar materila Wash Proof and Tear resistant Write - on Type, Adhesive held Name Tags with Tamper evident mechanism.	100000 Nos
1.155	Patient Attender tag -White (Skin friendly Polymer fiber reinforced paper or similar materila Wash Proof and Tear resistant Write - on Type, Adhesive held Name Tags with Tamper evident mechanism.	100000 Nos
1.156	<p>Mother and New Born Tags for Single Baby (With matching Serial number and individual tube packing in Light pink colour for female and Sky Blue for Male with 5 custom patterns for each of the colours(Plain, Stripe, Dots, Checks, Star)</p> <p>Each Tube Pack shouls contain</p> <p>a. One Mother and One Baby tag with same serial number and 6 stickers with same serial number- these stickers are for sticking in mother and baby documents</p> <p>b. Patient Identification tag for mother and new-born babies (mother and baby combination tag</p> <p>Specification</p> <p>1) Skin friendly material suitable for new born babies. 2) Tear resistane, 3) Wash Prof. 4) Tamper proof/Tamper evident fixation. 5) Possible to write with permanent marker and ball point pens. 6) Availability in two colours and 5 different patterns. 7) Should contain JIPMER logo and name. 8) Should have matching serial No. for mother and baby. 9) Rounded and blunt edges to prevent skin injury to new born. (Light Pink colour for Female)</p>	10000 Nos

1.157	<p>Mother and New Born Tags for Single Baby (With matching Serial number and individual tube packing in Light pink colour for female and Sky Blue for Male with 5 custom patterns for each of the colours(Plain, Stripe, Dots, Checks, Star)</p> <p>Each Tube Pack should contain</p> <p>a. One Mother and One Baby tag with same serial number and 6 stickers with same serial number- these stickers are for sticking in mother and baby documents</p> <p>b. Patient Identification tag for mother and new-born babies (mother and baby combination tag)</p> <p>Specification</p> <p>1) Skin friendly material suitable for new born babies. 2) Tear resistant, 3) Wash Prof. 4) Tamper proof/Tamper evident fixation. 5) Possible to write with permanent marker and ball point pens. 6) Availability in two colours and 5 different patterns. 7) Should contain JIPMER logo and name. 8) Should have matching serial No. for mother and baby. 9) Rounded and blunt edges to prevent skin injury to new born. (Sky Blue colour for Male)</p>	10000 Nos
1.158	<p>Mother and New Born Tags for TWINS Baby (With matching Serial number and individual tube packing in Plain Purple Colour)</p> <p>Each Tube Pack should contain</p> <p>a. One Mother and Two Baby tags with same serial number and 12 stickers with same serial number- these stickers are for sticking in mother and baby documents</p> <p>b. Patient Identification tag for mother and new-born babies (mother and baby combination tag)</p> <p>Specification</p> <p>1) Skin friendly material suitable for new born babies. 2) Tear resistant, 3) Wash Prof. 4) Tamper proof/Tamper evident fixation. 5) Possible to write with permanent marker and ball point pens. 6) Availability in two colours and 5 different patterns. 7) Should contain JIPMER logo and name. 8) Should have matching serial No. for mother and baby. 9) Rounded and blunt edges to prevent skin injury to new born. (Plain Purple Colour)</p>	2000 Nos

1.159	<p>Mother and New Born Tags for TRIPLETS Baby (With matching Serial number and individual tube packing in Plain Maroon Colour Each Tube Pack should contain</p> <p>a. One Mother and Three Baby tags with same serial number and 18 stickers with same serial number- these stickers are for sticking in mother and baby documents</p> <p>b. Patient Identification tag for mother and new-born babies (mother and baby combination tag</p> <p>Specification</p> <p>1) Skin friendly material suitable for new born babies. 2) Tear resistant, 3) Wash Proof. 4) Tamper proof/Tamper evident fixation. 5) Possible to write with permanent marker and ball point pens. 6) Availability in two colours and 5 different patterns. 7) Should contain JIPMER logo and name. 8) Should have matching serial No. for mother and baby. 9) Rounded and blunt edges to prevent skin injury to new born. (Plain Maroon Colour)</p>	500 Nos
1.16	<p>Emergency (EMSD/WCH & Paed.) Patient - Skin friendly Polymer fiber reinforced paper or similar material Wash Proof and Tear resistant Write - on Type, Adhesive held Name Tags with Tamper evident mechanism.Red</p>	30000 Nos
1.161	<p>Emergency (EMSD/WCH & Paed.) Patient - Skin friendly Polymer fiber reinforced paper or similar material Wash Proof and Tear resistant Write - on Type, Adhesive held Name Tags with Tamper evident mechanism (Yellow)</p>	40000 Nos
1.162	<p>Emergency (EMSD/WCH & Paed.) Patient - Skin friendly Polymer fiber reinforced paper or similar material Wash Proof and Tear resistant Write - on Type, Adhesive held Name Tags with Tamper evident mechanism (Green)</p>	40000 Nos
1.163	<p>Emergency (EMSD/WCH & Paed.) Patient - Skin friendly Polymer fiber reinforced paper or similar material Wash Proof and Tear resistant Write - on Type, Adhesive held Name Tags with Tamper evident mechanism (Grey & White)</p>	50000 Nos
1.164	<p>OT Patient Attender tag -Magenta (Skin friendly Polymer fiber reinforced paper or similar material Wash Proof and Tear resistant Write - on Type, Adhesive held Name Tags with Tamper evident mechanism.</p>	30000 Nos
1.165	<p>Sengstaken Tube Size - (Pack Size - Box of 2 units) Size 14 F</p>	25 Nos

1.166	Sengstaken Tube Size - (Pack Size - Box of 2 units) Size 16 F	25 Nos
1.167	Sengstaken Tube Size - (Pack Size - Box of 2 units) Size 18 F	25 Nos
1.168	Disposable surgical brush sponge with nail cleaner	2000 Nos
1.169	Nylon Nail Brush with wooden handle soft quality (Pack Size - Box of 10 units)	500 Nos
1.17	Fine Valve Adjustment made of brass for use in 'B' type or 'D' type Oxygen Cylinders for administration of Oxygen to patients. Should include one number high pressure gauge (0-250kg/cm ²) and jacketed flow flow meter calibrated from 0-10 LPM with one number control knob to set regulate flow of oxygen	300 Nos
1.171	Hot Water Bag superior quality (Pack Size - Box of 10 units)	100 Nos
1.172	Instruments Sterilizer Size 20 x 8 x 6 inches, 20 Gauge Stainless Steel, 230V/AC Electrically Operated with Immersion Heating Element 2000 watt (ISI No.5022). Warranty for 2 years.	20 Nos
1.173	Oxygen Flow Meter for use with pipe line (Ohmeda Type), Metal Back Pressure Compensated Body, Suitable Adapter to fit the pipeline outlet, Humidifier with a metal thread to fit the flow meter, Inner Tube should be calibrated accurately in 1 ltr between 2 and 13 ltrs'/min.	300 Nos
1.174	Electronic Patient Weighing Machine 180 Kg (ISI certificate with 2 years warranty)	100 Nos
1.175	Polythene Sheet Transparent 60" 1000G Virgin Quality (Bundle Size - Roll of 5 Kgs)	3000 Kgs
1.176	Polythene Tube 1/4" dia inner 1.5mm wall thickness medium soft quality (Pack Size - Roll of 10 mtrs)	10000 Mtrs

1.177	Rubber Sheet with inside cloth superior quality 90cm width (Bundle Size - Roll of 10 mtrs)	25000 Mtrs
1.178	Hospital Rubber Sheeting without reinforcing fabric. Autoclavable, Silicon Coated, Smooth Soft, Pliable. As per IS 8164:1976. GSM: 300- 350GSM Thickness:0.37MM + 0.05MM, Polymer content: Min. 65 - 75% Width: 90+1 Cm Roll Length: 10 Meter OR in cut length of 1.5M, 2M as required Colour: Bi-colored [One side Blue & other side Pink or Magenta] (rate should be per mtrs)	4000 Mtrs
1.179	Ward Suction Unit for pipeline outlet, Suction Control unit with Gauge On-off switch, unbreakable polycarbonate Suction Trap Bottle, Inter Connecting Tubes, Clamp for fixing on the wall	150 Nos
1.18	Digital thermometer (for body temperature measuring) with electronic display	5000 Nos
1.181	Skin preparation sterile single use applicator 10-15 mL Containing 2% Chlorhexidine Gluconate w/v and 70% Ethanol or Isopropyl alcohol. The Applicator should have Medical Grade Foam of minimum 8 mm thickness	5000 Nos
1.182	Skin preparation sterile single use applicator 25-30 mL Containing 2% Chlorhexidine Gluconate w/v and 70% Ethanol or Isopropyl alcohol. The Applicator should have Medical Grade Foam of minimum 8 mm thickness	5000 Nos
1.183	Sterile adhesive Intravenous line dressing polyurethane film for fixing IV lines with Transparent, vapour permeable & water proof qualities on the outer side	1200 Nos
1.184	Sterile adhesive wound dressing with absorbent pad of non-woven material - about 15 x 8 cm	400 Nos
1.185	Incentive spirometers - three ball type graduation -with inspiration & expiration types of ball movement for breathing exercises - with detachable parts to enable cleaning	1000 Nos

1.186	Percutaneous Pigtail Catheters sizes 12	200 Nos
1.187	Percutaneous Pigtail Catheters sizes 14	200 Nos
1.188	Percutaneous Pigtail Catheters sizes 16	200 Nos
1.189	Percutaneous Endoscopic gastrostomy tubes (Pull type) Size 24	200 Nos
1.19	Diapers Adult (M)- Velcro Model	5000 Nos
1.191	Diapers Adult (L)- Velcro Model	10000 Nos
1.192	Diapers Adult (XL)- Velcro Model	10000 Nos
1.193	TRANSPARENT CENTRAL LINE DRESSING WITH CHLORHEXIDINE Transparent polyurathane dressing, impervious to bacteria, but permeable to water vapor maintaining transparency. Self adhesive (8.5 X 11.5 cm approximately) with a chlorhexidine gluconate gel layer and IV line securing adhesive strip and label.	3000 Nos
1.194	TRANSPARENT CENTRAL LINE DRESSING WITH CHLORHEXIDINE Transparent polyurathane dressing, impervious to bacteria, but permeable to water vapor maintaining transparency. Self adhesive (7 X 8.5 cm approximately) with a chlorhexidine gluconate gel layer and IV line securing adhesive strip and label.	3000 Nos
1.195	CENTRAL LINE PORT PROTECTOR A disinfectant Port protector which will have Isoprophyl alcohol which disinfects ports in 1 minute and stays for minimum 7 days	10000 Nos
1.196	PORT PROTECTOR FOR MALE LUERS A disinfectant Port protector which will have Isoprophyl alcohol which disinfects ports in 1 minute and stays for minimum 7 days	5000 Nos

1.197	PORT PROTECTOR FOR HEMODIALYSIS CATHETERS A disinfectant Port protector which will have Isoprophyl alcohol which disinfects ports in 1 minute and stays for minimum 7 days	5000 Nos
2.000	COMMON ITEMS	
2.198	Adult upper body warming blankets compatible with currently available warming devices (3M Bair Hugger, Smiths Medical Equator, or similar device)	600 Nos
2.199	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Round Tip- 14cm COMPATIABLE WITH GEN 11	20 Nos
2.2	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Round Tip- 25cm COMPATIABLE WITH GEN 11	15 Nos
2.201	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY 3mm Curved Round Tip- 25cm COMPATIABLE WITH GEN 11	15 Nos
2.202	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Round Tip- 35cm COMPATIABLE WITH GEN 11	15 Nos
2.203	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Straight jaw 35cm with Articulation COMPATIABLE WITH GEN 11	15 Nos
2.204	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY super jaw COMPATIABLE WITH GEN 11	5 Nos
2.205	Air bed (Air mattress) to prevent and treat bed sores. High quality with CPR compatible deflation valve, multibarelled type.Each barrel should be detached individually (each barrel should be replaceable separately) We will reject non -barrel type	30 Nos
2.206	Ambu bag with mask & Reservoir bag.	110 Nos

2.207	Ambu bag(Adult) - Autoclavable (latex free) Silicone Resuscitators· compressible self filling body with volume more than 1500 ml, non-rebreathing valve, air intake valve, patient connector (15mm inside-22 mm outside), O2 reservoir bag with valve, appropriate masks size 3 & 4 and oxygen tubing 2 mts.	250 Nos
2.208	Ambu bag(Paediatric) - Autoclavable (latex free) Silicone Resuscitators· compressible self filling body with volume 1500 ml, non-rebreathing valve, air intake valve, patient connector (15mm inside-22 mm outside), O2 reservoir bag with valve, appropriate masks size 1 & 2 and oxygen tubing 2 mts.	60 Nos
2.209	Anti-fog kit, comprehensive system	10 Nos
2.21	Anti-fog solution	30 Nos
2.211	Arterial Pressure monitoring Transducers (Disposable)	800 Nos
2.212	Autoclave Label Gun for record keeping which should be able to enter process date, expiry date, sterilization number, operator name and cycle number.	700 Nos
2.213	Bag urostomy, single piece	300 Nos
2.214	Bain Circuit (Adult) - 22mm Corrugated Plastic Hose X 1.6 mtrs long, 22mm/22mm Male/Female Circuit Adaptors X 2, PVC Tubing X 3mtrs., 22mm Heidbrink Expiratory Valve, 15mm/22mm Angle Mount, 2Ltr. Breathing Bag, 23mm Male Plug in Mount, 23mm/23mm Female/Female Circuit Adaptor provided with plastic bag.	1200 Nos
2.215	Bed protection sheet for absorptive of fluids (6 x 3 feet)	2000 Nos
2.216	Blood and fluid warmer, pole mountable, 3 L capacity, alarms with safety features with mounting hardware	10 Nos
2.217	CVP Catheter (Single lumen) – 2.5 Fr., 5-8 cms, full set guide with spring guide wire - seldinger type, introducer needle (22 gauge) syringe, catheter clamp	240 Nos

2.218	CVP Catheter (Single lumen) – 3Fr., 5-8 cms, full set guide with spring guide wire - seldinger type, introducer needle (22 gauge) syringe, catheter clamp	240 Nos
2.219	CVP Catheter (Double lumen) - 4 Fr., 5-8 cms, full set guide with spring guide wire - seldinger type, introducer needle (22 gauge) syringe, catheter clamp, dilator	200 Nos
2.22	Central venous line/ internal jugular [triple lumen] 20 cm for subclavian line 4.5 f (pediatric) for triple lumen central venous line, radio-opaque marker, infusion ports. (entire insertion set)	250 Nos
2.221	Central venous line/ internal jugular [triple lumen] 20 cm for subclavian line 5 f (pediatric) for triple lumen central venous line, radio-opaque marker, infusion ports. (entire insertion set)	155 Nos
2.222	CVP Catheter (Triple lumen) - 5.5Fr., 8 cms, full set guide with spring guide wire - seldinger type, introducer needle (22 gauge) syringe, catheter clamp, dilator	450 Nos
2.223	Central Venous Catheter tunneled adult - 9Fr (90cm) double lumen with peel apart introducer set	530 Nos
2.224	Central venous line/ internal jugular [triple lumen] with antibacterial coating based on galvanic action due to a thin coating of gold, palladium and silver. Please quote for a uniform rate for a catheter. Exact sizes will be mentoned at the time of order placement	125 Nos
2.225	Central venous line/ internal jugular [triple lumen] with antibacterial coating on external and luminal surfaces (chlorhexidine and silver sulfadiazine) for antibacterial activity more than 40 days. Please quote for a uniform rate for a catheter. Exact sizes will be mentoned at the time of order placement	250 Nos
2.226	Circle Breathing circuit (Spec : Adult medical grade PVC 60" Inspiratory & Expiratory corrugated tubing circuit - 2no. (22mm, 101 cm/41") Patient Wye Connector -1, Elbow connector -1, Water trap -1, Tubing Hanger - 2, 24" Humidifier Limb 1 with Gas port sampling line and humidification set compatible for Hamilton Galileo Gold Ventilator & Maquet ventilator with MR 850 humidifier.	400 Nos

2.227	Disposable Circle Breathing Circuit (Spec : Adult medical grade PVC 60" Inspiratory & Expiratory corrugated tubing circuit - 2 no.(22mm, 101 cm/41") Patient Wye Connector -1, Elbow connector -1, Machine Cuffs- 2 with Gas port and sampling line	750 Nos
2.228	Clips Hemo lock (L) (Purple)	6150 Nos
2.229	Clips Hemo lock (Medium) (Green)	1771 Nos
2.23	Clips Hemo lock (XL) (Golden)	1746 Nos
2.231	Closed Ventilation Suction Catheters – All Sizes (Adult & Paed)	3700 Nos
2.232	Cover Slip	6500 Nos
2.233	Dial flow like device for IV fluids	25000 Nos
2.234	DIGITAL BP APPARATUS HEAVY DUTY, with ADULT,LARGE ADULT and PEDIATRIC CUFFS RUNNING IN AC POWER FOR USE IN OPD AND WARD with 3 yr warranty	80 Nos
2.235	DISPOSABLE GAUZE PIECES in (ETO Sterilizable)PACKS OF 10 for use with Cath Lab procedures	8000 Nos
2.236	Disposable Cath-Lab Gowns Light Blue Colour full size and elastic wrist bands with water/ blood impenetrable front and hand shielding	1800 Nos
2.237	Disposable Hemolock clip Applicator	50 Nos
2.238	Disposable pressure transducer(full set) with Flush Device-IV set and connection tube with compatible cables suit with Philips and Datex Ohmeda(GE), L&T and Space Lab Monitors	3500 Nos
2.239	Disposable pressure transducer(full set) with Flush Device-IV set and connection tube with compatible cables suit with Philips and Datex Ohmeda(GE), L&T and Space Lab Monitors	1000 Nos

2.24	Disposable SpO2 Probe Peadiatric Size like Duro™ Sensor Compatible with L&T Starplus multiparameter monitor USFDA OR BIS (Indian standards) approved only	50 Nos
2.241	Disposable Trolley Drape laminated absorbent sheet 200cm x 150cm	1800 Nos
2.242	Disposable Trolley Drape, double layer, water proof 200cm x 150cm	4300 Nos
2.243	Disposable ventilator circuit suitable for Neumovent Ventilator	4700 Nos
2.244	ECG Cable 300-series 5-lead trunk cable 3.0 m / 10 ft with IEC colour coding to fit Wipro-GE S5 Anaesthesia Monitor	50 Nos
2.245	ECG Jelly	3300 Nos
2.246	ECG Paper Mortara ELI 250	1200 Nos
2.247	ECG Pre Gel Electrodes	82000 Nos
2.248	Endo Tracheal Tube-Cuffed - Pediatric (Size: 3")	250 Nos
2.249	Endo Tracheal Tube-Cuffed - Pediatric (Size: 3.5")	260 Nos
2.25	Endo Tracheal Tube-Cuffed - Pediatric (Size: 4")	300 Nos
2.251	Endo Tracheal Tube-Cuffed - Adult (Size: 7")	3600 Nos
2.252	Endo Tracheal Tube-Cuffed - Adult (Size: 7.5")	7000 Nos
2.253	Endo Tracheal Tube-Cuffed - Adult (Size: 8")	3500 Nos
2.254	Endo Tracheal Tube-Cuffed - Adult (Size: 8.5")	2000 Nos

2.255	ET tube (PVC) soft, cuffed with murphy eye Size 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5 & 9.0 Reference marks above cuff to aid in proper placement of tracheal tube tip, suitable stiff curvature to facilitate insertion; Radiopaque line	33000 Nos
2.256	ET tube (PVC), soft Non-cuffed with murphy eyes Size 2.5, 3.0, 3.5, 4.0, 4.5 and 5.0, Reference marks to aid in proper placement of tracheal tube tip, suitable stiff curvature to facilitate insertion; Radiopaque line	3600 Nos
2.257	Face mask for oxygen therapy* (SAMPLE REQUIRED. QUOTATION WILL NOT BE ACCEPTED IF SAMPLES ARE NOT SUBMITTED)	1200 Nos
2.258	Femoral Arterial catheter - 16G, 18G, 20G, 22G & 24 G with Seldinger Arterial Catheterisation set and guide wire.	200 Nos
2.259	Glass Slide	27000 Nos
2.26	GUEDELS AIRWAY (PVC) – Sizes: Neonatal, Infant, Child, Large Child, Small Adult, Medium Adult, Large Adult, X-Large, XX-Large	5500 Nos
2.261	High pressure Extension line 50 ,100.150,200CM	15000 Nos
2.262	High pressure monitoring line (30 cms, 50 cms, 100 cms, 150 cms & 200 cms) (Male-Female), Made of PVC	32500 Nos
2.263	High pressure monitoring line (30 cms, 50 cms, 100 cms, 150 cms & 200 cms) (Male-Male), Made of PVC	6100 Nos
2.264	HME FILTER (Adult) for Anaesthesia Machine; Transparent housing with Luer lock sampling port; Should be made of material to provide high degree of heat and moisture exchange	14500 Nos
2.265	HME FILTER (Paediatric) for Anaesthesia Machine; Transparent housing with Luer lock sampling port; Should be made of material to provide high degree of heat and moisture exchange	550 Nos

2.266	I.V Transparent Dressings (Transparent polyurethane film with one half laminated with soft cloth backing for enhanced grip on challenging I.v applications. Should also have a long slit to conform around the I.V. hub-Size 8.5 cm x 11.5cm	9200 Nos
2.267	SMALL SIZE Packing material compatible with automated sealing machine for ETO sterilization of consumables.	90 Nos
2.268	INTERMEDIATE SIZE Packing material compatible with automated sealing machine for ETO sterilization of consumables.	90 Nos
2.269	LARGE SIZE Packing material compatible with automated sealing machine for ETO sterilization of consumables.	90 Nos
2.27	JRMATP - paediatric circuit with 15mm/22mm Angle Mount, 15mm Ayre's T, 15cm X 11mm with angle Luer lock for suctioning Corrugated Hose with 15mm M/F Hose Mount pair; 0.5 Ltr. Breathing Bag, Open tail 1.8 mtrs corrugated PVC Tubing for fresh gas supply	360 Nos
2.271	Laryngoscope (Adult) with blades sizes 3 & 4 (machintosh mat finish) with long thread LED bulb and life more than 40,000 hrs, glare free, design compatible with 'A' batteries, 5 years warranty with MAC size 3 & 4 Blades.	200 Nos
2.272	Laryngoscope (Adult) with blades sizes 3, 4 & 5 (machintosh mat finish) with long thread LED bulb and life more than 40,000 hrs, glare free, design compatible with AA batteries, 5 years warranty with MAC size 3, 4 & 5 Blades.	25 Nos
2.273	Laryngoscope (Child) with two blades sizes 0, 1 & 2 (machintosh mat finish) and two blades 0, 1 & 2 (Miller matt finish) with long thread LED bulb and life more than 40,000 hrs, glare free, design compatible with AA batteries, 5 years warranty	60 Nos
2.274	Laryngoscope Bulbs LED	1500 Nos
2.275	Laryngoscope miller blade (neonates)	5 Nos

2.276	Laryngoscopes Bulb Paediatrics	100 Nos
2.277	Nasal Prongs - Soft, non-toxic PVC; Twin, over-the-ear style, soft, flexible prongs with adjustable slide and collapse resistant lumen; Soft funnel-shaped universal connector for easy connection to oxygen sources	3200 Nos
2.278	Nasojejunal tube fixation device	80 Nos
2.279	Nebulizer kit for Paediatric & Adult	2900 Nos
2.28	Nebulizer machine	70 Nos
2.281	Nebulizer with T piece and tubing (for On-line Nebulizer) (Adult)	15000 Nos
2.282	Nebulizer with T piece and tubing (for On-line Nebulizer) (Paed)	4300 Nos
2.283	NIV Mask* (Non-vented) Small,medium,large Size (SAMPLE REQUIRED. QUOTATION WILL NOT BE ACCEPTED IF SAMPLES ARE NOT SUBMITTED)	350 Nos
2.284	NIV Mask* (vented) small,Medium,large Size (SAMPLE REQUIRED. QUOTATION WILL NOT BE ACCEPTED IF SAMPLES ARE NOT SUBMITTED)	660 Nos
2.285	Oxygen mask with venturie adapters 24/28/31/35/40/50 individual colour coded venturie adapter for each Fio2. Should have provision to attach high humidity adapter if required.	5200 Nos
2.286	Oxygen Mask with Nebulizer - Adult / Paediatric	200 Nos
2.287	Oxygen Mask without Nebulizer - All Sizes	200 Nos
2.288	Patient warming blanket, thermally insulated silver coloured for use with warming air system adult size	750 Nos
2.289	Patient warming blanket, thermally insulated silver coloured for use with warming air system paediatric size	450 Nos

2.29	<p>Patient warming device for use on patients undergoing surgical operation</p> <p style="text-align: center;">Specifications</p> <p>i) Intraoperative temperature management unit for forced-air warming. ii) The unit should provide safe, quiet and effective warming to the patient. iii) Should be light weight making transport easy. iv) Should be freestanding as well as be easily attached to an IV pole or bedrail. v) Should have snap-fit hose swivels in at least three points for easy blanket attachment and positioning. vi) Matching Adult or Paediatric (as per buyer choice) upper body warming blanket 3 Nos. vii) Power cord with standard Indian plug and other cables to make the equipment functional. viii) Should work on 220VAC, 50Hz power supply ix) Warranty: 3 year</p>	4 Nos
2.291	Pediatric underbody warming blankets compatible compatible with currently available warming devices (3M Bair Hugger, Smiths Medical Equator, or similar device)	70 Nos
2.292	Portable finger SPO2 sensor pulse oximeter with LED Display	360 Nos
2.293	Pressure bag (Pressure infusion cuff) 1 Ltr. with pressure guage	180 Nos
2.294	Pressure bag (Pressure infusion cuff) 500ml with pressure guage	270 Nos
2.295	PROLENE(POLYPROPYLENE or Similar) 3/8 Circle Round Body Double Needle 20 mm PROLENE Blue Monofilament 70 cm 5-0	400 Nos
2.296	PROLENE(POLYPROPYLENE or Similar) 3/8 Circle Round Body Double Needle 13 mm PROLENE Blue Monofilament 70 cm 6-0	230 Nos
2.297	Rebreathing bag with flexible head for easy connection (sizes 0.5, 1, 1.5, 2 & 3 ltrs.)	550 Nos
2.298	Shoes cros type for surgeons, light weight 7,8,9 size	210 Nos

2.299	Silicone (100% Pure Silicon 2 way bulb) Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - 10F	70 Nos
2.3	Silicone (100% Pure Silicon 2 way bulb) Foley's Catheter of International Standard Pre-Sterilized by Gamma Irradiation or Ethylene Oxide Size - 8F	70 Nos
2.301	Soft Nasopharyngeal Airways (Adult) Size 6, 6.5, 7, 7.5, 8 & 8.5 mm ID	600 Nos
2.302	Stillet with PVC insulation, malleable with metal core and soft retracted metal tip - Paediatric/Adult	250 Nos
2.303	Tracheostomy Tubes (All Sizes and types)	600 Nos
2.304	Washable and Autoclavable Cut Shoes (Clogs) Specially designed for wearing in Operation rooms /ICU's wear slippers at least 12 inch foot length.(roomy fit).should have non collapsible sole to support the arch of foot. The brochure mentioning the details of the product should be submitted .Mention various sizes available.(SPR)	250 Nos
2.305	Electronic neonatal weighing scale Specifications: 1) minimum measuring capacity of 50 g Battery backup 2)Resolution 1 gram 3) dedicated button for 'zero calibration' 4) Capacity upto 15 kg 5)Bright LED display 6)Weight 'HOLD' function 7) With 'Tare' function	5 Nos
2.306	Glucose test strips for blood compatible glucometer should be supplied free of cost to all wards, labs and services where it is required. Free repair/ replacement should be provided during the period of use.	600000 Nos
2.307	L. P Needles 22G	3100 Nos

2.308	<p>High quality gloves for delicate and long procedure</p> <p>1. Should be polymer coated and (polyurethane)siliconated powder-free natural latex surgical glove with low protein levels of 50 µg / dm² or less</p> <p>2.Should have high level of tactile sensitivity, secure grip and good resistance to tear with Tensile strength of 24 Mpa before ageing 18 Mpa after ageing and Stress at 500% elongation - 5.5 Mpa, Force at break - 12 N and also should have the qualities of ease of donning and double gloving (ultimate elongation to 750% before ageing and 560% after ageing Reduction of reflective glare</p> <p>3.Preferable thickness at finger = 0.18 mm, at palm 0.15mm and at cuff 0.12 mm Quality in conformity with EN 455-1 , ASTM 3577 (Inspection Level I AQL 1.5). SIZE 6.5,7, 7.5</p>	40000 Nos
2.309	Bone Marrow Aspiration 15G (Specification : Sharp lancet point, adjustable depth guard, twist off cap, compatible with luer slip & luer lock syringes)	800 Nos
2.31	Bone Marrow biopsy needle (Jamshidi type needle; should have plastic handle; integral stylet lock to prevent obstruction by debris; 8G and 13G for adult and children respectively	1600 Nos
2.311	Disposable sheet for large tray set (180x180 cm)	950 Nos
2.312	Disposable sheet for large tray set (67x67 inches) and (52x30 inches)	250 Nos
2.313	Disposable sheet for large tray set -160cm x 100cm	1750 Nos
2.314	Disposable sheet for small tray set (32x32 inches) and (12x8 inches)	250 Nos
2.315	Disposable sheet for small tray set (80x145 cm)	700 Nos
2.316	Disposable sheet for small tray set -80cm x 100cm	650 Nos
2.317	Class IV indicator for ETO sterilisation (pack control) to make sure that the item within the pack is adequately exposed and sterilised with ETO	150 Nos

Samples should be given to the Storeroom, Department of Central Stores (Surgical) as per terms and Conditions(mentioned in Page 44) within ten days of the closing of online submission of bids failing which the bids will be rejected.

Terms and Condition

1. JIPMER SUPPLY NOT FOR SALE should be printed / inscribed on all units as well as packages.
2. DOOR DELIVERY of the items, i.e., delivery at the Central Stores is must.
3. Samples labelled each item with tender Serial no. must be sent to the Officer In-charge, Central Stores, JIPMER, Puducherry, before the date of opening of the tender, if failing which the tender will not be consider as lowest.
4. Supplied items should have a minimum shelf life of two years.
5. Samples of non consumable costly items above Rs.1500/- if not selected should be collected by the concerned firm before the date of opening of next tender. No claim shall be entertained after this period.
6. Items having ISI / ISO similar certification or equivalent are likely to get preference.
7. Selected firms should supply the items in conformance with samples and specifications within the stipulated period with clear details in the packing such as quantity, date of manufacture, expiry date and batch nos if any, PACK SIZE should be maintained & delivery quantity should be in one or two lot only.
8. Surgical samples of each item 03 Nos should be submitted.. Samples labeled each item with tender Serial No. must be sent to the Officer In-charge, Central Stores, JIPMER, Puducherry, before the last date, if failing which the tender will not be consider as lowest.
9. Expiry of goods if any during the supply period, the expiry goods should be replaced with long period with free of cost to Central Store, JIPMER, Puducherry.

Section-III

GENERAL INSTRUCTIONS TO TENDERERS

1. Period of contract:

The contract shall initially be for a period of **TWO year** that may be extended to **6 months**. The rates approved shall remain unchanged during the period of contract.

2. Earnest Money Deposit (EMD)

- i. The tenderer shall furnish along with its tender, Earnest Money for an amount of **Rs.5000/- (Rupees five thousand only)**. The Earnest Money is required to protect the purchaser against the risk of the tenderer's unwarranted conduct.
- ii. The tenderers who are currently registered and, also, will continue to remain registered during the tender validity period as Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or with National Small Industries Corporation, shall be eligible for exemption from EMD. In case the tenderer falls in this category, it should furnish copy of its valid registration details (with MSME or NSIC, as the case maybe).
- iii. The earnest money shall be denominated in Indian Rupees only and paid through SBI collect only.
- iv. The earnest money shall be valid for a period of forty-five (45) days beyond the validity period of the tender.
- v. Unsuccessful tenderers' earnest money will be returned to them without any interest after expiry of the tender validity period, but not later than thirty days after conclusion of the resultant contract. Successful bidder's earnest money will be returned without any interest, after receipt of performance security from that tenderer.
- vi. Earnest Money is required to protect the purchaser against the risk of the Tenderer's conduct which would warrant the forfeiture of the EMD. Earnest money of a tenderer will be forfeited if the tenderer withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to notice that the information/documents furnished in its tender is incorrect, false, misleading or forged without prejudice to other rights of the purchaser. The successful bidder's earnest money will be forfeited without prejudice to other rights of Purchaser if it fails to furnish the required performance security within the specified period.

3. Eligibility conditions of bidders:

- i. The Tenderer must be a domestic manufacturer that is a 'Class-I local supplier' or a 'Class-II local supplier' as defined under Public Procurement (Preference to Make in India), order 2017 of MoC and I (DIPP), Govt. Of India, as further amended by orders of even number dated 28.05.2018, 29.05.2019, 04.06.2020 and 16.09.2020. In case the manufacturer does not quote directly, they may authorize an agent as per proforma of Manufacturer authorization form as given in the Tender enquiry

document to quote and enter into a contractual obligation. **Non local suppliers are not permitted to participate in this tender.**

- ii. In compliance with order (Public Procurement No.1) No. 6/18/2019-PPD dated 23rd July 2020 issued by the Public Procurement Division, Dept. of Expenditure, Min of Finance under Rule 144(xi) of GFR 2017 any bidder 'from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.
 - a. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
 - b. "Bidder from a country which shares a land border with India" for the purpose of this Order means: -
 - I. An entity incorporated, established or registered in such a country; or
 - II. A subsidiary of an entity incorporated, established or registered in such a country; or
 - III. An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - IV. An entity whose beneficial owner is situated in such a country; or
 - V. An Indian (or other) agent of such an entity; or
 - VI. A natural person who is a citizen of such a country; or
 - VII. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
 - c. The beneficial owner for the purpose of (5.2.2) above will be as under:
 - I. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation—

- "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent, of shares or capital or profits of the company;
 - "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- II. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership.
 - III. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than

fifteen percent of the property or capital or profits of such association or body of individuals.

- IV. Where no natural person is identified under (a) or (b) or (c) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- V. In case of a trust, the identification of the beneficial owner(s) shall include the identification of the author of the trust, the trustee, the beneficiaries with 15% or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

d. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

e. In case of turnkey contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

f. Bidders must certify compliance with the above mentioned provisions in the tender form as per Section VII.

g. The bidder should have successfully completed the delivery of the item of at least 25% of the quantity required in this tender to a government hospital in the last 3 years.

h. The bidder or the manufacturer must have an average annual turnover of at least Rs.1,00,00,000/-(Rupees one crore only) each during the last three financial years i.e. 2017-18, 2018-19, 2019-20.

i. Bidder should have ISO Certification.

4. Purchase Preference

- i. The Procurement of goods and services under this e-tender will be regulated as per the applicable provisions of Public Procurement (Preference to Make in India), order 2017 of MoC and I (DIPP), Govt. Of India, as further amended by orders of even number dated 28.05.2018, 29.05.2019, 04.06.2020 and 16.09.2020. Salient portions of the order are reproduced in Appendix A of this tender document by way of information. Bidders are advised to see the original orders and satisfy themselves that they qualify to participate in the tender. Bidders who are claiming eligibility to participate in this tender must submit a certificate in format given in Appendix A along with documentary evidence in support of their claim wherever necessary failing which their bid will be summarily rejected. The purchaser reserves the right to give preference to the 'Class-I local supplier'.
- ii. The Purchaser reserves the right to give the purchase preference to small-scale sectors, Micro and small scale enterprises etc. as per the instruction in vogue while evaluating, comparing and ranking the responsive Tenders as given in the MSMED Act 2006 reproduced below:
 - a. In exercise of powers conferred in Section 11 of the Micro, Small and Medium Enterprises Development (MSMED) Act 2006, the Government has notified a new

Public Procurement Policy for Micro & Small Enterprises effective from 1st April 2012. The policy mandates that 25% of procurement of annual requirement of goods and services by all Central Ministries/Public Sector Undertakings will be from the micro and small enterprises. The Government has also earmarked a sub-target of 4% procurement of goods & services from MSEs owned by SC/ST entrepreneurs out of above said 25% quantity.

- b. In accordance with the above said notification, the participating Micro and Small Enterprises (MSEs) in a tender, quoting price within the band of L1+15% would also be allowed to supply a portion of the requirement by bringing down their price to the L1 price, in a situation where L1 price is from someone other than an MSE. Such MSEs would be allowed to supply up to 25% of the total tendered value. In case there are more than one such eligible MSE, the 25% supply will be shared equally. Out of 25% of the quantity earmarked for supply from MSEs, 5% quantity is earmarked for procurement from MSEs owned by SC/ST entrepreneurs. However, in the event of failure of such MSEs to participate in the Tender process or meet the tender requirements and the L1 price, the 5% quantity earmarked for MSEs owned by SC/ST entrepreneurs will be met from other participating MSEs.
- c. The MSEs fulfilling the prescribed eligibility criteria and participating in the Tender shall enclose with their tender a copy of their valid registration certificate with District Industries Centres or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or any other body specified by Ministry of Micro and Small enterprises in support of their being an MSE, failing which their tender will be liable to be ignored.
- d. Special provision for Micro and Small Enterprise owned by women: – Out of the total annual procurement from Micro and Small Enterprises, 3 per cent from within the 25 per cent target shall be earmarked for procurement from Micro and Small Enterprises owned by women.
- e. Note: “If the bidder is a MSME, it shall declare in the bid document the Udyog Aadhar Memorandum Number issued to it under the MSMED Act, 2006. If a MSME bidder do not furnish the UAM Number along with bid documents, such MSME unit will not be eligible for the benefits available under Public Procurement Policy for MSEs Order 2012.

5. Demonstration of sample

The tenderer must give a sample within **ten** days of the closing of online submission of bids failing which the bids will be rejected.

6. Instructions for the filling the tender form

- i. E-Tender form shall be completed in all respect, signed in full and stamped at appropriate places and initialed and stamped on all remaining pages. Incomplete or e-tenders without tender processing fee, EMD, Make-in-India self-certification as in Appendix-A only by original manufacturer, GFR 144 (xi) compliance certificate as in Section-IX shall be treated as invalid.
- ii. Bidders have to ensure that all the documents are properly filled.
- iii. Conditional tenders are liable to be rejected.
- iv. Bids received and found valid will be evaluated by JIPMER to ascertain the complete work/services under the specification and documents. The bidder should take care to submit all the information sought by JIPMER in prescribed formats.
- v. Incomplete bids, bids in paper format, conditional bids, telephonic bids or tenders submitted after the due date and time will not be considered and summarily rejected. Vendors are, therefore, advised to submit their bids well on time.
- vi. **The bidder can quote for one or more items mentioned in the list. Bidder has to give all details (HSN, MSME, Make-in-India, make/brand, model, pack size and remark) mentioned in BOQ for all quoted items, failure of that the bid will be rejected summarily.**

7. Submission of tenders

The bidders must ensure that they submit the **on-line bids** within the scheduled closing date & time.

8. Late Tender:

There is NO PROVISION of uploading late tender beyond stipulated date & time in the e-tendering system.

9. Alteration and Withdrawal of Tender

- i. The bidder, after submitting its bid, is permitted to alter/modify its bid, within the deadline for submission of bids. Alterations/modifications to bids received after the prescribed deadline will not be possible on the e-tender portal.
- ii. No tender should be withdrawn or modified after the deadline for submission of tender and before expiry of the tender validity period. If a bidder withdraws or modifies the tender during this period, it will result in forfeiture of the EMD furnished by the bidder in its bid.

10. Preparation of e-tenders

This is a Two-Bid Tender system, consisting of the **Techno-Commercial Bid and Price Bid** that are to be uploaded in the prescribed formats in the e-tendering portal. The tender(s) shall only be submitted online as mentioned below:

I. Techno-commercial Bid shall comprise

- a. Fee Cover
 - i. **E-tender Processing fee** of Rs.590/- (Rupees five hundred and ninety only) inclusive of 18% GST payment **receipt** duly self-attested and rubber stamped should be uploaded.
 - ii. Scanned copy in pdf format of **EMD receipt** or, if EMD exemption is claimed, **copy of valid registration** details proving that the bidder is a Micro or Small enterprise or is registered as a Small Scale Industry with MSE, as the case may be should be uploaded.
- b. In the cover named “Prequal/Technical” the scanned copy in pdf format of the following documents are to be uploaded:
 - i. The **Bidder’s Profile** as in Section-VI, **Tender Form** as in Section-VII must be downloaded duly filled signed and stamped and uploaded as a single PDF file.
 - ii. **Copies of Supply orders/Completion certificate** in support of Eligibility condition 1 and 2 and **Copies of abridged Annual report of last 03 years** (Income tax return acknowledgement, Assets and Liabilities, Balance sheet and Profit & Loss Account) must be uploaded as a single PDF file
 - iii. **Manufacturer’s Authorization letter** in company letterhead in format in given Section-VI and, in case the bidder is empaneled by the Competent Authority under **GFR 144 (xi) (mandatory)** a copy of the same or **GFR 144(xi) compliance certificate** as in Section-IX must be uploaded.
 - iv. Copy of Self Certified **GST registration certificate** and Copy of **PAN Card** must be uploaded as a single PDF file.
 - v. **Bank Details** (Beneficiary name, Bank name, Account number, IFSC code, Branch address on letterhead) and **Check list** as in Section-VIII in the prescribed format duly filled and signed must be uploaded as a single PDF file.
 - vi. Self-certification for supporting the claim to be a local supplier under the “Public Procurement preference to Make in India” order in format as in **Appendix-A (mandatory)** mentioning percentage of value addition in India and address of value addition for each item by Original Manufacturer and any other document that the bidder wishes to submit as a single PDF file.
 - vii. A file mentioning the list of items with their **Make/Brand, Model and Pack size** **WITHOUT PRICE** for which bidder is quoting must be uploaded as a single PDF file.

II. Price Bid:

Prices are to be quoted in the prescribed Price Bid format provided in the e-tender portal using the BOQ template only. The price should be quoted for the **accounting unit** indicated in the e-tender document.

Note:

- i) The bidder has to be diligent while filling up the Techno-Commercial Bid and Price Bid provided in prescribed formats and must not tamper with the contents of the sheets.
- ii) Bidders must ensure that the documents uploaded in pdf format are legible.
- iii) It is the responsibility of bidder to go through the Tender document to ensure furnishing all required documents in addition to above, if any.
- iv) The Make in India self-certification as in Appendix-A must be given and uploaded by original manufacture. The distributor can upload the Appendix-A given by original manufacture.
- v) ITE- Item-wise Eligibility Sheet should be downloaded, the items that the bidder wishes to quote must be selected as “Eligible”, and this “ITE file” must also be uploaded for the price bid to be considered by the system. The selected items will be displayed once uploaded and the bidder can verify that all items he wishes to quote for, are present in the list
- vi) A person signing (manually or digitally) the tender form or any documents forming part of the contract on behalf of another shall be deemed to warrant that he has authority to bind such other persons and if, on enquiry, it appears that the persons so signing had no authority to do so, the purchaser may, without prejudice to other civil and criminal remedies, cancel the contract and hold the signatory liable for all cost and damages.
- vii) A bid, which does not fulfill any of the above requirements and/ or give evasive information/reply against any such requirement, shall be liable to be ignored.
- viii) Tender sent by fax/telex/cable shall be ignored.

11. Digital Signing of Tender

The tenderers shall submit their tenders as per the instructions contained as above. Tenders shall be uploaded with all relevant tender documents in the prescribed format. The relevant tender documents should be uploaded by an authorized person having Class 3 digital signature certificate.

12. Tender currencies.

The tender shall be quoted only in INR.

13. Additional information and instruction on GST:

If the Tenderer desires to ask for GST or any other taxes to be paid extra, the same must be specifically stated. In the absence of any such stipulation, the price will be taken inclusive of such taxes and no claim for the same will be entertained later. The rate of GST quoted in the tender shall be taken for price comparison. However, the rate of GST quoted in the tender or the actual rate of GST applicable, whichever is lower shall be payable by the purchaser. The supplier can charge a higher GST than quoted in the tender only if the rate of GST was revised by the government after the tender closing date.

14. Tender opening

- i. The Tender Inviting Authority will open the e-tenders at the specified date and time and at the specified place as indicated in the NIT. In case the specified date of tender opening falls on / is subsequently declared a holiday or closed day for the Tender Inviting Authority, the tenders will be opened at the appointed time and place on the next working day.
- ii. Authorized representatives of the tenderers, who have submitted tenders on time, may attend the tender opening provided they bring with them letters of authority from the corresponding tenderers. The tender opening official(s) will prepare a list of the representatives attending the tender opening. The list will contain the representatives' names & signatures and corresponding tenderers' names and addresses.
- iii. This being a Two-Bid Tender system, the **Techno-Commercial Tenders** are to be opened in the first instance, at the prescribed time and date as indicated in NIT. These Tenders shall be scrutinized and evaluated by the competent committee/ authority with reference to parameters prescribed in the tender document. During the Techno- Commercial Tender opening, the tender opening official(s) will read the salient features of the tenders like brief description of the goods offered, delivery period, EMD and any other special features of the tenders, as deemed fit by the tender opening official(s). Thereafter, in the second stage, the Price bids of only the Techno - Commercially acceptable offers (as decided in the first stage) shall be opened for further scrutiny and evaluation on a date notified after the evaluation of the Techno-Commercial tender.

15. Scrutiny and evaluation of tenders

A. Basic Principle

Tenders will be evaluated on the basis of the terms & conditions already incorporated in the tender enquiry document, based on which tenders have been received and the terms, conditions etc. mentioned by the tenderers in their tenders. No new condition will be brought in while scrutinizing and evaluating the tenders.

B. Scrutiny of Tenders

- i. The Purchaser will examine the Tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished and, whether the documents uploaded are in legible form.
- ii. The Purchaser's determination of a Tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- iii. The tenders will be scrutinized to determine whether they are complete and meet the essential and important requirements, conditions etc. as prescribed in the tender document. The tenders, which do not meet the basic requirements, are liable to be treated as non-responsive and will be summarily ignored.
- iv. The following are some of the important aspects, for which a tender shall be

declared non-responsive during the evaluation and will be ignored;

- i. Tender validity is shorter than the required period.
- ii. Non-submission of EMD receipt or EMD exemption certificate.
- iii. Non-submission of receipt of tender processing fee.
- iv. Non-submission of self-certification in format as given in Appendix-A only by original manufacturer, for determining eligibility to participate in the tender under the “Public Procurement preference to Make in India” order.
- v. Non-submission of GFR-144 (xi) compliance certificate.
- vi. Tenderer has not agreed to give the required performance security of required amount in an acceptable form.
- vii. Non-submission of samples within ten days of the closing of online submission of bids
- viii. Poor/ unsatisfactory past performance.
- ix. Tenderers who stand de-registered/banned/blacklisted by any Central Govt. Ministries/Departments/Hospitals/Institutes.
- x. Tenderer is not eligible as per tender conditions.
- xi. Tenderer has not quoted for the entire quantity as specified in the List of Requirements/ BOQ for the item quoted.
- xii. Non-submission of all details of quoted items (HSN, MSME, Make-in-India, make/brand, model, pack size and remark).
- xiii. Tenderer has not agreed to other essential condition(s) specially incorporated in the tender enquiry, like delivery terms, delivery schedule, terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism applicable law.

16. Minor Informality/Irregularity/Non-Conformity

If during the preliminary examination, the purchaser find any minor informality and/or irregularity and/or non-conformity in a tender, the purchaser may waive the same provided it does not constitute any material deviation and financial impact and, also, does not prejudice or affect the ranking order of the tenders. Wherever necessary, the purchaser will convey its observation on such ‘minor’ issues to the tenderer by registered/speed post etc. asking the tenderer to respond by a specified date. If the tenderer does not reply by the specified date or gives evasive reply without clarifying the point at issue in clear terms, that tender will be liable to be ignored.

17. Award of work

- i. The selection of the agency will be at the sole discretion of the JIPMER who reserves its right to accept or reject any or all the proposals without assigning any reason thereof.
- ii. The lowest bid will be evaluated on the basis of annual estimated amount as quoted by bidders in the quotation including taxes.
- iii. Upon evaluation of offers the decision on the award of contract will be intimated to the successful bidder.
- iv. The annual estimate is given only as an indication. The actual quantity procured may increase or decrease. No assurance is given that the quantity stated will actually be procured.

Section-IV

GENERAL CONDITIONS OF CONTRACT

1. **Price of goods**

The rate quoted in the e-tender will be fixed for the whole contract period.

2. **Technical Specifications and Standards**

The Goods & Services to be provided by the supplier under this contract shall conform to the technical specifications mentioned in “Technical Specification” under Section II.

3. **Terms of Delivery**

- i. Goods shall be delivered by the supplier within 30 days of issue of supply order. Please note that the time shall be the essence of the contract.
- ii. Any unexcused delay by the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following sanctions:
 - a) Imposition of liquidated damages,
 - b) Forfeiture of its performance security and
 - c) Termination of the contract for default.

4. **Liquidated Damages**

If the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, the Purchaser/Consignee shall, without prejudice to other rights and remedies available to the Purchaser/Consignee under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods, installation, commissioning and/or services until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached Purchaser/Consignee may consider termination of the contract as per GCC 11. Since the Liquidated damages are in virtue of non-performance of services, it will attract GST or any other applicable taxes which in turn shall be deducted from the bidder.

5. **Performance Security**

The successful bidder shall have to deposit an amount 3% of the value of contract as Performance Security Deposit (PSD) within two weeks after award of contract, through SBI Collect available on JIPMER website. In the event of any failure /default of the supplier with or without any quantifiable loss to the purchaser, the amount of the performance security is liable to be forfeited.

Subject to the condition mentioned above the Performance Security will be released without any interest to the supplier on completion of the supplier's all contractual obligations

including the warranty obligations and extension of time (with or without Liquidated Damages).

6. Payment Procedure

The contractor shall submit bill in triplicate upon satisfactory supply of goods. Bill must be raised based on the rate quoted in e-tender. Every effort shall be made to ensure that the payment will be made within 45 days of submission of bill. No advance payment will be considered. TDS will be deducted as per provision of Income Tax Act, GST Acts and other statutes as relevant.

7. Risk Clause

The contractor shall at all times have standby arrangements for carrying out the work under the contract, in case of any failure of the existing arrangements. JIPMER reserves the right for termination of the contract at any time by giving 30 days written notice, if the items delivered are found to be unsatisfactory and also has the right to award the contract to the next higher bidder willing to supply the item at the cost, risk and responsibilities of contractor and excess expenditure incurred on account of this will be recovered by JIPMER from the contractor's Performance Security Deposit or pending bills or by raising a separate claim.

8. Termination clause:

During the period of agreement if it is found that the agency is not providing proper services, the JIPMER reserves rights to make the vendor forfeit the security deposit deposited with JIPMER or part thereof in favour of JIPMER and agreement will be terminated after giving 30 days' notice. Furthermore, in such situations, tender can be allotted to second lowest bidder and the difference in cost shall be recovered from the earlier vendor who is breach of the contract. In addition in case it is found that the supplier is charging by fraudulent means or indulging in criminal activities the contract will be terminated immediately.

9. Jurisdiction of the courts

Jurisdiction of the courts for settlement of disputes:- Jurisdiction for the settlements of disputes if any is Puducherry only.

In above mentioned conditions Director JIPMER reserves all the rights.

Section-V

BIDDER'S PROFILE

This form duly filled and signed by authorized representative of the bidder and the scanned copy must be uploaded online

1.	Name & Designation of the contact person	
2.	Name and Address of the Tenderer	
3.	Phone No a) Land line number (functional between 9 am and 5pm)	
4.	Mobile No of contact person (available from 9am to 6pm)	
5.	Email ID of the Tenderer	
6.	Email ID of the contact person	
7.	Local supplier/Distributor in Chennai/ Puducherry or any other place (complete address must be written)	
8.	Manufacture Name	
9.	Manufacture Address	
10	Whether Tenderer is registered MSE Manufacture the product quoted. (If registered MSE, submit copy of the Udyog Aadhaar certificate or Equivalent Certificate)	Yes / No
<p>If there is any change in the above details, I will immediately intimate you by speed post or fax or email</p> <p>I.....hereby declare that the details given above are true to the best of my knowledge and I have thoroughly read and understood the terms and conditions of the tender and shall abide by the rules,</p> <p style="text-align: right;">Signature (Name and Designation & Seal)</p> <p>Dated:</p>		

NB: This form must be duly filled in by an authorized person

Section-VI
MANUFACTURER'S AUTHORISATION FORM
(Letterhead)

The Director,
JIPMER, Puducherry

Dear Sir,

Ref: Your TE document No: _____ dated: _____

We, _____ who are proven and reputable manufacturers of _____ (name and description of the goods offered in the Tender) having factories at _____, hereby authorize Messrs. _____ (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred TE documents for the above goods manufactured by us.

We also state that we are not participating directly in this tender for the following reason(s):

(Please provide reason here).

We further confirm that no supplier or firm or individual other than Messrs _____ (name and address of the above agent) is authorised to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred TE documents for the above goods manufactured by us. We also hereby extend our full warranty, CMC/AMC as applicable as per the General Conditions of Contract, read with modification, if any, in the Special Conditions of Contract for the goods and services offered for supply by the above firm against this TE document. We also hereby confirm that we would be responsible for the satisfactory execution of contract placed on the authorised agent.

We also confirm that the price quoted by our agent shall not exceed the price which we would have quoted directly”

Yours faithfully,

[Signature with date, name, designation and Email]

for and on behalf of Messrs _____

[Name & address of the manufacturers]

Note:

- (1) This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
- (2) Original letter may be sent.
- (3) The purchaser reserves the right to verify this document with its signatory.

SECTION-VII
TENDER FORM
(On Firms' Letter Head)

To
The Director
JIPMER, Puducherry 605006

Date _____

Ref. Your TE document No. _____ dated _____

We, the undersigned have examined the above mentioned TE document, including amendment/corrigendum No. _____, dated _____ (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver _____ (Description of goods and services) in conformity with your above referred document **for the sum as shown in the price schedules attached herewith and made part of this tender**. If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC, Special Conditions of Contract", for due performance of the contract.

We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and we certify that this bidder is not from such a country/ from such a country and has been registered with the Competent Authority and a copy of the valid registration by the Competent Authority is attached as evidence of the same (Strike out what is not applicable). In case there are Turnkey works to be carried out this bidder will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered.

We agree to keep our tender valid for acceptance as required in the GIT, Special Instructions to Tenderers" or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender up to the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We confirm that we do not stand deregistered/banned/blacklisted by any Govt. Authorities in the last 7 years.

We confirm that we fully agree to the terms and conditions specified in above mentioned TE document, including amendment/ corrigendum if any.

(Signature with date)
(Name and designation)

Duly authorized to sign tender for and on behalf of

Section-VIII

CHECK LIST FOR SUBMISSION OF TENDER

(To be filled by the tenderer and submitted along with the bid)

Sl. No.	Particular	Yes / No
1	i. Tender Processing Fee (Mandatory for all bidders) ii. EMD receipt or if EMD exemption, MSE certificate	
2	Copies of Supply orders/Completion certificate in support of Eligibility condition 2(ii).	
3	Copy of PAN Card	
4	Copy of ISO Certification of bidder, ISI/CE Certification of each product wherever asked	
5	Copies of last three years Income Tax Return statement with Balance sheets & Profit & Loss A/c i.e. 2017-18, 2018-19, 2019-20.	
6	Copy of GST Registration Certificate	
7	Authorization letter for signing tender documents if a person other than the Owner, Partner, Managing Director is signing/uploading the tender	
8	Tender form as in Section – VII duly signed and stamped	
9	Manufacturer's authorization form in format as in Section VI and	
10	Self-certification for supporting the claim to be a local supplier under the "Public Procurement preference to Make in India" order in format as in Appendix A	
11	A copy bidder's empanelment by the Competent Authority under GFR 144 (xi) or GFR 144 (xi) compliance certificate	
12	A PDF file containing list of all items quoted by the bidder without price bid in technical cover	
13	All details of the items (HSN, MSME, Make-in-India, make/brand, model, pack size and remark) quoted by the bidder.	
14	Any other document(s) enclosed (To be specified)	

I/We certify that the information furnished above is true and correct. The terms and conditions are acceptable to us and have the authority to bid a tender.

Signature of the owner/
Managing Partner/Director

Name:

Seal:

Date:

Place:

Appendix-A

Self-certification format for claiming purchase preference under the “Public Procurement preference to Make in India” order

As per the order issued by

(i) Department of Industrial Policy and Promotion (DIPP) vide No. P-45021/2/2017-BE-II dated 15.06.2017 as further amended by Order No.P-45021/2/2017-B.E.-II dated 28.05.2018, Order No.P-45021/2/2017-B.E.-II dated 29.05.2019, Order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020 and Order No. P-45021/2/2017-PP (BE-II) dated 16.09.2020; and

(ii) Department of Pharmaceuticals vide No. F- 31026/36/2016-MD dated 18.05.2018 and the subsequent orders thereof; The purchaser reserves the right to give preference to the local supplier.

A local supplier (definition of “local supplier” is given in clause 2 of the aforesaid order of DIPP as amended from time to time) has to submit the following along with their e-tender(s) failing which their bid will be evaluated without considering such preference mentioned in the DIPP order dated 15.06.2017 further amended on 28.05.2018, 25.09.2019 and 04.06.2020:

a. The local supplier at the time of e-tender, bidding or solicitation shall be required to provide self-certification that the item offered meets the minimum local content and shall give details of the location(s) at which the local value addition is made in the format in Annexure A.

“Certified that the following items quoted has more than 50% or 20% to 50% of value addition in India at the location(s) mentioned against each and is eligible for purchase preference as per the Govt. of India “Public Procurement preference to Make in India” order Dt.15.06.2017 as further amended by Order No.P-45021/2/2017-B.E.-II dated 28.05.2018, Order No.P-45021/2/2017-B.E.-II dated 29.05.2019, and Order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020.

Sl. No	Name of the item	Details of the location(s) at which the local value addition was made.

Authorized Signature:

Name:

Designation:

b. In cases of procurement for a value in excess of Rs. 10 Crore. the local supplier shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.

c. Minimum Local Content: ‘Class-I local supplier’ means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50%, as defined

under the Order. “Class-II local supplier” means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this Order.

d. Margin of Purchase Preference: The margin of purchase preference shall be 20%.

e. Manufacture under license/technology collaboration agreements with phased indigenization are exempted from meeting the stipulated local content if the product is being manufactured in India under a license from a foreign manufacturer who holds intellectual property rights and where there is a technology collaboration agreement/transfer of technology agreement for indigenous manufacture of a product developed abroad with clear phasing of increase in local content

f. Decisions on complaints relating to implementation of this Order shall be taken by the competent authority which is empowered to look into procurement-related complaints relating the procuring entity.

g. A constituted committee with internal and external experts will examine for independent verification of self-declarations and auditor’s/accountant’s certificates on random basis and in the case of complaints.

h. A fees of Rs.10000/- in the form of demand draft favoring The Director, JIPMER, payable at Puducherry, is required to be deposited with complaints for verification of local content.

i. False declarations will be breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

j. A supplier who has been debarred by any procuring entity for violation of this Order shall not be eligible for preference under this Order for procurement by any other procuring entity for the duration of the debarment. The debarment for such other procuring entities shall take effect prospectively from the date on which it comes to the notice of other procurement entities.

Officer in Charge
Purchase Section
JIPMER Puducherry
For Director, JIPMER

SECTION – IX

**GFR-144 (xi) compliance certificate
(To printed on the Firm's letterhead)**

Tender No:

GFR-144(xi) compliance certificate (as per order F.No. 6/18/2019-PPD, Ministry of Finance, GOI)

I have read the clauses regarding restrictions under GFR144(xi) on procurement from a bidder of a country which shares a land border with India. I certify that, the vendor

- is not such a country
- is from a country and has been registered with a competent authority (attached evidence of valid registration).

(Select one of the above and strike off the other)

I hereby certify that we fulfill all requirement in this regard and is eligible to be considered for the procurement on CPP portal.

Thanking you.

Authorized Signatory