



सत्यमेव जयते

**JAWAHARLAL INSTITUTE OF POST GRADUATE MEDICAL
EDUCATION & RESEARCH (JIPMER)**



GOVERNMENT OF INDIA

(An Institution of National Importance under Ministry of Health & Family Welfare) Dhanvantri
Nagar, Puducherry-605006

**OPEN TENDER
ENQUIRY DOCUMENT
FOR
RATE CONTRACT
FOR
SUPPLY OF CONSUMABLES/NON-CONSUMABLES
FOR
DEPARTMENT OF
SURGERY**

(This document consisting of **74** pages)

**JIPMER,
DHANVANTARI NAGAR,
PUDUCHERRY 605006**

Phone:- 0413-2296016/15 ; Fax:- 0413-2272067/66

Email: dept-surgery@jipmer.edu.in URL:- www.jipmer.edu.in

INDEX

Section	Topic	Page No.
Section-I	Notice inviting Tender (NIT)	03
Section-II	Schedule of Requirements and Specifications	05
Section-III	General Instructions to Tenderers (GIT)	56
Section-IV	General Conditions of Contract (GCC)	65
Section-V	Bid Application Form	67
Section-VI	Manufacturer's Authorization Form	68
Section-VII	Tender Form	69
Section-VIII	Check list for Submission of Tender	70
Section-IX	Bid Security Declaration	71
Appendix-A	Self-certification format for claiming purchase preference under the "Public Procurement preference to Make in India" order	72
Section-X	GFR-144 (xi) compliance certificate	74

SECTION-I

JAWAHARLAL INSTITUTE OF POSTGRADUATE MEDICAL EDUCATION AND RESEARCH PUDUCHERRY – 6

(Institution of National Importance under the Ministry of Health & Family Welfare,
Govt. of India)

Purchase Section

No. JIP/PUR6(1)/OeT/Surgery/2021-22

Dated: 26.06.2021

NOTICE INVITING e-TENDER (e-NIT)

Sub: Supply of Consumables / Non-Consumables

E- tenders are invited from eligible and qualified domestic manufacturer's or their distributors for the RATE CONTRACT for supply of CONSUMABLES/NON-CONSUMABLES for the Department of Surgery for 2021– 22.

1. Scope of work: Supply of consumables/non-consumables for the Department of Surgery
2. Value of tender: Approximate Cost **Rs. 1,00,00,000**
3. Tender timelines:
 - i. Opening date & time for download of Tender document: **06.00 PM on 26.06.2021**
 - ii. Last date for receipt of pre-bid queries: **12.00 Noon on 01.07.2021**
 - iii. Pre-bid queries can be made through e-mail to: dept-surgery@jipmer.edu.in
 - iv. Opening date & time for submission of online bids: **09.00 AM on 05.07.2021**
 - v. Closing date & time for submission of online bids **12.00 Noon on 26.07.2021**
 - vi. Date and Time of opening of online bids for Technical evaluation: **11.00 AM on 28.07.2021**
 - vii. Date & time of opening of Price Bid: To be intimated later.
4. Earnest Money Deposit/Bid Security: Bid security declaration must be submitted by all bidders.
5. Tender Processing Fee (Non-refundable): **Rs. 590 (including 18% GST) shall be paid through SBI collect only.**
6. Interested bidders are advised to download the complete Tender Enquiry document from the websites www.jipmer.edu.in or <https://eprocure.gov.in/eprocure/app> for complete details.
7. The prospective bidders must register with the E-procurement system of <https://eprocure.gov.in/eprocure/app>. Special Instructions to the bidders for the e-submission of the bids online through this eProcurement Portal on completion of the registration process is given in <https://eprocure.gov.in/eprocure/app> , the bidders will be provided user ID and password upon enrollment. In order to submit the bids

electronically, bidders are required to have a valid Class 3 Digital Signature Certificate (signing and encryption/ decryption certificates).

8. Bidders are requested to read the bidders help document on e-tender web site link before proceeding for bidding.
9. Post receipt of User ID & Password, Bidders can log on for downloading & uploading tender document.
10. The bidders shall submit the required bid security declaration (as per G.I.T clause 2) before the due date and time mentioned above.
11. The online submission of tender(s) can only be done through **<https://eprocure.gov.in/eprocure/app>**
12. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through **<https://eprocure.gov.in/eprocure/app>** e-portal (as described above) only.
13. Prospective bidders are advised to browse the above websites regularly before submission of their bids as any further amendments will be published in these websites only.

Asst. Officer in Charge
Purchase Section,
For
Director,
JIPMER, Puducherry

Section-II

SCHEDULE OF REQUIREMENTS AND SPECIFICATIONS

LIST OF ITEMS REQUIRED

1. Scope of work : Supply of Consumables/ Non-Consumables for the department of Surgery as detailed below

Sl. No.	Item Description	Qty Reqd
1.000	WARD/ ICU CONSUMABLE	
1.001	IV Extension set 200 cm	500 NOS.
1.002	Micro infusion set	100 NOS.
1.003	IV Flow regulator extension set	500 NOS.
1.004	Expiratory Casset- removably insertable in a receiving section of a ventilator, should contains a gas passage, an expiratory valve and a flow meter. Should have locking mechanism for locking and unlocking	10 NOS.
1.005	Fistula and Wound Management System-Wound Manager with Double-layer adhesive barrier and pouch, tracing guide, removable lid, drain port and a clamp	900 NOS.
1.006	Stoma Paste (stomadhesive paste) 100 g tube	700 NOS.
1.007	Disposable single piece drainable stoma bag 13-64 mm	1000 NOS.
1.008	Disposable double piece flat skin barrier flange 12-57 mm	500 NOS.
1.009	Disposable double piece ostomy bag with clip compatible with above flange	1500 NOS.
1.010	Bag stoma, single piece with filter & Velcro, drainable	1000 NOS.
1.011	Bag stoma, two piece with filter & Velcro, drainable	1000 NOS.
1.012	Bag urostomy, single piece	100 NOS.
1.013	Lubricating multi purpose deoderiser for stoma bag	50 NOS.
1.014	Powder ostomy (preferably hydroxycellulose based)	50 NOS.
1.015	Stoma bag supporting belt	50 NOS.
1.016	Urostomy bag one piece Soft convex	100 NOS.

1.017	Protective Sheets for skin barrier "wounds of stoma, size - 20x20 cm	50 NOS.
1.018	Paste - Skin Barrier Karaya Gum	50 NOS.
1.019	Wound manager post-op bag with attached lid spiral adhesive sizes - 10 mm to 100 mm	50 NOS.
1.020	wound manager post-op bag with attached lid spiral adhesive sizes -10-75mm	50 NOS.
1.021	Expandable Catheter mount with bacterial filter HME for ventilator	300 NOS.
1.022	Sengstaken Blakemore Tube 14 Fr size	20 NOS.
1.023	sengstaken Blakemore Tube 16 Fr size	50 NOS.
1.024	Sengstaken Blakemore Tube 18 Fr size	50 NOS.
1.025	Polyurethane foam for Vacuum Assisted Closure"/ negative pressure wound dressing medium size- 10 X 15 cm	50 NOS.
1.026	Hydrocolloid dressing for wound management 15 X 15 cm	50 NOS.
1.027	Alginate dressing for wound management 15 X 15 cm	50 NOS.
1.028	Disposable abdominal drain catheter with collection bag 16Fr	30 NOS.
1.029	Disposable abdominal drain catheter with collection bag 18Fr	30 NOS.
1.030	Disposable abdominal drain catheter with collection bag 20Fr	30 NOS.
1.031	Disposable abdominal drain catheter with collection bag 28Fr	100 NOS.
1.032	Disposable abdominal drain catheter with collection bag 30Fr	100 NOS.
1.033	Disposable abdominal drain catheter with collection bag 32Fr	100 NOS.
1.034	sterile disposable pigtail drainage catheter 8 Fr	50 NOS.
1.035	sterile disposable pigtail drainage catheter 6 Fr	50 NOS.
1.036	Yankaur suction set with Moulded Yankaur handle attached with 2.5 meter kink resistant tube. Length 250 cm (2.5 meter) and Diameter 9.00 mm (27 FG) with universal connectors on both ends of the tube to accommodate the Suction tip on one end and all type of connectors of suction apparatus at the other end for operating room vaccum assisted suction	250 NOS.
1.037	Yankaur Suction Tip - Fine, Length: 250mm with 2 Holes and with Vacuum Control attachable with above suction tube	250 NOS.

1.038	Yankaur Suction Tip - maxi, Length: 250mm with 4 Holes and with Vacuum Control attachable with above suction tube	250 NOS.
1.039	Plaster of Paris bandage for plaster slab "/ cast 10 cm lenth	200 NOS.
1.040	Plaster of Paris bandage for plaster slab "/ cast 15 cm lenth	200 NOS.
1.041	Abdominal carcet"/ binder Medium/Large 46" - 62" size with 12" width	100 NOS.
1.042	Abdominal corset"/ binder large size 63" - 74" with 12" width	100 NOS.
1.043	Elastic Crep Bandage length 4m, width 10 cm	100 NOS.
1.044	Adult, adjustable venturi mask kit with adjustable O2 concentration	300 NOS.
1.045	Disposable proctoscope set, adult size 70mm effective length x 22mm diameter	30 NOS.
1.046	Iodine coated steri drapes 250 X 300 cm	200 NOS.
1.047	Automatic spring loaded soft tissue biopsy system with cutting length 14 Gauge cms and length of needle 10 cms	200 NOS.
1.048	Automatic spring loaded soft tissue biopsy system with cutting length 16 Gauge cms and length of needle 10 cms	200 NOS.
1.049	Automatic Core Biopsy Gun – 16G X 16CM Should be spring loaded fully automatic biopsy gun. Should have one handed cocking mechanism with Non-roll handle design. Should have angled sample notch for enhanced needle action. Instrument should have choice of two firing buttons. One on the body and one on the rear end Should have double press cocking mechanism, should have penetration depth of 22mm and Core sample should be 19mm	200 NOS.
1.050	Dial flow	1200 NOS.
1.051	Sterile disposable ventilator circuit	1000 NOS.
1.052	Intercostal drainage set	200 NOS.
1.053	Pigtail catheter 14 & 16	50 NOS.
1.054	Incentive spirometer	500 NOS.

1.055	Bain circuit	20 NOS.
1.056	Bipolar acutely	50 NOS.
2.000	O.T CONSUMABLES	
2.057	Patient restrainer Polyester strap with Adjustable buckle,Universal size (ankle/hand cuff)	500 NOS.
2.058	Urinary drainage bag (Urometer) for collection of urine from Foley catheter with volume measurement compartment separate from bag lines for as little as 50 ml so that hourly urine output can be monitored, non-return valve and transparent.	300 NOS.
2.059	Bipolar Forceps for Diathermy machine Angled compatible for ERBE, Excel and valleylab- No 61 to 68- items SHOULD HAVE THE SPECIFIC STANDARDS MENTIONED-The instrument must be of international standards having international standards such as CE, FDA, BIS or DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.should have ISO 13485 certification for surgical equipments	5 NOS.
2.060	Bipolar Forceps for Diathermy machine Straight compatible for ERBE ,Excel and valleylab	5 NOS.
2.061	Cable for Bipolar Forceps compatible for ERBE ,Excel and valleylab	5 NOS.
2.062	Bipolar forceps bayoneted (standard tip non stick, compatible with Valleylab/ERBE/Excel bipolar machine along with cable (demo required)	5 NOS.
2.063	Bipolar forceps bayoneted (micro tip non stick, compatible with Valleylab/ERBE/Excel bipolar machine along with cable (demo required)	5 NOS.
2.064	Bipolar forceps straight (standard tip non stick, compatible with Valleylab/ERBE/Excel bipolar machine along with cable (demo required)	5 NOS.
2.065	Bipolar forceps straight (micro tip non stick, compatible with Valleylab/ERBE /Excel bipolar machine along with cable (demo required)	5 NOS.
2.066	Neutral plate twin, with sensor for complete circuit compatible with ALSA MCD EXCEL 350 diathermy machine, disposable	100 NOS.
2.067	Thromboembolism stocking Lycra containing thromboembolism prevention stocking, thigh to ankle level, various sizes for patients in ICU, immobile patients. It should have graduated pressure fit. Snug fit. Exact number of each sizes will be mentioned at the time of purchase order	150 NOS.
2.068	Universal Camera Drape 18x250 cms Telescopic Folding, Separate Tape Strip	300 NOS.
2.069	Band aid wash proof	500 NOS.
2.070	Asepto syringe	50 NOS.

2.071	Surgeon gown (medium size) which is a fully wrap around variety and can be tied in front, with water, alcohol resistance. Outer layer spun bound repellent layer with inner two layers with antibacterial property (melt blown), and innermost layer for fabric strength (spun bound) Soft elastic wrist cuff. Adjustable neck line needed. Low linting. Sample absolutely required. Must meet or exceed EN13795 standards or else will not be considered. Quote separately for Tape covered double-stitched seam type gown as well as the one with ultrasound bonded seam	200 NOS.
2.072	Disposable sheet for large tray set (67x67 inches) and (52x30 inches)	200 NOS.
2.073	Disposable sheet for small tray set (32x32 inches) and (12x8 inches)	200 NOS.
2.074	Disposable trolley sheet (65x62 inches) and (50x50 inches)	200 NOS.
2.075	Disposable Mayo cover (32x32 inches)	200 NOS.
2.076	Drape laparotomy, sterile, disposable - consists of re-inforced mayo stand cover 120cm"/140cm, utility drape four pieces 75"/50 cm, transverse drape 200"/150 cm, head end curtain 200"/150 cm, hole sheet 300"/150 cm and tube organiser	500 NOS.
2.077	Tube organiser drape - sticky type	500 NOS.
2.078	Open Intra peritoneal umbilical hernia mesh patch with absorbable hydrogel barrier, straps, positioning pockets, PDO sorbaflex memory ring on one side and light weight polypropylene mesh on the other. Size 8 cm x8 cm	50 NOS.
2.079	Elastic vessel loop for retracting vessels during surgery Red colour	20 NOS.
2.080	Elastic vessel loop for retracting vessels during surgery Blue colour	20 NOS.
2.081	Elastic vessel loop for retracting vessels during surgery Green colour	20 NOS.
2.082	Sterile Disposable diathermy cable with hand control probe pencil and Cautery scratchpad/ tip cleaner	500 NOS.
2.083	Curved circular stapler 25mm with universal closed staple height ranges 1.5mm-2.0mm	25 NOS.
2.084	Curved circular stapler 28mm with universal closed staple height ranges 1.5mm-2.0mm	40 NOS.
2.085	Curved circular stapler 31mm with universal closed staple height ranges 1.5mm-2.0mm	40 NOS.
2.086	Curved circular stapler 33mm with universal closed staple height ranges 1.5mm-2.0mm	25 NOS.
2.087	Curved circular stapler 25mm with universal closed staple height ranges 1mm-2.5mm	25 NOS.

2.088	Curved circular stapler 29mm with universal closed staple height ranges 1mm-2.5mm	40 NOS.
2.089	Curved circular stapler 33mm with universal closed staple height ranges 1mm-2.5mm	25 NOS.
2.090	Curved Cutter stapler 40 mm with 4 staple rows for low anterior recession with Green Reload with open staple height 4.7mm and closed staple height 2mm	20 NOS.
2.091	Green Reload for the above 40mm Curved Cutter stapler for low anterior recession	70 NOS.
2.092	Curved Cutter stapler 40mm with 4 staple rows for low anterior recession with Blue Reload with open staple height 3.5mm and closed staple height 1.44 mm	10 NOS.
2.093	Blue Reload for the above 40mm Curved Cutter stapler for low anterior recession	50 NOS.
2.094	Linear Cutter 55 mm 3 staggered row with selectable staple height	50 NOS.
2.095	3 staggered Reloads for Linear cutter 55mm, compatible with above Linear Cutter	500 NOS.
2.096	Linear Cutter 75 mm 3 staggered row with selectable staple height	50 NOS.
2.097	3 staggered Reloads for Linear cutter 75mm, compatible with above Linear Cutter	500 NOS.
2.098	Linear Cutter 100 mm inbuilt knife with 2.0mm cartridge	4 NOS.
2.099	Green 2.0mm Reloads for Linear cutter 100mm, compatible with above Linear Cutter	30 NOS.
2.100	Hemorrhoidal circular Stapler set with variable closed height ranges from 0.75mm-1.5mm	10 NOS.
2.101	Open Disposable Large Clip applier with 20 preloaded large clips with 13 inch shaft length	10 NOS.
2.102	Open Disposable Medium Clip applier with 30 preloaded medium clips with 11 inch shaft length	50 NOS.
2.103	Small titanium alloy clip reloads compatible with reusable Multipatient single clip applier.	650 NOS.
2.104	Skin Marking pen for preoperative surgical site marking	300 NOS.
2.105	Disposable neutral plate compatible with Force Triad valley lab	100 NOS.

2.106	Skin grafting blades	250 NOS.
2.107	Dermatome blade compatible with Zimmer make Dermatome	50 NOS.
2.108	Collagen sheet- 15 X 30 cm	400 NOS.
2.109	Monopolar Cable compatible with Valley Lab	100 NOS.
2.110	Lone star retractor disposable	10 NOS.
2.111	Haemorrhoidal Multi-Band Ligator with Tri-View Anoscope	100 NOS.
2.112	Battery operated circular stapler having disposable battery pack with Gripping Surface technology and 3D Stapling technology with detachable anvil and adjustable closed staple height of 1.5 - 2.2 mm and open leg length of 5.2mm having staple housing outer diameter 23mm and two staple rows	50 NOS.
2.113	Battery operated circular stapler having disposable battery pack with Gripping Surface technology an 3D Stapling technology with detachable anvil and adjustable closed staple height of 1.5 - 2.2 mm and open leg length of 5.2mm having staple housing outer diameter 25mm and two staple rows	50 NOS.
2.114	Battery operated circular stapler having disposable battery pack with Gripping Surface technology an 3D Stapling technology with detachable anvil and adjustable closed staple height of 1.5 - 2.2 mm and open leg length of 5.2mm having staple housing outer diameter 29mm and two staple rows	50 NOS.
2.115	Battery operated circular stapler having disposable battery pack with Gripping Surface technology an 3D Stapling technology with detachable anvil and adjustable closed staple height of 1.5 - 2.2 mm and open leg length of 5.2mm having staple housing outer diameter 31mm and two staple rows	50 NOS.
2.116	Disposable cautery pencils (PTFE coated electrosurgical electrode) with blade tip & hand control - twin switch for cutting & coagulation mode controls compatible to all diathermy machines, or universal connector with shaft diameter preferably less than 2.5 mm. Appropriate certificate USFDA/ISI Certificate for electrical safety	500 NOS.
2.117	Synthetic absorbable Sterilized surgical Suture (Braided), coated Polyglactin 910,Size 0, 18 inch long ligature in a plastic tube that is narrow at one end and scored at other end. Suture is in the form of ligature loop with a knot	100 NOS.
3.000	ENDOSCOPIC CONSUMABLES	
3.118	Rubber inlet seal for Pentax Scopes	200 NOS.
3.119	Multiband ligator with 6 Bands	800 NOS.
3.120	Shooter for Endoscopic multiband ligator	10 NOS.

3.121	Percutaneous Endoscopic gastrostomy kit (PEG Kit) 24Fr	30 NOS.
3.122	Upper G.I Endoscopy mouth piece	50 NOS.
3.123	Colonoscopic Polypectomy snare	5 NOS.
3.124	Biopsy forceps UGIE with spike	30 NOS.
3.125	Biopsy forceps UGIE without spike	30 NOS.
3.126	Biopsy forceps colonoscopy with spike	30 NOS.
3.127	Biopsy forceps colonoscopy without spike	30 NOS.
3.128	Ballon Dilatation catheter 10-12 mm	20 NOS.
3.129	Ballon Dilatation catheter 12-15 mm	20 NOS.
3.130	Ballon Dilatation catheter 15-18 mm	20 NOS.
3.131	Sclerotherapy needle	20 NOS.
3.132	Savary gilliard guide wire	20 NOS.
3.133	Zebra guide wire	10 NOS.
3.134	Achalasia bolloon catheter 30 size	20 NOS.
3.135	Achalasia bolloon catheter 35 size	20 NOS.
3.136	Achalasia bolloon catheter 40 size	20 NOS.
3.137	Achalasia pump	20 NOS.
3.138	Balloon dilatation inflation device	20 NOS.

3.139	Foreign body removal forceps	10 NOS.
3.140	Esophageal stents (Covered) 10, 12, 15 cm each 20 nos.	60 NOS.
3.141	Capsure - Tacker (Fixation) - 30 tacks: Permanent fixation device made of 316L stainless steel having cannula length of 37 cm with smooth polyetheretherketone (PEEK) cap to eliminate exposed metal tip and help minimize adhesions to the fastener and also with fastner level indicator with metric	30 NOS.
3.142	Ventralight Echo PS mesh 15.2 cm circle: Echo PST™ Positioning System is a low profile balloon that comes pre-attached With Uncoated lightweight Monofilament Polypropylene mesh with hydrogel barrier made of Bioresorbable coating [Sodium Hyaluronate (HA) + Carboxymethylcellulose (CMC) + polyethylene glycol (PEG)] on visceral side and coated by Bioresorbable PGA fibres on both sides for Laparoscopic Ventral Hernia Repair. Circle Shaped. Size 15.2 cm	20 NOS.
3.143	Ventralight Echo PS mesh 20.3cm circle: Echo PST™ Positioning System is a low profile balloon that comes pre-attached With Uncoated lightweight Monofilament Polypropylene mesh with hydrogel barrier made of Bioresorbable coating [Sodium Hyaluronate (HA) + Carboxymethylcellulose (CMC) + polyethylene glycol (PEG)] on visceral side and coated by Bioresorbable PGA fibres on both sides for Laparoscopic Ventral Hernia Repair. Circle Shaped. Size 20.3 cm	20 NOS.
3.144	Ventralight Echo PS mesh 15.2 x 20.3 cm elliptical : Echo PST™ Positioning System is a low profile balloon that comes pre-attached With Uncoated lightweight Monofilament Polypropylene mesh with hydrogel barrier made of Bioresorbable coating [Sodium Hyaluronate (HA) + Carboxymethylcellulose (CMC) + polyethylene glycol (PEG)] on visceral side and coated by Bioresorbable PGA fibres on both sides for Laparoscopic Ventral Hernia Repair. Circle Shaped. Size 15.2 cm x 20.3 cm	20 NOS.
3.145	Ventralight Echo PS mesh 20.3 cm x 25.4 cm elliptical : Echo PST™ Positioning System is a low profile balloon that comes pre-attached With Uncoated lightweight Monofilament Polypropylene mesh with hydrogel barrier made of Bioresorbable coating [Sodium Hyaluronate (HA) + Carboxymethylcellulose (CMC) + polyethylene glycol (PEG)] on visceral side and coated by Bioresorbable PGA fibres on both sides for Laparoscopic Ventral Hernia Repair. Circle Shaped. Size 20.3 cm x 25.4 cm	20 NOS.
4.000	LAPRASCOPIC CONSUMABLES	
4.146	Polymer Ligation System - Clips(like hem-o-lok) - Extra-Large	50 NOS.
4.147	Polymer Ligation System - Clips(like hem-o-lok) - Large	50 NOS.
4.148	Polymer Ligation System - Clips(like hem-o-lok) - Medium-Large	50 NOS.
4.149	Disposable Laparoscopic cautery hook with hand control function	2 NOS.

4.150	Laparoscopic vascular bulldog clip with jaw length of 25mm and 45mm both straight and curved tip compatible with Laparoscopic vascular bulldog clip applicator of shaft length 34 cm with diameter 12.5mm made of stainless steel.	2 NOS.
4.151	Anti-fog kit, comprehensive system	5 NOS.
4.152	Anti-fog solution	50 NOS.
4.153	Bipolar Maryland Dissecting Forceps 5mm 310mm, reusable & autoclavable made of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	2 NOS.
4.154	Matching diathermy cable for above to fit ERBE/EXCEL diathermy machine	2 NOS.
4.155	Laparoscopic Bipolar Macro Forceps 5mm, 31cm reusable & autoclavable made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	2 NOS.
4.156	Monopolar laparoscopy diathermy cable for to fit ERBE/EXCEL diathermy machine compatible with karl storz	2 NOS.
4.157	Cannula 5mm smooth with bladeless optical trocar, sterile & disposable for laparoscopy	50 NOS.
4.158	Cannula 5mm with bladed threaded trocar, sterile & disposable for laparoscopy	400 NOS.
4.159	Cannula 5mm with bladeless threaded trocar, sterile & disposable for laparoscopy	400 NOS.
4.160	Cannula 5mm, long 15cm for bariatric surgery with bladeless threaded trocar, sterile & disposable for laparoscopy	50 NOS.
4.161	Cannula 11 mm smooth with bladeless optical trocar, sterile & disposable for laparoscopy	50 NOS.
4.162	Cannula 11 mm smooth with bladeless threaded trocar, sterile & disposable for laparoscopy	400 NOS.
4.163	Cannula 12 mm blunt trocar, sterile & disposable	50 NOS.
4.164	Cannula 12 mm smooth with bladeless optical trocar, sterile & disposable for laparoscopy	50 NOS.

4.165	Cannula 12 mm smooth with bladeless threaded trocar, sterile & disposable for laparoscopy	400 NOS.
4.166	Cannula 12 mm, long 15cm for bariatric surgery smooth with bladeless optical trocar, sterile & disposable for laparoscopy	50 NOS.
4.167	Cannula 15 mm smooth with bladeless threaded trocar, sterile & disposable for laparoscopy	50 NOS.
4.168	Cannula 15 mm, long 15cm for bariatric surgery smooth with bladeless optical trocar, sterile & disposable for laparoscopy	50 NOS.
4.169	Disposable Bladeless Trocar with Bird Wing Tip Design, 5mm in Diameter, 95mm Standard Sleeve Length, Self -Adjusting & Detachable Secondary Seal which can accommodate instruments diameter upto 5mm	50 NOS.
4.170	Disposable Bladeless Trocar with Bird Wing Tip Design, 10mm in Diameter, 95mm Standard Sleeve Length, Self -Adjusting & Detachable Secondary Seal which can accommodate instruments diameter ranging from 5mm to 10mm	50 NOS.
4.171	Disposable Bladeless Trocar with Bird Wing Tip Design & Optical Entry Feature, 12mm in Diameter, 95mm Standard Sleeve Length, Self -Adjusting & Detachable Secondary Seal which can accommodate instruments diameter ranging from 5mm to 12mm	50 NOS.
4.172	Disposable Bladeless Trocar with Bird Wing Tip Design, 15mm in Diameter, 110mm Standard Sleeve Length, Self -Adjusting & Detachable Secondary Seal which can accommodate instruments diameter ranging from 5mm to 15mm	50 NOS.
4.173	fixation device with articulating technology, interchangeable reloads, and screw-like tack designs for hernia repair	50 NOS.
4.174	Arista AH FlexTip XL Applicator length 38cm	10 NOS.
4.175	Laparoscopic polymer type vascular clip large size compatible with Laparoscopic reusable and autoclavable 10mm applier for large polymer type vascular clip	30 NOS.
4.176	Laparoscopic polymer type vascular clip medium-large size compatible with Laparoscopic reusable and autoclavable 10mm applier for medium-large polymer type vascular clip	30 NOS.
4.177	Cleaning Pistol for laparoscopic Instruments	10 NOS.
4.178	Cleaning brush for laparoscopic Instruments	10 NOS.

4.179	Minimally Invasive Access System- Hand port for hand assisted laparoscopic Surgery- Seal-Cap Assembly	3 NOS.
4.180	Minimally Invasive Access System- for hand assisted laparoscopic Surgery Fixed-length Access Retractor — Small (<4 cm)	6 NOS.
4.181	Minimally Invasive Access System- for hand assisted laparoscopic Surgery Fixed-length Access Retractor -Fixed-length Access Retractor — Medium (4–7cm)	6 NOS.
4.182	Minimally Invasive Access System- for hand assisted laparoscopic Surgery Fixed-length Access Retractor -Fixed-length Access Retractor —Fixed-length Access Retractor — Large (>7cm)	6 NOS.
4.183	Veress laparoscopic disposable insufflation needle with a spring-loaded, blunt stylet safety mechanism 14 gauge, 120 mm length	50 NOS.
4.184	Laparoscopic Sterile & Disposable 5 mm Bladeless trocar with bilateral tissue separator-sleeve and obturator set	10 NOS.
4.185	Laparoscopic Sterile & Disposable 5mm sleeve compatible for above 5mm bladeless trocar with bilateral tissue separator	90 NOS.
4.186	Laparoscopic Sterile & Disposable 11 mm Bladeless trocar with bilateral tissue separator-sleeve and obturator set	50 NOS.
4.187	Laparoscopic Sterile & Disposable 11 mm sleeve compatible for above 11mm bladeless trocar with bilateral tissue separator	100 NOS.
4.188	Laparoscopic Sterile & Disposable 12 mm Bladeless trocar with bilateral tissue separator-sleeve and obturator set	50 NOS.
4.189	Laparoscopic Sterile & Disposable 12 mm sleeve compatible for above 12mm bladeless trocar with bilateral tissue separator	25 NOS.
4.190	Laparoscopic Sterile & Disposable laparoscopic 12 mm Blunt tip optical trocar- sleeve and obturator set	50 NOS.
4.191	Laparoscopic Sterile & Disposable 12 mm sleeve compatible for above 12mm blunt tip optical trocar	25 NOS.
4.192	Laparoscopic Sterile & Disposable 11 mm Smooth Cannula With Bladeless Optical Trocar with bilateral tissue separator	5 NOS.
4.193	Laparoscopic Sterile & Disposable 11 mm sleeve compatible for above 11mm bladeless optical trocar with bilateral tissue separator	25 NOS.

4.194	Laparoscopic Sterile & Disposable 12 mm Smooth Cannula With Bladeless Optical Trocar with bilateral tissue separator	5 NOS.
4.195	Laparoscopic Sterile & Disposable 12 mm sleeve compatible for above 12 mm bladeless Optical Trocar with bilateral tissue separator	25 NOS.
4.196	Disposable laparoscopic Clip applicator 5 mm with 15 preloaded medium-large clips available with colour code indicator for last clip	20 NOS.
4.197	Disposable laparoscopic Clip applicator 10 mm with 20 preloaded medium-large clips available with colour code indicator for last clip	20 NOS.
4.198	Disposable laparoscopic Clip applicator 12 mm with 20 preloaded large clips available with colour code indicator for last clip	25 NOS.
4.199	Laparoscopic Linear Cutter Stapler, 60 mm, with articulating shaft, 340 mm shaft length, capable of firing white,blue,Gold,Green reloads	5 NOS.
4.200	60mm reloads 1.5mm- Blue cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	50 NOS.
4.201	60mm reloads 2.0mm-Green cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	50 NOS.
4.202	60mm reloads 1.8mm- Gold cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	5 NOS.
4.203	60mm reloads 1.0mm- White cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	10 NOS.
4.204	Laparoscopic Linear Cutter Stapler, 45mm, with articulating shaft, 340 mm shaft length, capable of firing white,blue,Gold,Green reloads	2 NOS.
4.205	45mm reloads 2.0mm-Green cartridge, compatible with above articulating 45mm Laparoscopic Linear Cutter Stapler	25 NOS.
4.206	45mm reloads 2.0mm-Blue cartridge, compatible with above articulating 45mm Laparoscopic Linear Cutter Stapler	30 NOS.
4.207	45mm reloads 1.8mm- Gold cartridge, compatible with above articulating 45mm Laparoscopic Linear Cutter Stapler	2 NOS.
4.208	45mm reloads 1.0mm- White cartridge, compatible with above articulating 45mm Laparoscopic Linear Cutter Stapler	10 NOS.
4.209	Specimen Retrieval Bag Pouch with 10mm Diameter & 4*6 inch bag Size	20 NOS.
4.210	Sterile disposable laparoscopic camera cover- 100 inches	600 NOS.

4.211	Absorbable fixation device (5 mm) loaded with 25 absorbable straps with two point fixation design made of polydioxanone, glycolide and lactide for mesh fixation in Laparoscopic hernia	25 NOS.
4.212	Absorbable fixation system (5 mm) loaded with 15 absorbable tacks with screw design made of poly glycolide-co-Llactide (PGLA) for mesh fixation in Laparoscopic hernia	40 NOS.
4.213	Flexible composite mesh with tissue barrier on both side (visceral side and parietal side) made of polyglycoprone, polydioxanone, polypropylene: size: 15 X 20 cm	10 NOS.
4.214	Anatomical polypropylene mesh for laparoscopic inguinal hernia repair- Left side- 10X 15 cm	25 NOS.
4.215	Anatomical polypropylene mesh for laparoscopic inguinal hernia repair- Right side- 10X 15 cm	25 NOS.
4.216	Circular Stapler 28mm with three staggered rows and Tri-Staple Technology Purple, Staple height 3.0mm, 3.5mm, 4.0mm	30 NOS.
4.217	Circular Stapler 28mm with three staggered rows and Tri-Staple Technology Black, Staple height 4.0mm, 4.5mm, 5.0mm	20 NOS.
4.218	Circular Stapler 31mm with three staggered rows and Tri-Staple Technology Purple, Staple height 3.0mm, 3.5mm, 4.0mm	30 NOS.
4.219	Circular Stapler 31mm with three staggered rows and Tri-Staple Technology Black, Staple height 4.0mm, 4.5mm, 5.0mm	20 NOS.
4.220	Open Anatomical Mesh Made of monofilament polyester with PLA absorbable Grip for Suture less self-fixation semi absorbable mesh for open ventral Hernia. size 2015	20 NOS.
4.221	Open Anatomical Mesh Made of monofilament polyester with PLA absorbable Grip for Suture less self-fixation semi absorbable mesh for open ventral Hernia. size 1515	50 NOS.
4.222	Open Anatomical Mesh Made of monofilament polyester with PLA absorbable Grip for Suture less self-fixation semi absorbable mesh for open inguinal Hernia. size 1208 Right side	100 NOS.
4.223	Open Anatomical Mesh Made of monofilament polyester with PLA absorbable Grip for Suture less self-fixation semi absorbable mesh for open inguinal Hernia. size 1208 Left side	100 NOS.
4.224	Newly Designed 3-D Patented Anatomical Monofilament Polypropylene textile with Large pore size (>1mm), ML Marking, Upper sealed edge, unsealed inferior edge & inferior flap. Size 15*10cm Large Right.	100 NOS.
4.225	Newly Designed 3-D Patented Anatomical Monofilament Polypropylene textile with Large pore size (>1mm), ML Marking, Upper sealed edge, unsealed inferior edge & inferior flap. Size 15*10cm Large Left.	100 NOS.
4.226	ALLIGATOR GRASPER WITH 2.4mm SHAFT & 12.5mm JAW APERTURE WITH MINIGRIP HANDLE-DISPOSABLE - TORCAR LESS USAGE	10 NOS.
4.227	CLUTCH GRASPER WITH 2.4mm SHAFT & 12.5mm JAW APERTURE WITH MINIGRIP HANDLE-DISPOSABLE - TORCAR LESS USAGE	10 NOS.
4.228	TONG GRASPER WITH 2.4mm SHAFT & 12.5mm JAW APERTURE WITH MINIGRIP HANDLE-DISPOSABLE - TORCAR LESS USAGE	10 NOS.

4.229	BABCOCK GRASPER WITH 2.4mm SHAFT & 12.5mm JAW APERTURE WITH MINIGRIP HANDLE-DISPOSABLE - TORCAR LESS USAGE	10 NOS.
4.230	PRECUTANEOUS ALLIGATOR GRASPER WITH 2.3mm SHAFT & 12.5mm JAW APERTURE-DISPOSABLE - TORCAR LESS USAGE	5 NOS.
4.231	PRECUTANEOUS CLUTCH GRASPER WITH 2.3mm SHAFT & 12.5mm JAW APERTURE-DISPOSABLE - TORCAR LESS USAGE	5 NOS.
4.232	PRECUTANEOUS BOWEL GRASPER WITH 2.3mm SHAFT & 12.5mm JAW APERTURE-DISPOSABLE - TORCAR LESS USAGE	5 NOS.
4.233	PRECUTANEOUS BABCOCK GRASPER WITH 2.3mm SHAFT & 12.5mm JAW APERTURE-DISPOSABLE - TORCAR LESS USAGE	5 NOS.
4.234	HOOK MONOPOLAR PROBE WITH 2.4mm SHAFT-DISPOSABLE - TORCAR LESS USAGE	7 NOS.
4.235	CURVED SPATULA MONOPOLAR PROBE WITH 2.4mm SHAFT-DISPOSABLE - TORCAR LESS USAGE	7 NOS.
4.236	STRAIGHT SPATULA MONOPOLAR PROBE WITH 2.4mm SHAFT-DISPOSABLE - TORCAR LESS USAGE	7 NOS.
4.237	CONICAL MONOPOLAR PROBE WITH 2.4mm SHAFT-DISPOSABLE - TORCAR LESS USAGE	7 NOS.
5.000	VESSEL SEALING DEVICE CONSUMABLES	
5.238	Precise- single use vessel sealing instrument, 16.5 cm length Compatible with LigaSure vessel sealing system	20 NOS.
5.239	LigaSure Max 23 cm long with 30 degree curved jaw reusable vessel sealing instrument Compatible with LigaSure vessel sealing system	2 NOS.
5.240	Disposable electrode for the above LigaSure Max 23 cm long reusable vessel sealing instrument Compatible with LigaSure vessel sealing system	2 NOS.
5.241	Dolphin-nose tip 5mm shaft diameter open vessel sealer and divider instrument, 20 cm shaft length for use in open procedures Compatible with LigaSure- Force Triad vessel sealing system.	5 NOS.
5.242	The LigaSure Atlas 10mm shaft diameter blunt tip open vessel sealer and divider instrument, 20 cm shaft length for use in open procedures Compatible with LigaSure- Force Triad vessel sealing system	10 NOS.

5.243	LigaSure Impact 13.5mm shaft diameter open vessel sealer and divider instrument, 18cm shaft length for use in open procedures Compatible with LigaSure- Force Triad vessel sealing system	5 NOS.
5.244	Ligasure contoured tip vessel sealer and divider instrument, 18.8cm shaft length with 16.5 Cm electrode length and 28 degree curved jaw for use in open procedures Compatible with LigaSure- Force Triad vessel sealing system	5 NOS.
5.245	LigaSure 5 mm blunt tip 37 cm sealer and divider for laparoscopic surgery, Compatible with LigaSure- Force Triad vessel sealing system	10 NOS.
5.246	The LigaSure Atlas 10mm blunt tip vessel sealer and divider with shaft length 37cm for laparoscopic surgery, Compatible with LigaSure- Force Triad vessel sealing system	10 NOS.
6.000	ULTRASONIC ENERGY DEVICE CONSUMABLES	
6.247	Gray handpiece compatible with Harmonic laparoscopic shears	5 NOS.
6.248	Blue handpiece compatible with Harmonic laparoscopic shears	5 NOS.
6.249	Ultrasonic Curved Shear for Open Surgeries – Shaft Length 9 cms with Adaptive tissue technology, compatible with Harmonic Gen11	10 NOS.
6.250	Ultrasonic Curved Shear for Open Surgeries – Shaft Length 9 cm, compatible with Harmonic Gen11	5 NOS.
6.251	laproscopic 5mm diameter ultrasonic tissue sealer of 35cm shaft length with articulating straight jaw	5 NOS.
6.252	Ultrasonic Curved Shear for Open Surgeries – Shaft Length 17 cm, compatible with Harmonic Gen11	15 NOS.
6.253	Ultrasonic 5mm Shaft Diameter Open Curved Shear, Shaft Length with Adaptive tissue technology and non sticky blade – 23 cm compatible with Harmonic Gen11	5 NOS.
6.254	Ultrasonic 5mm Shaft Diameter Open Curved Shear, Shaft Length 23cm compatible with Harmonic Gen11	2 NOS.
6.255	Ultrasonic 5mm Shaft Diameter Laparoscopic Curved Shear, Shaft Length 36cm with Adaptive tissue technology and non sticky blade –compatible with Harmonic Gen11	20 NOS.
6.256	Ultrasonic 5mm Shaft Diameter Laparoscopic Curved Shear, Shaft Length – 36Cm compatible with Harmonic Gen11	10 NOS.
6.257	Tissue Sealing ultrasonic Probe for Open Surgeries with 40mm Curved Jaw and 22 cm Shaft, 12mm shaft diameter, compatible with Harmonic Gen11	10 NOS.
6.258	Ultrasonic 5mm Shaft Diameter Laparoscopic Curved Shear with Advanced Hemostasis Curved Shears 36cm length , Shaft Length with Adaptive tissue technology and non sticky blade – 36Cm compatible with Harmonic Gen11	1 NOS.
6.259	Ultrasonic curved blade for laproscopic surgery with 32cm shaft length compatible with GEN11	2 NOS.

6.260	Ultrasonic Hook blade for laproscopic surgery with 32cm shaft length compatible with GEN11	2 NOS.
6.261	Ultrasonic Ball coagulator for laproscopic surgery with 31cm shaft length compatible with GEN11	2 NOS.
6.262	Ultrasonic Hook blade for Open Surgeries compatible with Harmonic Gen11	2 NOS.
6.263	Ultrasonic Combination of hook and blade for Open Surgeries compatible with Harmonic Gen11	2 NOS.
6.264	Ultrasonic Curved blade for Open Surgeries compatible with Harmonic Gen11	2 NOS.
6.265	Laparoscopic 5 mm Ultrasonic curved shear with an integrated transducer, shaft length 20cm, indicated for dissection, grasping, coagulation, cutting & coagulation up to & including 7mm vessels, Minimal thermal injury & utilizes Adaptive Tissue Technology”)	50 NOS.
6.266	Ultrasonic 5mm Shaft Diameter Laparoscopic Curved Shear with Advanced Hemostasis Curved Shears 23cm length , Shaft Length with Adaptive tissue technology and non sticky blade – 23Cm compatible with Harmonic Gen11	50 NOS.
7.000	LAPAROSCOPIC AUTOMATIC SUTURING DEVICE CONSUMABLES	
7.267	Automatic endoscopic"/ laparoscopic 10 mm (Endostitch) suturing device- one handed instrument with needle position indicator at the handle- with shaft length 38 cm	20 NOS.
7.268	Single use loading units (SULU)- single stitch unit- absorbable glycolide"/ lactide suture 2-0 with 18 cm length, compatible with the above Automatic endoscopic"/ laparoscopic 10 mm suturing device	10 NOS.
7.269	Single use loading units - single stitch unit- absorbable glycolide"/lactide suture 2-0 with 120 cm length, compatible with the above Automatic endoscopic"/ laparoscopic 10 mm suturing device	5 NOS.
7.270	Single use loading units (SULU)- single stitch unit- absorbable glycolide"/lactide suture 3-0 with 18 cm length, compatible with the above Automatic endoscopic"/ laparoscopic 10 mm suturing device, compatible with the above Automatic endoscopic"/ laparoscopic 10 mm suturing device	10 NOS.
7.271	Single use loading units (SULU's)- single stitch unit- absorbable glycolide"/lactide suture 3-0 with 120 cm length, compatible with the above Automatic endoscopic"/ laparoscopic 10 mm suturing device	5 NOS.
7.272	Single use loading units (SULU's)- single stitch unit- non-absorbable silk suture 1-0 with 120 cm length, compatible with the above Automatic endoscopic"/ laparoscopic 10 mm suturing device	5 NOS.
7.273	Single use loading units (SULU's)- single stitch unit- non-absorbable silk suture 2-0 with 120 cm length, compatible with the above Automatic endoscopic"/ laparoscopic 10 mm suturing device	15 NOS.
8.000	SINGLE INCISION LAPAROSCOPIC SET CONSUMABLES	
8.274	Single Incision Laparoscopic Surgery Port System 12 mm with Three 5 mm Cannulas, One 5 mm Obturator, One 5 mm-12 mm Cannula, One 12 mm Obturator	2 NOS.

8.275	Single Incision Laparoscopic Surgery Single Use Articulating Grasper hand instrument 36 cm shaft length with ratchet	2 NOS.
8.276	Single Incision Laparoscopic Surgery Single Use Articulating Dissector with Monopolar Cautery hand instrument 36 cm shaft length with ratchet	2 NOS.
8.277	Single Incision Laparoscopic Surgery Single Use Articulating Shear with Monopolar Cautery 36 cm shaft length with ratchet	2 NOS.
8.278	Single Incision Laparoscopic Surgery Single Use Articulating Hook with Monopolar Cautery with 36 cm shaft length	2 NOS.
8.279	Single Incision Laparoscopic Surgery- Single Use Articulating Automatic Suturing Device	2 NOS.
8.280	Reloads for Single Incision Laparoscopic Surgery- Single Use loading units 3-0 absorbable 8"/20 cm length compatible with the above Single Incision Laparoscopic Surgery Automatic suturing device	2 NOS.
8.281	Reloads for Single Incision Laparoscopic Surgery- Single Use loading units 2-0 non-absorbable 8"/20 cm length compatible with the above Single Incision Laparoscopic Surgery Automatic suturing device	2 NOS.
9.000	STAPLERS CONSUMABLES	
9.282	Linear Cutter 60mm(Reusable and Autoclavable)	10 NOS.
9.283	Blue Reload compatible with above reusable linear cutter 60 mm with in build new knife blade and adjustable firing knob	300 NOS.
9.284	Green Reload compatible with above reusable linear cutter 60 mm with in build new knife blade and adjustable firing knob	300 NOS.
9.285	Linear Cutter 80mm(Reusable and Autoclavable)	10 NOS.
9.286	Blue Reload compatible with above reusable linear cutter 80 mm with in build new knife blade and adjustable firing knob	150 NOS.
9.287	Green Reload compatible with above reusable linear cutter 80 mm with in build new knife blade and adjustable firing knob	250 NOS.
9.288	Stapler 3.5mm, 25mm for Trans oral anvil device	2 NOS.
9.289	Trans oral anvil device, 25mm	2 NOS.
9.290	Wound protector small incision size 2-6.6cm	10 NOS.
9.291	Wound protector medium incision Size 5-9cm	10 NOS.
9.292	Wound protector Large incision Size 9-14cm	10 NOS.

9.293	Wound protector and retractor, sizes- Extra large	10 NOS.
9.294	Linear cutter 100mm	5 NOS.
9.295	Reloads Blue for Linear cutter 100mm	10 NOS.
9.296	Reloads green for Linear cutter 100mm	10 NOS.
9.297	60mm Disposable Linear Cutter Stapler with Dual Side Firing feature, Anti slip body, Rear Hinge locking for intermediate position, Push Button for quick opening and Interchangeable Blue & Green Reloads	10 NOS.
9.298	80mm Disposable Linear Cutter Stapler with Dual Side Firing feature, Anti slip body, Rear Hinge locking for intermediate position, Push Button for quick opening and Interchangeable Blue & Green Reloads	10 NOS.
9.299	100mm Disposable Linear Cutter Stapler with Dual Side Firing feature, Anti slip body, Rear Hinge locking for intermediate position, Push Button for quick opening and Interchangeable Blue & Green Reloads	5 NOS.
9.300	60mm Disposable Blue Reload for use with 60mm Linear cutter stapler with fresh knife & safety lock, Available in PET Blister Tray, Reload should have open leg length of 3.8mm and Closed Staple Height of 1.5mm, Staple Length of 64mm & Cut Length of 60mm	100 NOS.
9.301	60mm Disposable Green Reload for use with 60mm Linear cutter stapler with fresh knife & safety lock, Available in PET Blister Tray, Reload should have open leg length of 4.8mm and Closed Staple Height of 2.0mm, Staple Length of 64mm & Cut Length of 60mm	100 NOS.
9.302	80mm Disposable Blue Reload for use with 80mm Linear Cutter stapler with fresh knife & safety lock, Available in PET Blister Tray, Reload should have open Leg Length of 3.8mm and Closed Staple Height of 1.5mm, Staple Length of 84mm & Cut Length of 80mm	100 NOS.
9.303	80mm Disposable Green Reload for use with 80mm Linear Cutter stapler with fresh knife & safety lock, Available in PET Blister Tray, Reload should have open Leg Length of 4.8mm and Closed Staple Height of 2.0mm, Staple Length of 84mm & Cut Length of 80mm	100 NOS.
9.304	100mm Disposable Blue Reload for use with 100mm Linear cutter stapler with fresh knife & safety lock, Available in PET Blister Tray, Reload should have Open Leg Length of 3.8mm and Closed Staple Height of 1.5mm, Staple Length of 104mm & Cut Length of 100mm	25 NOS.
9.305	100mm Disposable Green Reload for use with 100mm Linear cutter stapler with fresh knife & safety lock, Available in PET Blister Tray, Reload should have Open Leg Length of 4.8mm and Closed Staple Height of 2.0mm, Staple Length of 104mm & Cut Length of 100mm	25 NOS.
9.306	Stapler Laparoscopic Linear Cutter with articulating shaft, capable of firing white, blue, green, Radial, Tristaple Reloads and capable to load 30,45 , 60 mm	10 NOS.
9.307	Reload 30mm(articulating) TAN Vascular/Medium tristaple compatible with above lap linear cutter stapler	10 NOS.

9.308	Reload 30mm curved tip (articulating) TAN Vascular/Medium tristaple compatible with above lap linear cutter stapler	10 NOS.
9.309	Reload 30mm (articulating) PURPLE Medium/Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.310	Reload 45mm(articulating) TAN Vascular/Medium tristaple compatible with above lap linear cutter stapler	10 NOS.
9.311	Reload, 45mm(articulating) PURPLE Medium/Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.312	Reload 45mm(articulating) BLACK Extra Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.313	Reinforced Reload, 45mm(articulating) PURPLE Medium/Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.314	Reinforced Reload, 45mm(articulating) BLACK Extra Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.315	Reload 45mm Curved Tip(articulating) TAN vascular/Medium tristaple compatible with above lap linear cutter stapler	10 NOS.
9.316	Reload 45mm Curved Tip(articulating) PURPLE Medium/Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.317	Reload 60 mm(articulating) TAN Vascular"/Medium tristaple compatible with above lap linear cutter stapler	10 NOS.
9.318	Reload, 60mm (articulating) PURPLE Medium"/Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.319	Reload 60mm (articulating) BLACK Extra Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.320	Reinforced Reload, 60mm(articulating) PURPLE Medium/Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.321	Reinforced Reload, 60mm(articulating) BLACK Extra Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.322	Reload 60mm Curved Tip(articulating) TAN vascular/Medium tristaple compatible with above lap linear cutter stapler	10 NOS.

9.323	Reload 60mm Curved Tip(articulating) PURPLE Medium/Thick tristaple compatible with above lap linear cutter stapler	10 NOS.
9.324	Reload 60mm Radial PURPLE Medium/Thick,three row stapling each side,access to deep pelvis,better vision,accesssibility tristaple reload compatible with above lap linear cutter stapler	10 NOS.
9.325	Endoscopic Linear cutter short 065	10 NOS.
9.326	Endoscopic Linear cutter Medium 160	10 NOS.
9.327	Endoscopic Linear cutter Long 255	10 NOS.
9.328	Reload 45 mm(articulating) PURPLE Medium/Thick 3 varied heights staples on either side of cut line to reduce the tissue trauma with optimal compression	10 NOS.
9.329	Reload 60 mm(articulating) WHITE Vascular"/Medium 3 varied heights staples on either side of cut line to reduce the tissue trauma with optimal compression	10 NOS.
9.330	Reload 60 mm(articulating) PURPLE Medium"/Thick 3 varied heights staples on either side of cut line to reduce the tissue trauma with optimal compression	10 NOS.
9.331	Reload 60 mm(articulating) BLACK Extra Thick 3 varied heights staples on either side of cut line to reduce the tissue trauma with optimal compression	10 NOS.
9.332	Endoscopic linear cutter 60mm articulating SHAFT 340MM POWERED BY BATTERY & GRIPPING SURFACE Technology	10 NOS.
9.333	Endoscopic linear cutter 60mm articulating SHAFT 440MM POWERED BY BATTERY & GRIPPING SURFACE Technology	10 NOS.
9.334	60mm reloads 2.3mm-THICK cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	50 NOS.
9.335	60mm reloads 1.5mm WITH GRIPING SURFACE TECNOLOGY- Blue cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	50 NOS.
9.336	60mm reloads 2.0mm WITH GRIPING SURFACE TECNOLOGY-Green cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	50 NOS.
9.337	60mm reloads 1.8mm WITH GRIPING SURFACE TECNOLOGY- Gold cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	50 NOS.
9.338	60mm reloads 1.0mm WITH GRIPING SURFACE TECNOLOGY- White cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	50 NOS.
9.339	60mm reloads 2.3mm WITH GRIPING SURFACE TECNOLOGY- THICK cartridge, compatible with above articulating 60mm Laparoscopic Linear Cutter Stapler	50 NOS.

9.340	Endoscopic linear cutter 45mm articulating SHAFT 340MM POWERED BY BATTERY	10 NOS.
9.341	Endoscopic linear cutter 45mm articulating SHAFT 440MM POWERED BY BATTERY	10 NOS.
9.342	45mm reloads 1.5mm WITH GRIPING SURFACE TECNOLOGY- Blue cartridge, compatible with above articulating 45mm Laparoscopic Linear Cutter Stapler	50 NOS.
9.343	45mm reloads 2.0mm WITH GRIPING SURFACE TECNOLOGY-Green cartridge, compatible with above articulating 45mm Laparoscopic Linear Cutter Stapler	50 NOS.
9.344	45mm reloads 1.8mm WITH GRIPING SURFACE TECNOLOGY- Gold cartridge, compatible with above articulating 45mm Laparoscopic Linear Cutter Stapler	50 NOS.
9.345	45mm reloads 1.0mm WITH GRIPING SURFACE TECNOLOGY- White cartridge, compatible with above articulating 45mm Laparoscopic Linear Cutter Stapler	50 NOS.
9.346	45mm reloads 2.3mm WITH GRIPING SURFACE TECNOLOGY- THICK cartridge, compatible with above articulating 45mm Laparoscopic Linear Cutter Stapler	50 NOS.
10.000	HARMONIC CONSUMABLES	
10.347	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Round Tip- 14cm COMPATIBLE WITH GEN 11	10 NOS.
10.348	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Round Tip- 25cm COMPATIBLE WITH GEN 11	10 NOS.
10.349	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Round Tip- 35cm COMPATIBLE WITH GEN 11	10 NOS.
10.350	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Round Tip- 45cm COMPATIBLE WITH GEN 11	10 NOS.
10.351	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY 3mm Curved Round Tip -14 cm COMPATIBLE WITH GEN 11	10 NOS.

10.352	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY 3mm Curved Round Tip-25cm COMPATIBLE WITH GEN 11	10 NOS.
10.353	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY 3mm Curved Round Tip-35cm COMPATIBLE WITH GEN 11	10 NOS.
10.354	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY 3mm Curved Round Tip-45cm COMPATIBLE WITH GEN 11	10 NOS.
10.355	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY super jaw COMPATIBLE WITH GEN 11	10 NOS.
10.356	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Straight jaw 35cm with Articulation COMPATIBLE WITH GEN 11	10 NOS.
10.357	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue Sealer Curved jaw 35cm with Articulation COMPATIBLE WITH GEN 11	10 NOS.
10.358	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue Sealer Straight jaw 45cm with Articulation COMPATIBLE WITH GEN 11	10 NOS.
10.359	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue Sealer Curved jaw 45cm with Articulation COMPATIBLE WITH GEN 11	10 NOS.
10.360	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue sealer Straight 14 cm COMPATIBLE WITH GEN 11	10 NOS.
10.361	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue sealer Curved 14 cm COMPATIBLE WITH GEN 11	10 NOS.
10.362	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue sealer Straight 25 cm COMPATIBLE WITH GEN 11	10 NOS.
10.363	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue sealer Curved 25 cm COMPATIBLE WITH GEN 11	10 NOS.
10.364	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue sealer Straight 35 cm COMPATIBLE WITH GEN 11	10 NOS.
10.365	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue sealer Curved 35 cm COMPATIBLE WITH GEN 11	10 NOS.
10.366	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue Sealer Straight 45 cm COMPATIBLE WITH GEN 11	10 NOS.
10.367	ADVANCED BIPOLAR PROBE with PTC TECHONOLOGY Tissue Sealer Curved 45 cm COMPATIBLE WITH GEN 11	10 NOS.

10.368	Laparoscopic 5 mm Ultrasonic curved shear with an integrated transducer, shaft length 36cm, indicated for dissection, grasping, coagulation, cutting & coagulation up to & including 7mm vessels, Minimal thermal injury & utilizes Adaptive Tissue Technology”)	10 NOS.
10.369	20 cm shaft length, 38mm Jaw length, 6mm jaw width Advance Bipolar electrosurgical instrument intended for use in open procedures capable of cutting & coagulation of tissue bundle & vessels up to and including 7 mm	10 NOS.
10.370	Ultrasonic 5mm, laparoscopic curved blade shaft length 36cm with advanced hemostasis (seal up to 7mm vessel) compatible with Gen11	10 NOS.
11.000	THUNDERBEAT CONSUMABLES	
11.371	Open hand instrument which is compatible for thunderbeat sysytem. 05mm diameter and 20cm length	10 NOS.
11.372	Open hand instrument which is compatible for thunderbeat sysytem. 09mm diameter and 20cm length	10 NOS.
11.373	Laprosopic hand instrument which is compatible for thunderbeat system. 05mm diameter and 35cm length	10 NOS.
11.374	Laprosopic hand instrument which is compatible for thunderbeat system. 05mm diameter and 45cm length(Bariatric surgery)	10 NOS.
11.375	Open fine hand instrument for thunderbeat system. 09cm length	10 NOS.
12.000	STERILISATION CONSUMABLES	
12.376	Class IV indicator for ETO sterilisation (pack control) to make sure that the item within the pack is adequately exposed and sterilised with ETO	50 NOS.
12.377	Class V integrator for steam sterilisation (pack control) to make sure that the item within the pack is adequately exposed and sterilised with ETO	50 NOS.
12.378	Self contained vial with spore strip of resistant bacteria for checking steam sterilization	50 NOS.
12.379	Self contained vial with spore strip of resistant bacteria for checking ETO sterilization	50 NOS.
12.380	Radio opaque, gauze, unsterile, size- 10 x 10 cms, 16 ply	1000 NOS.
12.381	Radio opaque, abdominal pad unsterile, size-15 cms x 15 cms	250 NOS.
13.000	COMMON ITEMS - CONSUMABLES	
13.382	Oxygen mask - Adult	1000 NOS.

13.383	Oxygen mask with Nebulizer - Adult	500 NOS.
13.384	ET Tube (PVC) Cuffed - murphyEyes (All sizes)	250 NOS.
13.385	Suction Catheters (All Sizes)	1500 NOS.
13.386	High Pressure monitoring lines (M-F)	1000 NOS.
13.387	High Pressure monitoring lines (M-M)	1000 NOS.
13.388	Threeway stop cock with Extn lines	500 NOS.
13.389	Ambu Bag (Adult)	20 NOS.
13.390	Closed Ventilator Suction catheters (All Sizes)	500 NOS.
13.391	CVP Catheter (Triple Lumen)	400 NOS.
13.392	Nebulizer mask wiht tubing	50 NOS.
13.393	Oxygen nask with all sizes Venturie adapters	150 NOS.
13.394	laryngoscope Bulb	5 NOS.
13.395	Guedel's Airways (PVC) - All Sizes	50 NOS.
13.396	Nasal Prongs	200 NOS.
13.397	Stillet	30 NOS.
13.398	ECG pre Gel	500 NOS.
13.399	ECG Gelly	25 NOS.
13.400	ECHO Gel'/Ultra sound	25 NOS.
13.401	Alfa Bed	5 NOS.
13.402	Cover Slip box	10 NOS.
13.403	Glass Slide	1000 NOS.
13.404	Test Tube 4 1'/2mm	200 NOS.
13.405	Test Tube Rack	10 NOS.
13.406	Glucose strips with meter	50000 NOS.
13.407	Chest tubes (All sizes)	200 NOS.
13.408	Ventilator T connector	20 NOS.

14.000	SUTURES - CONSUMABLES	
14.409	Polyester braided green, 75cm in length, ½ circle round body alloy double needle with 26mm needle dimension (3-0)	50 NOS.
14.410	Polyester braided green, 75cm in length, ½ circle round body alloy double needle with 26mm needle dimension (2-0)	50 NOS.
14.411	Polyester braided white, 90cm in length, ½ circle round body alloy double needle with 26mm needle dimension (2-0)	50 NOS.
14.412	Polyester braided green, 90cm in length, Ski 22 needle (2-0)	50 NOS.
14.413	Triclosan'/PDS, 45 cm in length, 22mm Alloy needle, unidirectional, prime reverse cutting knotless suture control device- Barbed suture (3-0)	50 NOS.
14.414	Triclosan '/PDS , 45cm in length, 22mm alloy needle, unidirectional,prime reverse cutting knotless suture control device- barbed suture(2-0)	50 NOS.
15.000	STERILISATION NON-CONSUMABLES	
15.415	Hair clipping machine that can be sterilized or capable of using sterile disposable (or resterilisable) blade head. The system should be chargeable and usable without cord. Should be FDA approved. Handle should be water proof and can be disinfected. Should be capable of atleast 40 minutes of use after charging. (Please quote for 100 clipper heads along with machine). .	4 NOS.
15.416	Patient pre-Operative skin preparation solution 26ml in one step sterile applicator container for single use with 2% chlorhexidine gluconate (CHG) and 70% isopropyl alcohol (IPA) with orange tint colour for easy visualization.	500 NOS.
15.417	<u>Patient pre-Operative skin preparation solution 10.5ml in one step sterile applicator container for single use with 2% chlorhexidine gluconate (CHG) and 70% isopropyl alcohol (IPA) with orange tint colour for easy visualization.</u>	500 NOS.
16.000	WARD'/ICU NON - CONSUMABLES	
16.418	NIBP cuff for adult	100 NOS.
16.419	Digital B.P apparatus with adult cuff	10 NOS.
16.420	Nebuliser Machine Electronic	10 NOS.
16.421	Stainless Steel Bowl 160x30mm	20 NOS.
16.422	Reusable surgical skin Stapler Remover	100 NOS.
16.423	Alpha Bed with Motor	10 NOS.
16.424	portable Multiparameter Monitor with ECG, NIBP, SPO2, Pulse rate measurements. 8- 12" display	6 NOS.

16.425	Two fold backrest with metal fram which can be adjusted from a low lying angle to an upright sitting position	12 NOS.
16.426	Bedside Screen (three panels) With Curtain Cloth- Overall Approx dimension: 1680 mm (H) x 2450 mm (W) Mild steel ERW tubular frame work > Mounted on six synthetic body cators 50 mm wheel dia, without brake. Three panels. Middle panel 1210 mm wide Two side panels 610 mm wide each . Supplied with hooks , springs and cloth curtains. Pre- treated and powder coated finish	25 NOS.
16.427	Adult Proctoscope set with handle 70mm effective length x 22mm diameter	20 NOS.
16.428	Proctoscope Paediatric set with handle 40mm effective length x 12mm diameter	4 NOS.
16.429	ECG cable 5 leads compatible with Accumatric Monitor	20 NOS.
16.430	SPO2 Probe Adult compatible with Accumatric Monitor	20 NOS.
16.431	ECG cable 5 leads compatible with Medchoice Monitor	6 NOS.
16.432	SPO2 Probe Adult compatible with Medchoice Monitor	6 NOS.
16.433	Finger tip SPO2 measuring device	10 NOS.
16.434	Ultrasonic Nebuliser	10 NOS.
16.435	NIV Mask	5 NOS.
16.436	Digital Thermometer	28 NOS.
16.437	Bougie	3 NOS.
17.000	OT NON-CONSUMABLES	
17.438	Laprosopic Polymer Locking Ligation System(Like hem-o-lok) applicator - Extra-Large, 12 1'/2" (32 cm) applier, 10 mm	2 NOS.
17.439	Laprosopic Polymer Locking Ligation System(Like hem-o-lok) applicator -Large, 12 1'/2" (32 cm) applier, 10 mm	2 NOS.
17.440	Laprosopic Polymer Locking Ligation System(Like hem-o-lok) applicator -Medium-Large, 12 3'/4" (32.5 cm) applier, 5 mm	2 NOS.
17.441	Laprosopic reusable and autoclavable 10mm applier for large polymer type vasular clip	1 NOS.
17.442	Laprosopic Polymer Locking Ligation System(Like hem-o-lok)-12 1'/2" (32 cm), take-apart remover, 5 mm (for ML and L)	2 NOS.
17.443	Laprosopic vascular bulldog clip applier of shaft length 34 cm with diameter 12.5Mm made of stainless steel.	2 NOS.
17.444	Laprosopic reusable and autoclavable 10mm applier for medium-large polymer type vasular clip	1 NOS.

17.445	Artery Forceps straight 6 inch	20 NOS.
17.446	Artery Forceps Curved 6 inch	20 NOS.
17.447	Gillie's Toothed dissecting Forceps 16 cm	20 NOS.
17.448	Bone Nibbler double action 8"	10 NOS.
17.449	Right angled forceps 8 inches long with short 5mm long fine tip made of high quality surgical grade stainless steel	20 NOS.
17.450	Right angled forceps 9 inches long with short 5mm long fine tip made of high quality surgical grade stainless steel	20 NOS.
17.451	Right angled forceps 9 inches long with 15mm long blunt tip made of high quality surgical grade stainless steel	20 NOS.
17.452	Allis Tissue Forceps Box Joint 8" of high quality surgical grade Stainless steel	20 NOS.
17.453	Babcock Intestinal Forceps 8" Box Joint of high quality surgical grade Stainless steel	20 NOS.
17.454	Angled (20 to 30 degree) Babcock forceps 9 inches long of high quality surgical grade Stainless steel	20 NOS.
17.455	Adson forceps 4.5inch long non-tooth serrated jaws of high quality surgical grade stainless steel	20 NOS.
17.456	Adsons forceps 4.5 inch long, 1X2 teeth, 1.4mm tip of high quality surgical grade stainless steel	20 NOS.
17.457	Adsons forceps 4.5 inch long, ring tip of high quality surgical grade stainless steel	20 NOS.
17.458	Stainless steel Cheatles forceps 10 and 1 1/2 inches long	20 NOS.
17.459	Crawford artery forceps curved of dimension 245 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.460	Overholt- Geissendörfer dissecting forceps of dimension 225 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.461	Overholt- Geissendörfer dissecting forceps of dimension 280 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.

17.462	Waugh tissue forceps 1x2 teeth of dimension 200 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.463	De Bakey atraumatic dissecting forceps of 3.5mm wide tip and dimension of 200 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.464	De Bakey atraumatic dissecting forceps of 3.5mm wide tip and dimension of 240 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.465	De Bakey atraumatic dissecting forceps of 3.5mm wide tip and dimension of 300 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.466	De Bakey atraumatic dissecting forceps of 2mm wide tip and dimension of 150 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.467	De Bakey atraumatic dissecting forceps of 2mm wide tip and dimension of 200 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.468	De Bakey atraumatic dissecting forceps of 2mm wide tip and dimension of 240 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.469	De Bakey atraumatic dissecting forceps of 2mm wide tip and dimension of 300 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.470	Debakey Atraumatic Forceps 150mm long, 1mm tip of high quality surgical grade Stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.471	Debakey Atraumatic Forceps 195mm long, 1mm tip of high quality surgical grade Stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.

17.472	Debakey Atraumatic Forceps 240mm long, 1mm tip of high quality surgical grade Stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.473	Angled Debakey Atraumatic Forceps with tip at 30 deg angle 6" long, 2mm tip of high quality surgical grade Stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.474	Angled Debakey Atraumatic Forceps with tip at 30 deg angle 8" long, 2mm tip of high quality surgical grade Stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.475	Straight, Light weight, tapered tip Debakey type vascular forceps with 1:2 serrations of total length 24 cm, tip width around 1mm, with rounded blades for hand grip, with counter balance, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.476	Cooley Non-Traumatic Vascular Clamp angled 45 degree with 4 cm long jaws 5 inches long of high quality surgical grade stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.477	Cooley Non-Traumatic Vascular Clamp angled 60 degree with 4 cm long jaws 5 inches long of high quality surgical grade stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.478	Cooley Non-Traumatic Vascular Clamp angled 90 degree with 4 cm long jaws 5 inches long of high quality surgical grade stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.479	Angled, Atraumatic vascular occlusion clamp with inner jaw of Debakey type(1:2 serrations), with an angle of 60 degrees, working length of clamp of minimum 6.5cm and total length of 18 cm, with ring handle and ratchet, with non-reflecting surface with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.

17.480	Straight, Atraumatic vascular occlusion clamp with inner jaw of Debakey type(1:2 serrations), with an angle of 60 degrees, working length of clamp of minimum 6.5cm and total length of 18 cm, with ring handle and ratchet, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.481	Atraumatic Satinsky type tangential occlusion clamps with inner Jaw of Debakey type(1:2 serrations), with wide angle U shaped occlusion area, with 44 mm distance between tip of the instrument and starting of the working length respectively. Should have ring handle 9 inches long with ratchet, Should be made of high quality stainless steel, should be non-reflecting. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.482	Atraumatic Satinsky type tangential occlusion clamps with inner Jaw of Debakey type(1:2 serrations), with wide angle U shaped occlusion area, with 50 mm distance between tip of the instrument and starting of the working length respectively. Should have ring handle 9 inches long with ratchet, Should be made of high quality stainless steel, should be non-reflecting The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.483	Atraumatic Satinsky type tangential occlusion clamps with inner Jaw of Debakey type(1:2 serrations), with wide angle U shaped occlusion area, with 63 mm distance between tip of the instrument and starting of the working length respectively. Should have ring handle 9 inches long with ratchet, Should be made of high quality stainless steel, should be non-reflecting. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.484	Satinsky (baby) tangential occlusion clamps with inner Jaw of Debakey type(1:2 serrations), with wide angle U shaped occlusion area, with 44 mm distance between tip of the instrument and starting of the working length respectively. Should have ring handle 9 inches long with ratchet, Should be made of high quality stainless steel, should be non-reflecting. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.485	Satinsky (baby) tangential occlusion clamps with inner Jaw of Debakey type(1:2 serrations), with wide angle U shaped occlusion area, with 50 mm distance between tip of the instrument and starting of the working length respectively. Should have ring handle 6 inches long with ratchet, Should be made of high quality stainless steel, should be non-reflecting. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.486	Satinsky (baby) tangential occlusion clamps with inner Jaw of Debakey type(1:2 serrations), with wide angle U shaped occlusion area, with 63 mm distance between tip of the instrument and starting of the working length respectively. Should have ring handle 9 inches long with ratchet, Should be made of high quality stainless steel, should be non-reflecting. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.

17.487	Curved smooth jaw vascular clamp with a longitudinal groove in the jaw 13 cm long 5.5 cm working length. Should be made of high quality stainless steel, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The company's name, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.488	Cross action bull dog vascular clamp 8.5 cm long with 3 cm working length of jaws, jaw width of 2 to 3 mm. Should be made of high quality stainless steel, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The company's name, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.489	Atraumatic cross action Bull dog vascular clamp with Straight Jaw of length of 3 cm, jaw width of 2 to 3 mm, Debakey type inner Jaw, total length of 6 cm. Should be made of high quality stainless steel, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.490	Atraumatic cross action Bull dog vascular clamp with smoothly curved Jaw of length of 3 cm, jaw width of 2 to 3 mm, Debakey type inner Jaw, total length of 6 cm. Should be made of high quality stainless steel, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.491	Atraumatic micro bulldog vascular clamp with straight jaw of length 14 mm, Debakey type inner jaw, total length of 5cm, approximate occlusion pressure of 180gm, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.492	Atraumatic micro bulldog vascular clamp with curved jaw of length 14 mm, Debakey type inner jaw, total length of 5cm, approximate occlusion pressure of 180gm, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.493	Straight Needle holder made up of high quality stainless steel, with tungsten carbide coated slender jaws, should hold needles of 5 'O' to 7 'O' sutures with good grip, Jaw length 1.5 cm, total length 18cm, with ring handle, with ratchets with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.494	Straight Needle holder made up of high quality stainless steel, with tungsten carbide coated slender jaws, should hold needles of 5 'O' to 7 'O' sutures with good grip, Jaw length 1.5 cm, total length 23cm, with ring handle, with ratchets with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.495	Mini Ryder Needle Holder with Tungsten carbide (TC) jaws 15 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.

17.496	Mini Ryder Needle Holder with Tungsten carbide (TC) jaws 18 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.497	Mini Ryder Needle Holder with Tungsten carbide (TC) jaws 20 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.498	Mini Ryder Needle Holder with Tungsten carbide (TC) jaws 23 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.499	Ryder Slim Needle Holder with Tungsten carbide (TC) jaws 15 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.500	Ryder Slim Needle Holder with Tungsten carbide (TC) jaws 18 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.501	Ryder Slim Needle Holder with Tungsten carbide (TC) jaws 20 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.502	Ryder Slim Needle Holder with Tungsten carbide (TC) jaws 23 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.503	Hegar- Mayo- Stille tungsten carbide needle holder of dimension 200 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.504	Tungsten carbide needle holder of very delicate build recommended for suture material 6"/0 - 10"/0 of dimension 230 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.505	Crile-Wood tungsten carbide needle holder recommended for suture material 4"/0 - 6"/0 of dimension 305 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.

17.506	Pott's Smith Scissors 45 deg angle 9" long of high quality surgical grade Stainless steel with non-reflecting surface. The instruments must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	10 NOS.
17.507	Pott's Smith Scissors 9" bent on flat at 90 deg angle of high quality surgical grade Stainless steel with non-reflecting surface. The instruments must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	10 NOS.
17.508	Delicate dissecting scissors 20.5 cm metzenbaum-fine stainless steel slender pattern, s-shaped. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.509	Deaver Retractor, 2" wide, 7" working length, 13" long of high quality surgical grade stainless steel	10 NOS.
17.510	Czerny retractor made of high quality surgical grade stainless steel	10 NOS.
17.511	Cushing's vein retractor made of stainless steel of size 20 cm, 10 mm blade	2 NOS.
17.512	Cushing's vein retractor made of stainless steel of size 20 cm, 12 mm blade	2 NOS.
17.513	Cushing's vein retractor made of stainless steel of size 24 cm, 10 mm blade	2 NOS.
17.514	Cushing's vein retractor made of stainless steel of size 24 cm, 12 mm blade	2 NOS.
17.515	B.P handle no. 7 made of high quality surgical grade stainless steel	20 NOS.
17.516	Balfour self retaining retractor (Abdominal): Made of high quality surgical stainless steel for use in abdominal surgery as a self retaining retractor with lateral blades of depth 60mm and central blade vertical type of depth 75 X 50 mm	2 NOS.
17.517	Balfour self retaining retractor (Abdominal): Made of high quality surgical stainless steel for use in abdominal surgery as a self retaining retractor with lateral blades of depth 100mm and central blade VERTICAL type of depth 70 X 110 mm	2 NOS.
17.518	Retractors Harrington made of surgical grade stainless steel	2 NOS.
17.519	Blood and fluid warmer, pole mountable, 3 L capacity, alarms with safety features with mounting hardware	4 NOS.
17.520	Metzenbaum scissor curved 10 inches long made of high quality surgical grade stainless steel	20 NOS.
17.521	Deaver retractor- 5 cm width x 30.5 cm long blade made of high quality surgical grade stainless steel	10 NOS.
17.522	Deaver retractor - 7.5 cm width x 37 cm long blade made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.

17.523	Balfour transplant retractor- Adult size 2x2 sharp prongs, blades 7cm, overall length of arms 20 cm , 17 cm spread made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
17.524	Debakey vascular forceps- straight 2mm tip, 30.5 cm length made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.525	Debakey vascular forceps- - ANGLED 2 mm tip, 19.5 cm length made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.526	Debakey vascular forceps- - ANGLED 2 mm tip, 24 cm length made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.527	Gerald Debakey tissue forceps- Angled 17.5 cm length, 2mm tip made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	10 NOS.
17.528	Reusable capacitive-coupling return electrode which does not directly conduct hence providing highest level of safety to the patient by completely eliminating pad site burns to suit all ADULT Patients, made of Akton polymer . USFDA Approved	3 NOS.
17.529	St. Mark`s deep pelvic retractors 9 inch with lip and 15°angle and Doyens handle -	2 NOS.
17.530	St. Mark`s deep pelvic retractors 7 inch with lip and 15° angle with Doyens handle	2 NOS.
17.531	St. Mark`s deep pelvic retractors 7 inch straight retractor with Doyens handle	2 NOS.
17.532	Reusable stainless steel suction Hemorrhoid Ligator with 500 bands	2 NOS.
17.533	Overholt dissecting and ligature forceps - with a length of 20.5cm	2 NOS.
17.534	Overholt-Miotti dissecting and ligature forceps - with a length of 23 cm	2 NOS.
17.535	Hasson retractor s shaped - malleable - 10 mm wide	5 NOS.
17.536	Hasson retractor s shaped - malleable - 13 mm wide	5 NOS.
17.537	Hasson retractor s shaped - rigid - 10 mm wide	5 NOS.
17.538	Hasson retractor s shaped - rigid - 13 mm wide	5 NOS.
17.539	Overholt-Geissendoerfer dissecting and ligature forceps - with a length of 27 cm	5 NOS.

17.540	Taylor Cushing delicate dissecting forceps with a length of 17.5 cm and tungsten carbide coated 4mm tip	10 NOS.
17.541	Potts Smith dissecting forceps with a length of 21cm and tungsten carbide coated 4mm tip	10 NOS.
17.542	Potts Smith dissecting forceps with a length of 26cm and tungsten carbide coated 4mm tip	10 NOS.
17.543	Poole suction reusable - 25cm in length	25 NOS.
17.544	Hegar-Mayo Needle Holder, 150mm, 6", tungsten carbide tip	10 NOS.
17.545	SSG Handle Humbys with down's blade	10 NOS.
17.546	Gigli Saw Holder	10 NOS.
17.547	Hegar-Mayo Needle Holder,, 8", tungsten carbide tip	10 NOS.
17.548	Hegar-Mayo Needle Holder, 10", tungsten carbide tip	10 NOS.
17.549	Reynolds-Jameson vessels scissors curved 140 mm	10 NOS.
17.550	Diethrich vessel scissors 175mm	2 NOS.
17.551	Nelson metzenbaun dissecting scissors curved 260mm	2 NOS.
17.552	Microscissors with round handle curved 145mm	2 NOS.
17.553	Fine Dissection forceps 145 mm	2 NOS.
17.554	Mc indoe delicate forceps 150 mm	2 NOS.
17.555	Debakey Angled forceps 150 mm	2 NOS.
17.556	Ryder needle holder 125 mm	2 NOS.
17.557	castroviejo needle holder145mm	2 NOS.
17.558	konig vessel retractor 180mm	2 NOS.

17.559	Davidson scapula retractor 195mm, 75X 90mm	2 NOS.
17.560	Allison lung retractor 320mm	2 NOS.
17.561	john hopkins bulldog clamp curved 76mm, 89mm	2 NOS.
17.562	Debakey Harken venacava clamp 245mm	2 NOS.
17.563	Finochietto rib spreader medium 65X45mm spread 210mm	2 NOS.
17.564	Ferguson suction canula with finger cut off and stylet, Thump piece 90 degree to curve with luer hub, 160 mm	2 NOS.
17.565	Atraumatic bulldog clamp for arteries 35mm	2 NOS.
17.566	Debakey micro forceps 150 mm	2 NOS.
17.567	Debakey vena cava clamp jaw 65mm, 205mm	2 NOS.
17.568	Hegar-Mayo Needle Holder, 12", tungsten carbide tip	2 NOS.
17.569	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 20 cm - Medium size - Curved jaw	2 NOS.
17.570	Polymer clip Medium size - compatible with above clip applicator	252 NOS.
17.571	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 20 cm - Large size - Curved jaw	2 NOS.
17.572	Polymer clip Large size - compatible with above clip applicator	252 NOS.
17.573	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 20 cm - Medium Large size - Curved jaw	2 NOS.
17.574	Polymer clip Medium Large size - compatible with above clip applicator	84 NOS.

17.575	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 27 cm - Medium size - Curved jaw	2 NOS.
17.576	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 27 cm - Large size - Curved jaw	2 NOS.
17.577	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 27 cm - Extra Large size - Curved jaw	2 NOS.
17.578	Polymer clip extra Large size - compatible with above clip applicator	84 NOS.
17.579	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 27 cm - Medium Large size - Curved jaw	2 NOS.
17.580	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 27 cm - Medium size - 70 Degree angled jaw	2 NOS.
17.581	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 27 cm - Large size - 70 Degree angled jaw	2 NOS.
17.582	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 27 cm - Extra Large size -70 Degree angled jaw	2 NOS.
17.583	Reusable polymer clip applicator(like hem - o- lok)for open surgery - 27 cm - Medium Large size - 70 Degree angled jaw	2 NOS.
17.584	Clip remover for the above polymer clip applicator - Medium	2 NOS.
17.585	Clip remover for the above polymer clip applicator - Medium Large	2 NOS.
17.586	Clip remover for the above polymer clip applicator - Large	2 NOS.
17.587	Clip remover for the above polymer clip applicator - Extra Large	2 NOS.
17.588	Reusable Multipatient single clip applier for SMALL size clips, with shaft length 7 1"/2 inches	2 NOS.
17.589	Small titanium alloy clip reloads compatible with Reusable Multipatient single clip applier for SMALL size clips, with shaft length 7 1"/2 inches	500 NOS.

17.590	Reusable Multipatient single clip applicator for medium size clips, with shaft length 7 1"/2 inches	2 NOS.
17.591	Reusable Multipatient single clip applicator for medium size clips, with shaft length 7 1"/2 inches with Right angled jaw	2 NOS.
17.592	Medium size titanium alloy clip reloads compatible with above Reusable Multipatient single clip applicator for medium size clips, with shaft length 7 1"/2 inches & 7 1"/2 inches with Right angled jaw	500 NOS.
17.593	Reusable Multipatient single clip applicator for medium-large size clips, with shaft length 7 1"/2 inches	2 NOS.
17.594	Reusable Multipatient single clip applicator for medium-large size clips, with shaft length 10 1"/2 inches with right angled jaw	2 NOS.
17.595	Medium-large size titanium alloy clip reloads compatible with above Reusable Multipatient single clip applicator for medium-large size clips, with shaft length 7 1"/2 inches & 10 1"/2 inches with right angled jaw	500 NOS.
17.596	Reusable Multipatient single clip applicator for LARGE size clips, with shaft length 7 1"/2 inches	2 NOS.
17.597	Reusable Multipatient single clip applicator for LARGE size clips, with shaft length 10 1"/2 inches	2 NOS.
17.598	Reusable Multipatient single clip applicator for LARGE size clips, with shaft length 10 1"/2 inches ANGLED JAW	2 NOS.
17.599	Reusable Multipatient single clip applicator for LARGE size clips, with shaft length 10 1"/2 inches RIGHT ANGLED JAW	2 NOS.
17.600	Large size titanium alloy clip reloads compatible with reusable Multipatient single clip applicator.	500 NOS.
17.601	Halsted mosquito curved artery forceps 5"	100 NOS.
17.602	lacrimal probe set 13 cm	2 NOS.
17.603	forceps jar 10 X 20 cm	10 NOS.
17.604	langenbeck abdominal broad retractor - BLADE (W X D) 16 x 43 mm, LENGTH 222 mm	10 NOS.
17.605	Higg's retractor 15mm x 50mm	10 NOS.

17.606	laparoscopic stainless steel suture passer	5 NOS.
17.607	Digital Pneumatic tourniquet with microprocessor control	2 NOS.
17.608	CO2 conversion kit with german index pin	5 NOS.
17.609	Lithotomy Clamps	5 NOS.
17.610	Spencerwell curved artery 6" (150mm)	100 NOS.
17.611	Spencerwell curved artery 5" (130mm)	100 NOS.
17.612	Allis forceps 6" (5x6 teeth) 155mm	70 NOS.
17.613	Mayo needle holder 7" 180mm	40 NOS.
17.614	Lane's tissue holding forceps 7" 180mm	20 NOS.
17.615	Babcock's forceps 6 1"/4" 170mm	30 NOS.
17.616	Babcock's forceps 8" 200mm	10 NOS.
17.617	Robert's forceps canadian 8" curved	20 NOS.
17.618	Spencerwell Straight artery 6" 150mm	20 NOS.
17.619	Spencerwell Straight artery 5" 130mm	20 NOS.
17.620	Kelly's forceps curved box JT. 8" 200mm	25 NOS.
17.621	Paediatric Intestinal clamp Straight. 6"	4 NOS.
17.622	Paediatric Intestinal clamp Curved. 6"	4 NOS.
17.623	B.P Handle No.4	10 NOS.
17.624	B.P Handle No.3	10 NOS.
17.625	B.P Handle No.7	10 NOS.
17.626	Heiss artery 7" (180mm)	20 NOS.
17.627	Heiss artery 8" (200mm)	20 NOS.

17.628	Hibbs Laminectomy Retractor S'/E 20cm x 13mm	10 NOS.
17.629	Langenbeck Retractor S'/E 22mm x 6mm	10 NOS.
17.630	S-Shaped Retractors For Hasson Cannulas, 3'/8" Width	6 NOS.
17.631	Medzenbaum curved Scissor 7"	10 NOS.
17.632	Medzenbaum curved Scissor 6"	10 NOS.
17.633	Medzenbaum curved Scissor 8"	6 NOS.
17.634	Medzenbaum Straight Scissor 7"	6 NOS.
17.635	Medzenbaum Straight Scissor 6"	6 NOS.
17.636	Medzenbaum Straight Scissor 8"	4 NOS.
17.637	Mcindole fine toothed dissecting forceps 6"	10 NOS.
17.638	Mcindole fine toothed dissecting forceps 7"	10 NOS.
17.639	Debaquey's non toothed forceps 8"	10 NOS.
17.640	Debaquey's non toothed forceps 7"	10 NOS.
17.641	NIBP cuff with velcro compatible with monitors in ICU. (adult size)	5 NOS.
17.642	Lead free Radiation protection armor: Light weight bismuth-antimony, lead free material without compromising on protection. Should have a vest and skirt apron configuration. Pockets on vest and skirt and hanging loops on skirt. US FDA and CE approved.	5 NOS.
17.643	Lead free Radiation protection armor for head and thyroid (bismuth and antimony). US FDA and CE approved.	5 NOS.
17.644	Surgeon's Shoes (with anti slippage technology) : Pair, washable, with side holes, comfortable to wear (three sizes, preferably blue or green colour) . Should not be rubber or plastic but be made of closed cell resin material which should have antibacterial properties and odor free. The top should be of strengthened material to prevent injuries due to falling sharp instruments. 1 pair in each pack	200 NOS.
18.000	LAPAROSCOPIC NON-CONSUMABLES	
18.645	Trocar reusable complete (including cannula, obturator and trocar body) 12mm smooth with stopcock, 11cm long- Modular construction and color coded	5 NOS.

18.646	Trocar reusable complete (including cannula, obturator and trocar body) 12mm threaded with stopcock, 11 cm long - Modular construction and color coded	5 NOS.
18.647	Trocar reusable complete (including cannula, obturator and trocar body) 12mm smooth withOUT stopcock, 11cm long- Modular construction and color coded	5 NOS.
18.648	Trocar reusable complete (including cannula, obturator and trocar body) 12mm threaded without stopcock, 11 cm long - Modular construction and color coded	5 NOS.
18.649	Sealing unit compatible with the above 12 mm trocar	50 NOS.
18.650	Trocar reusable complete (including cannula, obturator and trocar body) 10 mm smooth with stopcock, 11cm long- Modular construction and color coded	5 NOS.
18.651	Trocar reusable complete (including cannula, obturator and trocar body) 10 mm threaded with stopcock, 11 cm long - Modular construction and color coded	5 NOS.
18.652	Trocar reusable complete (including cannula, obturator and trocar body) 10mm smooth withOUT stopcock, 11cm long- Modular construction and color coded	5 NOS.
18.653	Trocar reusable complete (including cannula, obturator and trocar body) 10mm threaded without stopcock, 11 cm long - Modular construction and color coded	5 NOS.
18.654	Sealing unit compatible with the above 10 mm trocar	50 NOS.
18.655	Sealing unit compatible with the above 12'/10 mm trocar with 5mm converter	50 NOS.
18.656	Sealing unit compatible with the above 5 mm trocar	50 NOS.
18.657	Trocar reusable complete (including cannula, obturator and trocar body) 5 mm smooth with stopcock, 11cm long- Modular construction and color coded	5 NOS.

18.658	Trocar reusable complete (including cannula, obturator and trocar body) 5 mm threaded with stopcock, 11 cm long - Modular construction and color coded	5 NOS.
18.659	Trocar reusable complete (including cannula, obturator and trocar body) 5 mm smooth withOUT stopcock, 11cm long- Modular construction and color coded	5 NOS.
18.660	Trocar reusable complete (including cannula, obturator and trocar body) 5 mm threaded without stopcock, 11 cm long - Modular construction and color coded	5 NOS.
18.661	Trocar reusable complete (including cannula, obturator and trocar body) 12mm threaded without stopcock, 15 cm long - Modular construction and color coded	5 NOS.
18.662	Trocar reusable complete (including cannula, obturator and trocar body) 10 mm smooth with stopcock, 15 cm long- Modular construction and color coded	5 NOS.
18.663	Trocar reusable complete (including cannula, obturator and trocar body) 10 mm threaded with stopcock, 15 cm long - Modular construction and color coded	5 NOS.
18.664	Trocar reusable complete (including cannula, obturator and trocar body) 10mm smooth withOUT stopcock, 15 cm long- Modular construction and color coded	5 NOS.
18.665	Trocar reusable complete (including cannula, obturator and trocar body) 10mm threaded without stopcock, 15 cm long - Modular construction and color coded	5 NOS.
18.666	Trocar reusable complete (including cannula, obturator and trocar body) 5 mm smooth with stopcock, 15cm long- Modular construction and color coded	5 NOS.

18.667	Trocar reusable complete (including cannula, obturator and trocar body) 5 mm threaded with stopcock, 15 cm long - Modular construction and color coded	5 NOS.
18.668	Trocar reusable complete (including cannula, obturator and trocar body) 5 mm smooth withOUT stopcock, 15 cm long- Modular construction and color coded	5 NOS.
18.669	Trocar reusable complete (including cannula, obturator and trocar body) 5 mm threaded without stopcock, 15 cm long - Modular construction and color coded	5 NOS.
18.670	Reducing sleeve for 10 mm compatible with the above trocar with 5mm guide	10 NOS.
18.671	Reducing sleeve for 12 mm compatible with the above trocar with10 mm and 5mm guide	10 NOS.
18.672	Port"/ Fascial closure Grasping Forceps- thread grasper type	2 NOS.
18.673	laparoscopic Retraction Grasper with two teeth and long jaw	2 NOS.
18.674	Suction irrigation shaft	2 NOS.
18.675	Laparoscopic 5mm Straight Reusable Self Righting Needle Holder with ratchet mechanism with tungsten plated Jaws for enhanced needle grip, 30 cm metal shaft	2 NOS.
18.676	Articulating applicator for temorary bulldog endoscopic vascular clip 12.5 mm with 34 cm length	2 NOS.
18.677	Atraumatic temporary bulldog endovascular clips 45 mm curved compatible with above clip applicator	5 NOS.
18.678	Atraumatic temporary bulldog endovascular clips 45 mm straight compatible with above clip applicator	5 NOS.
18.679	Laparoscopic Achalasia scissors- designed for division of muscle without injuring the mucosa in laparoscopic Heller's cardiomyotomy	2 NOS.
18.680	Laparoscopic Debakey Grasper with 50 mm jaw length curved	2 NOS.
18.681	Laparoscopic Debakey Grasper with 50mm jaw length straight	2 NOS.

18.682	Laparoscopic Esophageal"/ Gastric Dissector with long jaw	2 NOS.
18.683	Laparoscopic Dorsey intestinal forceps with 40 mm jaw	2 NOS.
18.684	Laparoscopic Glassman clamping forceps with 60mm jaw	2 NOS.
18.685	Laparoscopic Satinsky atraumatic clamp 51 mm jaw	2 NOS.
18.686	Laparoscopic Satinsky atraumatic clamp 38 mm jaw	2 NOS.
18.687	Laparoscopic Atraumatic Fenestrated Bowel Clamp	2 NOS.
18.688	Laparoscopic right angle forceps 5 mm	2 NOS.
18.689	Laparoscopic bowel holding forceps 5 mm- with long jaw	2 NOS.
18.690	Laparoscopic oslen'scholangiogram forceps –clamp 5 mm- for CBD exploration	2 NOS.
18.691	Laparoscopic 5mm puncture needle with irrigation shaft length 32 nos cm	2 NOS.
18.692	5mm Laparoscopic articulating liver retractor- medium	2 NOS.
18.693	5mm Laparoscopic articulating liver retractor- medium large	2 NOS.
18.694	5mm Laparoscopic articulating liver retractor- larger	2 NOS.
18.695	5mm laparoscopic trocar reducer for 10mm cannula-50mm	5 NOS.
18.696	5mm laparoscopic trocar reducer for 10mm cannula-30mm	5 NOS.
18.697	3mm Reducer for laparoscopic trocar port	10 NOS.
18.698	Hydatid trocar with cannula system for laparoscopic hydatid sugery	2 NOS.

18.699	Laparoscopic combined electrosurgical and irrigation system to facilitate tissue dissection, coagulation, irrigation and fluid evacuation through a common trocar sleeve with Interchangeable shafts and handles. Compatible with commonly used irrigation and suction devices and monopolar electrosurgery units- Hand controlled- Pistol grip handle	4 NOS.
18.700	10 mm pool"/sump suction"/irrigation cannula with shaft length 34 cm, compatible with above Laparoscopic combined electrosurgical and irrigation system unit	4 NOS.
18.701	5 mm hollow tip-hook electrode, compatible with above Laparoscopic combined electrosurgical and irrigation system	4 NOS.
18.702	Laprascopic reusable knot pusher 5mm	2 NOS.
18.703	Laprascopic reusable scissor 5mm with curved jaw	2 NOS.
18.704	Laprascopic reusable Hook type scissor 5mm	2 NOS.
18.705	Hemorrhoidal Multi-band Ligator with triview	20 NOS.
18.706	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-1x1cm	100 NOS.
18.707	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-1x4cm	100 NOS.
18.708	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-1x8cm	100 NOS.
18.709	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-2x2cm	100 NOS.
18.710	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-5x5x1cm	100 NOS.
18.711	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-5x5cm	100 NOS.

18.712	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-8x5cm	100 NOS.
18.713	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-8x8cm	100 NOS.
18.714	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-3.5x3.5cm	100 NOS.
18.715	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-10x10cm	100 NOS.
18.716	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-7.6x50cm	100 NOS.
18.717	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-7.6x100cm	100 NOS.
18.718	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-7.6x150cm	100 NOS.
18.719	Protonated Bioadhesive Technology (PBT) in sponge/pad made of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & Moisture proof packing. Pack size-7.6x150cm	100 NOS.
18.720	Advance wound dressing with Bioactive Microfiber Gelling Technology, Non-Woven highly absorbent, haemostatic gelling fiber composed of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & moisture proof packing. Pack size:5x10cm	100 NOS.
18.721	Advance wound dressing with Bioactive Microfiber Gelling Technology, Non-Woven highly absorbent, haemostatic gelling fiber composed of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & moisture proof packing. Pack size:10x10cm	100 NOS.
18.722	Advance wound dressing with Bioactive Microfiber Gelling Technology, Non-Woven highly absorbent, haemostatic gelling fiber composed of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & moisture proof packing. Pack size:2.5x30cm	100 NOS.

18.723	Advance wound dressing with Bioactive Microfiber Gelling Technology, Non-Woven highly absorbent, haemostatic gelling fiber composed of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & moisture proof packing. Pack size:15x15cm	100 NOS.
18.724	Advance wound dressing with Bioactive Microfiber Gelling Technology, Non-Woven highly absorbent, haemostatic gelling fiber composed of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & moisture proof packing. Pack size:20x30cm	100 NOS.
18.725	Advance wound dressing with Bioactive Microfiber Gelling Technology, Non-Woven highly absorbent, haemostatic gelling fiber composed of 100% Natural Biopolymer with a net positive charge, Gamma sterilized & moisture proof packing. Pack size:45x45cm	100 NOS.
18.726	Surgical 9x15cm size Hydrofiber Dressings with 1.2% w/w Impregnated Ionic Silver & Triple Hydrocolloid Matrix Dressings with Broad Spectrum Bactericidal Efficacy with Gel forming Technology, CE , ISO & FDA Approved	100 NOS.
18.727	Surgical 9x25cm size Hydrofiber Dressings with 1.2% w/w Impregnated Ionic Silver & Triple Hydrocolloid Matrix Dressings with Broad Spectrum Bactericidal Efficacy with Gel forming Technology, CE , ISO & FDA Approved	100 NOS.
18.728	Surgical 9x30cm size Hydrofiber Dressings with 1.2% w/w Impregnated Ionic Silver & Triple Hydrocolloid Matrix Dressings with Broad Spectrum Bactericidal Efficacy with Gel forming Technology, CE , ISO & FDA Approved	100 NOS.
18.729	Laparoscopic universal grasping forceps fenestrated 5mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.730	Laparoscopic babcop grasping forceps, double action 10mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.731	Laparoscopic Pott's scissors 5mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.732	Laparoscopic Dolphin nose dissecting forceps 5mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.

18.733	Laparoscopic atraumatic dissecting forceps fine tip 5mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.734	Laparoscopic dissecting forceps slim 5mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.735	Laparoscopic overholt 90 degree 10mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.736	Laparoscopic CROCE/OLMI dissecting forceps fenestrated 5mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.737	Laparoscopic Debakey atraumatic forceps Jaw length 40mm, 5mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.738	Laparoscopic monopolar electrodes with handle and inner tube with L, J hook, ball and spatula electrode tip 5mm, 34cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.739	Laparoscopic suction/ irrigation with monopolar electrodes with handle and inner tube with L and J hook electrode with valve 5mm, 33cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.740	Laparoscopic Metzenbaum scissors insulated to the tip 5mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.741	Laparoscopic micro forceps forceps 5mm, 31cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.

18.742	1. Laparoscopic articulating Bulldog clip applicator/ remover for the above clips, 12.5mm diameter and shaft length of 35mm made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	1 NOS.
18.743	Laparoscopic Duro grip Tungston carbide needle holder straight with 5mm diameter and shaft length of 31cm made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.744	Laparoscopic Duro grip Tungston carbide needle holder straight with 5mm diameter and shaft length of 37cm made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	1 NOS.
18.745	Laparoscopic Duro grip Tungston carbide curved to the left needle holder with 5mm diameter and shaft length of 31cm made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.746	Laparoscopic Duro grip Tungston carbide curved to the left needle holder with 5mm diameter and shaft length of 37cm made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.747	Laparoscopic reusable atraumatic clip with 500-550 g closing force made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.748	Laparoscopic single use sterile silicone ring with needle and The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 packs NOS.
18.749	Laparoscopic articulating clip applicator/remover 12.5 mm clip made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	2 NOS.
18.750	Laparoscopic suction/ irrigation tube with trumpet valve, 10mm diameter with shaft length of 40 cm (2 numbers) made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.

18.751	Laparoscopic Anvil Grasper, 10 mm diameter with shaft length of 37cm made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.752	Laparoscopic smooth Hassan trocar sleeve with stop cock , obturator, stability cone for trocar sleeve , 12mm with sealing unit for 10/12mm trocars with 5mm flap cover made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.753	Storage system for laparoscopy instruments standard for instruments with shaft length upto 37 cm, comprising of storage rack standard dimension of 500*250*160mm, perforated tray and silicone mesh mat with container body external dimension 600*280*190mm and lid for the 600*290*40mm	2 NOS.
18.754	Laparoscopic vein retractor 5mm diameter with shaft length of 37cm made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2 NOS.
18.755	Gelpport laparoscopy system with gel seal technology and gel seal cap, wound protector/ retractor and sterile lubricant	5 NOS.

'ALL ITEMS SHOULD HAVE THE SPECIFIC STANDARDS MENTIONED-The instrument must be of international standards having international standards such as CE, FDA, BIS or DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument, should have ISO 13485 certification for surgical equipment for the Sl. NO. 438-755

Samples should be given to storeroom, Department of Surgery within ten days of the closing of online submission of bids failing which the bids will be rejected.

Section-III

GENERAL INSTRUCTIONS TO TENDERERS

1. Period of contract:

The contract shall initially be for a period of **one year** that may be extended to **6 months**. The rates approved shall remain unchanged during the period of contract.

2. Bid Security (Earnest Money Deposit)

- i. In compliance with the OM No. F.9/4/2020-PPD dated 12.11.2020 on the subject —Bid Security/ Earnest Money Deposit, issued by the Procurement Policy Division, Department of Expenditure, Ministry of Finance, Government of India, there is no need for bidders to pay Bid Security/ Earnest Money Deposit for participating in this tender.
- ii. However, in lieu of Bid Security, the bidder must print this —Bid Security Declaration on his/her firm's letterhead duly sign the undertaking and upload the document in the fee cover.
- iii. The bidder hereby declares that they accept the condition that if they withdraw or modify their bids during period of validity etc., they will be suspended for a period of two years from participating in any tender invited by JIPMER, Puducherry with effect from the date of their withdrawal or modification of their bid.

3. Eligibility conditions of bidders:

- i. The Tenderer must be a domestic manufacturer that is a 'Class-I local supplier' or a 'Class-II local supplier' as defined under Public Procurement (Preference to Make in India), order 2017 of MoC and I (DIPP), Govt. Of India, as further amended by orders of even number dated 28.05.2018, 29.05.2019, 04.06.2020 and 16.09.2020. In case the manufacturer does not quote directly, they may authorize an agent as per proforma of Manufacturer authorization form as given in the Tender enquiry document to quote and enter into a contractual obligation.
- ii. In compliance with order (Public Procurement No.1) No. 6/18/2019-PPD dated 23rd July 2020 issued by the Public Procurement Division, Dept. of Expenditure, Min of Finance under Rule 144(xi) of GFR 2017 any bidder 'from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.
 - a. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
 - b. "Bidder from a country which shares a land border with India" for the purpose of this Order means: -

- I. An entity incorporated, established or registered in such a country; or
- II. A subsidiary of an entity incorporated, established or registered in such a country; or
- III. An entity substantially controlled through entities incorporated, established or registered in such a country; or
- IV. An entity whose beneficial owner is situated in such a country; or
- V. An Indian (or other) agent of such an entity; or
- VI. A natural person who is a citizen of such a country; or
- VII. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above

c. The beneficial owner for the purpose of (5.2.2) above will be as under:

- I. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation—

- "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent, of shares or capital or profits of the company;
 - "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- II. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership.
 - III. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals.
 - IV. Where no natural person is identified under (a) or (b) or (c) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
 - V. In case of a trust, the identification of the beneficial owner(s) shall include the identification of the author of the trust, the trustee, the beneficiaries with 15% or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

d. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

e. In case of turnkey contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

- f. Bidders must certify compliance with the above mentioned provisions in the tender form as per Section VII.
- g. The bidder should have successfully completed the delivery of the item of at least 25% of the quantity required in this tender to a government hospital in the last 3 years.
- h. The bidder or the manufacturer must have an average annual turnover of at least Rs.1,00,00,000/-(Rupees one crore only) each during the last three financial years i.e. 2017-18, 2018-19, 2019-20.
- i. Bidder should have ISO Certification.

4. Purchase Preference

- i. The Procurement of goods and services under this e-tender will be regulated as per the applicable provisions of Public Procurement (Preference to Make in India), order 2017 of MoC and I (DIPP), Govt. Of India, as further amended by orders of even number dated 28.05.2018, 29.05.2019, 04.06.2020 and 16.09.2020. Salient portions of the order are reproduced in Appendix A of this tender document by way of information. Bidders are advised to see the original orders and satisfy themselves that they qualify to participate in the tender. Bidders who are claiming eligibility to participate in this tender must submit a certificate in format given in Appendix A along with documentary evidence in support of their claim wherever necessary failing which their bid will be summarily rejected. The purchaser reserves the right to give preference to the 'Class-I local supplier'.
- ii. The Purchaser reserves the right to give the purchase preference to small-scale sectors, Micro and small scale enterprises etc. as per the instruction in vogue while evaluating, comparing and ranking the responsive Tenders as given in the MSMED Act 2006 reproduced below:
 - a. In exercise of powers conferred in Section 11 of the Micro, Small and Medium Enterprises Development (MSMED) Act 2006, the Government has notified a new Public Procurement Policy for Micro & Small Enterprises effective from 1st April 2012. The policy mandates that 25% of procurement of annual requirement of goods and services by all Central Ministries/Public Sector Undertakings will be from the micro and small enterprises. The Government has also earmarked a sub-target of 4% procurement of goods & services from MSEs owned by SC/ST entrepreneurs out of above said 25% quantity.
 - b. In accordance with the above said notification, the participating Micro and Small Enterprises (MSEs) in a tender, quoting price within the band of L1+15% would also be allowed to supply a portion of the requirement by bringing down their price to the L1 price, in a situation where L1 price is from someone other than an MSE. Such MSEs would be allowed to supply up to 25% of the total tendered value. In case there are more than one such eligible MSE, the 25% supply will be shared equally. Out of 25% of the quantity earmarked for supply from MSEs, 5% quantity is earmarked for procurement from MSEs owned by SC/ST entrepreneurs. However, in the event of failure of such MSEs to participate in the Tender process or meet the

tender requirements and the L1 price, the 5% quantity earmarked for MSEs owned by SC/ST entrepreneurs will be met from other participating MSEs.

- c. The MSEs fulfilling the prescribed eligibility criteria and participating in the Tender shall enclose with their tender a copy of their valid registration certificate with District Industries Centres or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or any other body specified by Ministry of Micro and Small enterprises in support of their being an MSE, failing which their tender will be liable to be ignored.
- d. Special provision for Micro and Small Enterprise owned by women: – Out of the total annual procurement from Micro and Small Enterprises, 3 per cent from within the 25 per cent target shall be earmarked for procurement from Micro and Small Enterprises owned by women.
- e. Note: “If the bidder is a MSME, it shall declare in the bid document the Udyog Aadhar Memorandum Number issued to it under the MSMED Act, 2006. If a MSME bidder do not furnish the UAM Number along with bid documents, such MSME unit will not be eligible for the benefits available under Public Procurement Policy for MSEs Order 2012.

5. Demonstration of sample

The tenderer must give a sample within **ten** days of the closing of online submission of bids failing which the bids will be rejected.

6. Instructions for the filling the tender form

- i. E-Tender form shall be completed in all respect, signed in full and stamped at appropriate places and initialed and stamped on all remaining pages. Incomplete or e-tenders without tender processing fee, bid security declaration, Make-in-India self-certification as in Appendix-A only by original manufacturer, GFR 144 (xi) compliance certificate as in Section-X shall be treated as invalid.
- ii. Bidders have to ensure that all the documents are properly filled.
- iii. Conditional tenders are liable to be rejected.
- iv. Bids received and found valid will be evaluated by JIPMER to ascertain the complete work/services under the specification and documents. The bidder should take care to submit all the information sought by JIPMER in prescribed formats.
- v. Incomplete bids, bids in paper format, conditional bids, telephonic bids or tenders submitted after the due date and time will not be considered and summarily rejected. Vendors are, therefore, advised to submit their bids well on time.
- vi. **The bidder can quote for one or more items mentioned in the list. Bidder has to give all details (HSN, MSME, Make-in-India, make/brand, model, pack size and remark) mentioned in BOQ for all quoted items, failure of that the bid will be rejected summarily.**

7. Submission of tenders

The bidders must ensure that they submit the **on-line bids** within the scheduled closing date & time.

8. Late Tender:

There is NO PROVISION of uploading late tender beyond stipulated date & time in the e-tendering system.

9. Alteration and Withdrawal of Tender

- i. The bidder, after submitting its bid, is permitted to alter/modify its bid, within the deadline for submission of bids. Alterations/modifications to bids received after the prescribed deadline will not be possible on the e-tender portal.
- ii. No tender should be withdrawn or modified after the deadline for submission of tender and before expiry of the tender validity period. If a bidder withdraws or modifies the tender during this period, it will result in the tenderer being suspended from participating in all tenders invited by JIPMER for a period of two years with effect from the date of withdrawal, as per the terms and conditions of bid security declaration furnished by the bidder in its tender.

10. Preparation of e-tenders

This is a Two-Bid Tender system, consisting of the **Techno-Commercial Bid and Price Bid** that are to be uploaded in the prescribed formats in the e-tendering portal. The tender(s) shall only be submitted online as mentioned below:

I. **Techno-commercial Bid shall comprise**

- a. Fee Cover
 - i. **E-tender Processing fee** of Rs.590/- (Rupees five hundred and ninety only) inclusive of 18% GST payment **receipt** duly self-attested and rubber stamped should be uploaded.
 - ii. Scanned copy (100 or 200 DPI) in pdf format of **Bid Security Declaration** as per format attached in Section-IX
- b. In the cover named “Prequal/Technical” the scanned copy in pdf format of the following documents are to be uploaded:
 - i. The **Bidder’s Profile** as in Section-VI, **Tender Form** as in Section-VII must be downloaded duly filled signed and stamped, and an **Authorization letter** for signing tender documents if a person other than the Owner, Partner, Managing Director is signing the documents, must be uploaded as a single PDF file.

- ii. **Copies of Supply orders/Completion certificate** in support of Eligibility condition 1 and 2 and **Copies of abridged Annual report of last 03 years** (Income tax return acknowledgement, Assets and Liabilities, Balance sheet and Profit & Loss Account) must be uploaded as a single PDF file
- iii. **Manufacturer's Authorization letter** in company letterhead in format in given Section-VI and, in case the bidder is empaneled by the Competent Authority under **GFR 144 (xi) (mandatory)** a copy of the same or **GFR 144(xi) compliance certificate** as in Section-X must be uploaded.
- iv. Copy of Self Certified **GST registration certificate** and Copy of **PAN Card** must be uploaded as a single PDF file.
- v. **Bank Details** (Beneficiary name, Bank name, Account number, IFSC code, Branch address on letterhead) and **Check list** as in Section-VIII in the prescribed format duly filled and signed must be uploaded as a single PDF file.
- vi. Self-certification for supporting the claim to be a local supplier under the "Public Procurement preference to Make in India" order in format as in **Appendix-A (mandatory)** and any other document that the bidder wishes to submit as a single PDF file.
- vii. **A file mentioning the list of items without price** for which bidder is quoting must be uploaded as a single PDF file.

II. Price Bid:

Prices are to be quoted in the prescribed Price Bid format provided in the e-tender portal using the BOQ template only. The price should be quoted for the **accounting unit** indicated in the e-tender document.

Note:

- i) The bidder has to be diligent while filling up the Techno-Commercial Bid and Price Bid provided in prescribed formats and must not tamper with the contents of the sheets.
- ii) Bidders must ensure that the documents uploaded in pdf format are legible.
- iii) It is the responsibility of bidder to go through the Tender document to ensure furnishing all required documents in addition to above, if any.
- iv) The Make in India self-certification as in Appendix-A must be given and uploaded by original manufacture. The distributor can upload the Appendix-A given by original manufacture.
- v) ITE- Item-wise Eligibility Sheet should be downloaded, the items that the bidder wishes to quote must be selected as "Eligible", and this "ITE file" must also be uploaded for the price bid to be considered by the system. The selected items will be displayed once uploaded and the bidder can verify that all items he wishes to quote for, are present in the list
- vi) A person signing (manually or digitally) the tender form or any documents forming

part of the contract on behalf of another shall be deemed to warrant that he has authority to bind such other persons and if, on enquiry, it appears that the persons so signing had no authority to do so, the purchaser may, without prejudice to other civil and criminal remedies, cancel the contract and hold the signatory liable for all cost and damages.

- vii) A bid, which does not fulfill any of the above requirements and/ or give evasive information/reply against any such requirement, shall be liable to be ignored.
- viii) Tender sent by fax/telex/cable shall be ignored.

11. Digital Signing of Tender

The tenderers shall submit their tenders as per the instructions contained as above. Tenders shall be uploaded with all relevant tender documents in the prescribed format. The relevant tender documents should be uploaded by an authorized person having Class 3 digital signature certificate.

12. Tender currencies.

The tender shall be quoted only in INR.

13. Additional information and instruction on GST:

If the Tenderer desires to ask for GST or any other taxes to be paid extra, the same must be specifically stated. In the absence of any such stipulation, the price will be taken inclusive of such taxes and no claim for the same will be entertained later. The rate of GST quoted in the tender shall be taken for price comparison. However, the rate of GST quoted in the tender or the actual rate of GST applicable, whichever is lower shall be payable by the purchaser. The supplier can charge a higher GST than quoted in the tender only if the rate of GST was revised by the government after the tender closing date.

14. Bid Security (Earnest Money Deposit)

- i. In compliance with the OM No. F.9/4/2020-PPD dated 12.11.2020 on the subject —Bid Security/ Earnest Money Deposit^{tl}, issued by the Procurement Policy Division, Department of Expenditure, Ministry of Finance, Government of India, there is no need for bidders to pay Bid Security/ Earnest Money Deposit for participating in this tender.
- ii. However, in lieu of Bid Security, the bidder must print this —Bid Security Declaration^l on his/her firm's letterhead duly sign the undertaking and upload the document in the fee cover.
- iii. The bidder hereby declares that they accept the condition that if they withdraw or modify their bids during period of validity etc., they will be suspended for a period of two years from participating in any tender invited by JIPMER, Puducherry with effect from the date of their withdrawal or modification of their bid.

15. Tender opening

- i. The Tender Inviting Authority will open the e-tenders at the specified date and time and at the specified place as indicated in the NIT. In case the specified date of tender opening falls on / is subsequently declared a holiday or closed day for the Tender Inviting Authority, the tenders will be opened at the appointed time and

place on the next working day.

- ii. Authorized representatives of the tenderers, who have submitted tenders on time, may attend the tender opening provided they bring with them letters of authority from the corresponding tenderers. The tender opening official(s) will prepare a list of the representatives attending the tender opening. The list will contain the representatives' names & signatures and corresponding tenderers' names and addresses.
- iii. This being a Two-Bid Tender system, the **Techno-Commercial Tenders** are to be opened in the first instance, at the prescribed time and date as indicated in NIT. These Tenders shall be scrutinized and evaluated by the competent committee/ authority with reference to parameters prescribed in the tender document. During the Techno- Commercial Tender opening, the tender opening official(s) will read the salient features of the tenders like brief description of the goods offered, delivery period, bid security declaration and any other special features of the tenders, as deemed fit by the tender opening official(s). Thereafter, in the second stage, the Price bids of only the Techno - Commercially acceptable offers (as decided in the first stage) shall be opened for further scrutiny and evaluation on a date notified after the evaluation of the Techno-Commercial tender.

16. Scrutiny and evaluation of tenders

A. Basic Principle

Tenders will be evaluated on the basis of the terms & conditions already incorporated in the tender enquiry document, based on which tenders have been received and the terms, conditions etc. mentioned by the tenderers in their tenders. No new condition will be brought in while scrutinizing and evaluating the tenders.

B. Scrutiny of Tenders

- i. The Purchaser will examine the Tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished and, whether the documents uploaded are in legible form.
- ii. The Purchaser's determination of a Tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- iii. The tenders will be scrutinized to determine whether they are complete and meet the essential and important requirements, conditions etc. as prescribed in the tender document. The tenders, which do not meet the basic requirements, are liable to be treated as non-responsive and will be summarily ignored.
- iv. The following are some of the important aspects, for which a tender shall be declared non-responsive during the evaluation and will be ignored;
 - i. Tender validity is shorter than the required period.
 - ii. Non-submission of Bid Security Declaration.
 - iii. Non-submission of receipt of tender processing fee.
 - iv. Non-submission of self-certification in format as given in Appendix-A only by original manufacturer, for determining eligibility to participate in the tender under the "Public Procurement preference to Make in India" order.
 - v. Non-submission of GFR-144 (xi) compliance certificate.

- vi. Tenderer has not agreed to give the required performance security of required amount in an acceptable form.
- vii. Non-submission of samples within ten days of the closing of online submission of bids
- viii. Poor/ unsatisfactory past performance.
- ix. Tenderers who stand de-registered/banned/blacklisted by any Central Govt. Ministries/Departments/Hospitals/Institutes.
- x. Tenderer is not eligible as per tender conditions.
- xi. Tenderer has not quoted for the entire quantity as specified in the List of Requirements/ BOQ for the item quoted.
- xii. Non-submission of all details of quoted items (HSN, MSME, Make-in-India, make/brand, model, pack size and remark).
- xiii. Tenderer has not agreed to other essential condition(s) specially incorporated in the tender enquiry, like delivery terms, delivery schedule, terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism applicable law.

17. Minor Informality/Irregularity/Non-Conformity

If during the preliminary examination, the purchaser find any minor informality and/or irregularity and/or non-conformity in a tender, the purchaser may waive the same provided it does not constitute any material deviation and financial impact and, also, does not prejudice or affect the ranking order of the tenders. Wherever necessary, the purchaser will convey its observation on such 'minor' issues to the tenderer by registered/speed post etc. asking the tenderer to respond by a specified date. If the tenderer does not reply by the specified date or gives evasive reply without clarifying the point at issue in clear terms, that tender will be liable to be ignored.

18. Award of work

- i. The selection of the agency will be at the sole discretion of the JIPMER who reserves its right to accept or reject any or all the proposals without assigning any reason thereof.
- ii. The lowest bid will be evaluated on the basis of annual estimated amount as quoted by bidders in the quotation including taxes.
- iii. Upon evaluation of offers the decision on the award of contract will be intimated to the successful bidder.
- iv. The annual estimate is given only as an indication. The actual quantity procured may increase or decrease. No assurance is given that the quantity stated will actually be procured.

Section-IV

GENERAL CONDITIONS OF CONTRACT

1. **Price of goods**

The rate quoted in the e-tender will be fixed for the whole contract period.

2. **Technical Specifications and Standards**

The Goods & Services to be provided by the supplier under this contract shall conform to the technical specifications mentioned in “Technical Specification” under Section II.

3. **Terms of Delivery**

- i. Goods shall be delivered by the supplier within 30 days of issue of supply order. Please note that the time shall be the essence of the contract.
- ii. Any unexcused delay by the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following sanctions:
 - a) Imposition of liquidated damages,
 - b) Forfeiture of its performance security and
 - c) Termination of the contract for default.

4. **Liquidated Damages**

If the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, the Purchaser/Consignee shall, without prejudice to other rights and remedies available to the Purchaser/Consignee under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods, installation, commissioning and/or services until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached Purchaser/Consignee may consider termination of the contract as per GCC 11. Since the Liquidated damages are in virtue of non-performance of services, it will attract GST or any other applicable taxes which in turn shall be deducted from the bidder.

5. **Performance Security**

The successful bidder shall have to deposit an amount 3% of the value of contract as Performance Security Deposit (PSD) within two weeks after award of contract, through SBI Collect available on JIPMER website. In the event of any failure /default of the supplier with or without any quantifiable loss to the purchaser, the amount of the performance security is liable to be forfeited.

Subject to the condition mentioned above the Performance Security will be released without any interest to the supplier on completion of the supplier's all contractual obligations

including the warranty obligations and extension of time (with or without Liquidated Damages).

6. Payment Procedure

The contractor shall submit bill in triplicate upon satisfactory supply of goods. Bill must be raised based on the rate quoted in e-tender. Every effort shall be made to ensure that the payment will be made within 45 days of submission of bill. No advance payment will be considered. TDS will be deducted as per provision of Income Tax Act, GST Acts and other statutes as relevant.

7. Risk Clause

The contractor shall at all times have standby arrangements for carrying out the work under the contract, in case of any failure of the existing arrangements. JIPMER reserves the right for termination of the contract at any time by giving 30 days written notice, if the items delivered are found to be unsatisfactory and also has the right to award the contract to the next higher bidder willing to supply the item at the cost, risk and responsibilities of contractor and excess expenditure incurred on account of this will be recovered by JIPMER from the contractor's Performance Security Deposit or pending bills or by raising a separate claim.

8. Termination clause:

During the period of agreement if it is found that the agency is not providing proper services, the JIPMER reserves rights to make the vendor forfeit the security deposit deposited with JIPMER or part thereof in favour of JIPMER and agreement will be terminated after giving 30 days' notice. Furthermore, in such situations, tender can be allotted to second lowest bidder and the difference in cost shall be recovered from the earlier vendor who is breach of the contract. In addition in case it is found that the supplier is charging by fraudulent means or indulging in criminal activities the contract will be terminated immediately.

9. Jurisdiction of the courts

Jurisdiction of the courts for settlement of disputes:- Jurisdiction for the settlements of disputes if any is Puducherry only.

In above mentioned conditions Director JIPMER reserves all the rights.

Section-V

BIDDER'S PROFILE

This form duly filled and signed by authorized representative of the bidder and the scanned copy must be uploaded online

1.	Name & Designation of the contact person	
2.	Name and Address of the Tenderer	
3.	Phone No a) Land line number (functional between 9 am and 5pm)	
4.	Mobile No of contact person (available from 9am to 6pm)	
5.	Email ID of the Tenderer	
6.	Email ID of the contact person	
7.	Local supplier/Distributor in Chennai/ Puducherry or any other place (complete address must be written)	
8.	Manufacture Name	
9.	Manufacture Address	
10	Whether Tenderer is registered MSE Manufacture the product quoted. (If registered MSE, submit copy of the Udyog Aadhaar certificate or Equivalent Certificate)	Yes / No
<p>If there is any change in the above details, I will immediately intimate you by speed post or fax or email</p> <p>I.....hereby declare that the details given above are true to the best of my knowledge and I have thoroughly read and understood the terms and conditions of the tender and shall abide by the rules,</p> <p style="text-align: right;">Signature (Name and Designation & Seal)</p> <p>Dated:</p>		

NB: This form must be duly filled in by an authorized person

Section-VI
MANUFACTURER'S AUTHORISATION FORM
(Letterhead)

The Director,
JIPMER, Puducherry

Dear Sir,

Ref: Your TE document No: _____ dated: _____

We, _____ who are proven and reputable manufacturers of _____ (name and description of the goods offered in the Tender) having factories at _____, hereby authorize Messrs. _____ (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred TE documents for the above goods manufactured by us.

We also state that we are not participating directly in this tender for the following reason(s):

(Please provide reason here).

We further confirm that no supplier or firm or individual other than Messrs _____ (name and address of the above agent) is authorised to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred TE documents for the above goods manufactured by us. We also hereby extend our full warranty, CMC/AMC as applicable as per the General Conditions of Contract, read with modification, if any, in the Special Conditions of Contract for the goods and services offered for supply by the above firm against this TE document. We also hereby confirm that we would be responsible for the satisfactory execution of contract placed on the authorised agent.

We also confirm that the price quoted by our agent shall not exceed the price which we would have quoted directly”

Yours faithfully,
[Signature with date, name, designation and Email]
for and on behalf of Messrs _____
[Name & address of the manufacturers]

Note:

- (1) This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
- (2) Original letter may be sent.
- (3) The purchaser reserves the right to verify this document with its signatory.

SECTION-VII
TENDER FORM
(On Firms' Letter Head)

To
The Director
JIPMER, Puducherry 605006

Date _____

Ref. Your TE document No. _____ dated _____

We, the undersigned have examined the above mentioned TE document, including amendment/corrigendum No. _____, dated _____ (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver _____ (Description of goods and services) in conformity with your above referred document **for the sum as shown in the price schedules attached herewith and made part of this tender**. If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC, Special Conditions of Contract", for due performance of the contract.

We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and we certify that this bidder is not from such a country/ from such a country and has been registered with the Competent Authority and a copy of the valid registration by the Competent Authority is attached as evidence of the same (Strike out what is not applicable). In case there are Turnkey works to be carried out this bidder will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered.

We agree to keep our tender valid for acceptance as required in the GIT, Special Instructions to Tenderers" or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender up to the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We confirm that we do not stand deregistered/banned/blacklisted by any Govt. Authorities in the last 7 years.

We confirm that we fully agree to the terms and conditions specified in above mentioned TE document, including amendment/ corrigendum if any.

(Signature with date)
(Name and designation)

Duly authorized to sign tender for and on behalf of

Section-VIII

CHECK LIST FOR SUBMISSION OF TENDER

(To be filled by the tenderer and submitted along with the bid)

Sl. No.	Particular	Yes / No
1	i. Tender Processing Fee (Mandatory for all bidders) ii. Bid security declaration	
2	Copies of Supply orders/Completion certificate in support of Eligibility condition 2(ii).	
3	Copy of PAN Card	
4	Copy of ISO Certification of bidder, ISI/CE Certification of each product wherever asked	
5	Copies of last three years Income Tax Return statement with Balance sheets & Profit & Loss A/c i.e. 2017-18, 2018-19, 2019-20.	
6	Copy of GST Registration Certificate	
7	Authorization letter for signing tender documents if a person other than the Owner, Partner, Managing Director is signing/uploading the tender	
8	Tender form as in Section – VII duly signed and stamped	
9	Manufacturer's authorization form in format as in Section VI and	
10	Self-certification for supporting the claim to be a local supplier under the "Public Procurement preference to Make in India" order in format as in Appendix A	
11	A copy bidder's empanelment by the Competent Authority under GFR 144 (xi) or GFR 144 (xi) compliance certificate	
12	A PDF file containing list of all items quoted by the bidder without price bid in technical cover	
13	All details of the items (HSN, MSME, Make-in-India, make/brand, model, pack size and remark) quoted by the bidder.	
14	Any other document(s) enclosed (To be specified)	

I/We certify that the information furnished above is true and correct. The terms and conditions are acceptable to us and have the authority to bid a tender.

Signature of the owner/
Managing Partner/Director

Date:
Place:

Name:
Seal:

SECTION – IX

**Bid Security Declaration
(To printed on the Firm's letterhead)**

(In compliance with the OM No. F.9/4/2020-PPD dated 12.11.2020 on the subject —Bid Security/ Earnest Money Depositl, issued by the Procurement Policy Division, Department of Expenditure, Ministry of Finance, Government of India, there is no need for bidders to pay Bid Security/ Earnest Money Deposit for participating in this tender. However, in lieu of Bid Security, the bidder must print this —Bid Security Declarationl on his/her firm's letterhead duly sign the undertaking and upload the document in the fee cover.)

I/We hereby declare that we accept the condition that if I/We withdraw or modify our bids during period of validity etc., we will be suspended for a period of two years from participating in all tenders invited by JIPMER, Puducherry with effect from the date of our withdrawal or modification of our bid.

(Signature with date)

(Name and designation)

Duly authorized to sign this tender and declaration

for and on behalf of _____ (Name of the Bidder's Firm) Seal

Appendix-A

Self-certification format for claiming purchase preference under the “Public Procurement preference to Make in India” order

As per the order issued by

(i) Department of Industrial Policy and Promotion (DIPP) vide No. P-45021/2/2017-BE-II dated 15.06.2017 as further amended by Order No.P-45021/2/2017-B.E.-II dated 28.05.2018, Order No.P-45021/2/2017-B.E.-II dated 29.05.2019, Order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020 and Order No. P-45021/2/2017-PP (BE-II) dated 16.09.2020; and

(ii) Department of Pharmaceuticals vide No. F- 31026/36/2016-MD dated 18.05.2018 and the subsequent orders thereof; The purchaser reserves the right to give preference to the local supplier.

A local supplier (definition of “local supplier” is given in clause 2 of the aforesaid order of DIPP as amended from time to time) has to submit the following along with their e-tender(s) failing which their bid will be evaluated without considering such preference mentioned in the DIPP order dated 15.06.2017 further amended on 28.05.2018, 25.09.2019 and 04.06.2020:

a. The local supplier at the time of e-tender, bidding or solicitation shall be required to provide self-certification that the item offered meets the minimum local content and shall give details of the location(s) at which the local value addition is made in the format in Annexure A.

“Certified that the following items quoted has more than 50% or 20% to 50% of value addition in India at the location(s) mentioned against each and is eligible for purchase preference as per the Govt. of India “Public Procurement preference to Make in India” order Dt.15.06.2017 as further amended by Order No.P-45021/2/2017-B.E.-II dated 28.05.2018, Order No.P-45021/2/2017-B.E.-II dated 29.05.2019, and Order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020.

Sl. No	Name of the item	Details of the location(s) at which the local value addition was made.

Authorized Signature:

Name:

Designation:

b. In cases of procurement for a value in excess of Rs. 10 Crore. the local supplier shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.

c. Minimum Local Content: ‘Class-I local supplier’ means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50%, as defined

under the Order. “Class-II local supplier” means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this Order.

d. Margin of Purchase Preference: The margin of purchase preference shall be 20%.

e. Manufacture under license/technology collaboration agreements with phased indigenization are exempted from meeting the stipulated local content if the product is being manufactured in India under a license from a foreign manufacturer who holds intellectual property rights and where there is a technology collaboration agreement/transfer of technology agreement for indigenous manufacture of a product developed abroad with clear phasing of increase in local content

f. Decisions on complaints relating to implementation of this Order shall be taken by the competent authority which is empowered to look into procurement-related complaints relating the procuring entity.

g. A constituted committee with internal and external experts will examine for independent verification of self-declarations and auditor’s/accountant’s certificates on random basis and in the case of complaints.

h. A fees of Rs.10000/- in the form of demand draft favoring The Director, JIPMER, payable at Puducherry, is required to be deposited with complaints for verification of local content.

i. False declarations will be breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

j. A supplier who has been debarred by any procuring entity for violation of this Order shall not be eligible for preference under this Order for procurement by any other procuring entity for the duration of the debarment. The debarment for such other procuring entities shall take effect prospectively from the date on which it comes to the notice of other procurement entities.

Officer in Charge
Purchase Section
JIPMER Puducherry
For Director, JIPMER

SECTION – X

**GFR-144 (xi) compliance certificate
(To printed on the Firm's letterhead)**

Tender No:

GFR-144(xi) compliance certificate (as per order F.No. 6/18/2019-PPD, Ministry of Finance, GOI)

I have read the clauses regarding restrictions under GFR144(xi) on procurement from a bidder of a country which shares a land border with India. I certify that, the vendor

- is not such a country
- is from a country and has been registered with a competent authority (attached evidence of valid registration).

(Select one of the above and strike off the other)

I hereby certify that we fulfill all requirement in this regard and is eligible to be considered for the procurement on CPP portal.

Thanking you.

Authorized Signatory