



**JAWAHARLAL INSTITUTE OF POST GRADUATE MEDICAL  
EDUCATION & RESEARCH (JIPMER)**



**GOVERNMENT OF INDIA**

(An Institution of National Importance under Ministry of Health & Family Welfare) Dhanvantri  
Nagar, Puducherry-605006

**OPEN TENDER  
ENQUIRY DOCUMENT  
FOR  
RATE CONTRACT  
FOR  
SUPPLY OF CONSUMABLES/NON-CONSUMABLES  
FOR  
DEPARTMENT OF  
Urology**

(This document consisting of **53** pages)

**JIPMER,  
DHANVANTARI NAGAR,  
PUDUCHERRY 605006**

**Phone: - 0413-2296016/15/47 ; Fax:- 0413-2272067/66  
Email: urologystore@gmail.com URL: - www.iipmer.edu.in**

## INDEX

<b>Section</b>	<b>Topic</b>	<b>Page No.</b>
<b>Section-I</b>	<b>Notice inviting Tender (NIT)</b>	<b>03</b>
<b>Section-II</b>	<b>Schedule of Requirements and Specifications</b>	<b>05</b>
<b>Section-III</b>	<b>General Instructions to Tenderers (GIT)</b>	<b>35</b>
<b>Section-IV</b>	<b>General Conditions of Contract (GCC)</b>	<b>44</b>
<b>Section-V</b>	<b>Bid Application Form</b>	<b>46</b>
<b>Section-VI</b>	<b>Manufacturer's Authorization Form</b>	<b>47</b>
<b>Section-VII</b>	<b>Tender Form</b>	<b>48</b>
<b>Section-VIII</b>	<b>Check list for Submission of Tender</b>	<b>49</b>
<b>Section-IX</b>	<b>Bid Security Declaration</b>	<b>50</b>
<b>Appendix-A</b>	<b>Self-certification format for claiming purchase preference under the "Public Procurement preference to Make in India" order</b>	<b>51</b>
<b>Section-X</b>	<b>GFR-144 (xi) compliance certificate</b>	<b>53</b>

## SECTION-I

### JAWAHARLAL INSTITUTE OF POSTGRADUATE MEDICAL EDUCATION AND RESEARCH PUDUCHERRY – 6

(Institution of National Importance under the Ministry of Health & Family Welfare,  
Govt. of India)

#### Purchase Section

No. JIP/PUR6(1)/OeT/Uro/2021-22

Dated: 07.07.2021

#### NOTICE INVITING e-TENDER (e-NIT)

Sub: Supply of Consumables / Non-Consumables  
-----

E- tenders are invited from eligible and qualified domestic manufacturer's or their distributors for the RATE CONTRACT for supply of CONSUMABLES/NON-CONSUMABLES for the Department of **Urology** for 2021– 22.

1. Scope of work: Supply of consumables/non-consumables for the Department of **Urology**
2. Value of tender: Approximate Cost **Rs. 1,00,00,000**
3. Tender timelines:
  - i. Opening date & time for download of Tender document: **06.00 PM on 07.07.2021**
  - ii. Last date for receipt of pre-bid queries: **12.00 Noon on 12.07.2021**
  - iii. Pre-bid queries can be made through e-mail to: [urologystores@gmail.com](mailto:urologystores@gmail.com)
  - iv. Opening date & time for submission of online bids: **09.00 AM on 16.07.2021**
  - v. Closing date & time for submission of online bids **12.00 Noon on 06.08.2021**
  - vi. Date and Time of opening of online bids for Technical evaluation: **12.00 Noon on 07.08.21**
  - vii. Date & time of opening of Price Bid: To be intimated later.
4. Earnest Money Deposit/Bid Security: Bid security declaration must be submitted by all bidders.
5. Tender Processing Fee (Non-refundable): **Rs. 590 (including 18% GST) shall be paid through SBI collect only.**
6. Interested bidders are advised to download the complete Tender Enquiry document from the websites [www.jipmer.edu.in](http://www.jipmer.edu.in) or <https://eprocure.gov.in/eprocure/app> for complete details.
7. The prospective bidders must register with the E-procurement system of <https://eprocure.gov.in/eprocure/app>. Special Instructions to the bidders for the e-submission of the bids online through this eProcurement Portal on completion of the registration process is given in <https://eprocure.gov.in/eprocure/app> , the bidders will be provided user ID and password upon enrollment. In order to submit the bids

electronically, bidders are required to have a valid Class 3 Digital Signature Certificate (signing and encryption/ decryption certificates).

8. Bidders are requested to read the bidders help document on e-tender web site link before proceeding for bidding.
9. Post receipt of User ID & Password, Bidders can log on for downloading & uploading tender document.
10. The bidders shall submit the required bid security declaration (as per G.I.T clause 2) before the due date and time mentioned above.
11. The online submission of tender(s) can only be done through **<https://eprocure.gov.in/eprocure/app>**
12. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through **<https://eprocure.gov.in/eprocure/app>** e-portal (as described above) only.
13. Prospective bidders are advised to browse the above websites regularly before submission of their bids as any further amendments will be published in these websites only.

Asst. Officer in Charge  
Purchase Section,  
For  
Director,  
JIPMER, Puducherry

## Section-II

### SCHEDULE OF REQUIREMENTS AND SPECIFICATIONS

#### LIST OF ITEMS REQUIRED

1. Scope of work : Supply of Consumables/ Non-Consumables for the department of **Medical Gastroenterology** as detailed below

Sl. No.	Item Description	Quantity	Units
1	<b>GENERAL CONSUMABLES</b>		-
1.001	PTFE coated stainless steel guide wire with straight flexible tip 0.021” 150cm (presterilised & disposable)	20	Pack
1.002	PTFE coated stainless steel guide wire with straight flexible 3cm tip 0.028” 150cm (presterilised & disposable)	20	Pack
1.003	PTFE coated stainless steel guide wire with straight flexible 3cm tip 0.035” 150cm (presterilised & disposable)	250	Pack
1.004	PTFE coated stainless steel guide wire with straight flexible 3cm tip 0.038” 150cm (presterilised & disposable)	250	Pack
1.005	PTFE coated heavy duty stainless steel guide wire with J tip 0.038”, 150cm. (presterilised & disposable)	200	Pack
1.006	PTFE coated heavy duty guide wire with J tip 0.038”, 80cm (presterilised & disposable)	100	Pack
1.007	Hydrophilic plastic coated stainless steel guide wire (like Terumo Radiofocus™ or Microvasive Glidewire™ guide wire) 0.018”, 150cm with 3cm. Flexible straight tip in presterilised pack (disposable)	10	Pack
1.008	Hydrophilic plastic coated stainless steel guide wire (like Terumo Radiofocus™ or Microvasive Glidewire™ guide wire) 0.025”, 150cm with 3cm. Flexible straight tip in presterilised pack (disposable)	50	Pack
1.009	Hydrophilic plastic coated stainless steel guide wire (like Terumo Radiofocus™ or Microvasive Glidewire™ guide wire) 0.032”, 150cm with 3cm. Flexible straight tip in presterilised pack (disposable)	50	Pack
1.010	Hydrophilic plastic coated stainless steel guide wire (like Terumo Radiofocus™ or Microvasive Glidewire™ guide wire) 0.035”, 150cm with 3cm. Flexible straight tip in presterilised pack (disposable)	50	Pack
1.011	Hydrophilic plastic coated nitinol guide wire (like Zebra™ or Cobra™ guide wire) 0.025”, 150cm with 3cm. Flexible straight tip in presterilised pack (disposable)	20	Pack
1.012	Hydrophilic plastic coated nitinol guide wire (like Zebra™ or Cobra™ guide wire) 0.035”, 150cm with 3cm. Flexible straight tip in presterilised pack (disposable)	20	Pack

1.013	Double flexible-tipped, nitinol core, platinum radio-opaque tipped, hydrophilic polymer coated lubricated guide wire size 0.035 inch diam and 150cm length such as Roadrunner® PC Wire Guide Double Flexible in a sterile disposable pack.(Bi-wire)	20	Pack
1.014	Closed ended PVC Ureteric Catheter soft with stylet 70cm 3F (Presterilised & disposable)	10	Pack
1.015	Closed ended PVC Ureteric Catheter soft with stylet 70cm 4F (Presterilised & disposable)	10	Pack
1.016	Closed ended PVC Ureteric Catheter soft with stylet 70cm 5F (Presterilised & disposable)	25	Pack
1.017	Closed ended PVC Ureteric Catheter soft with stylet 70cm 6F (Presterilised & disposable)	25	Pack
1.018	Open end Radiopaque PVC tapered Tip ureteric catheter with detachable luer lock, connection 70cm, 3F (presterilised and disposable)	10	Pack
1.019	Open end Radiopaque PVC tapered Tip ureteric catheter with detachable luer lock, connection 70cm, 4F (presterilised and disposable)	25	Pack
1.020	Open end Radiopaque PVC tapered Tip ureteric catheter with detachable luer lock, connection 70cm, 5F (presterilised and disposable)	30	Pack
1.021	Open end Radiopaque PVC tapered Tip ureteric catheter with detachable luer lock, connection 70cm, 6F (presterilised and disposable)	500	Pack
1.022	Open end Radiopaque PVC tapered Tip ureteric catheter with detachable luer lock, connection 70cm, 7F (presterilised and disposable)	50	Pack
1.023	Dual lumen ureteric catheter with flexible tip presterilised and disposable with one hole at the tip to accommodate 0.038 inch guide wire and the other hole at the side near the tip to accommodate 0.038inch guide wire , 50cm, 10F	20	Pack
1.024	Cone Tip Radiopaque PVC tapered Tip ureteric catheter with detachable luer lock connection 70cm, 5F. Presterilised and disposable	5	Pack
1.025	Double J closed ended ureteral stent made of soft polyurethane with positioner size 3F, 14 cm presterilised and disposable carrying an international authentication of quality like CE, BIS or FDA approval.	10	Pack
1.026	Double J closed ended ureteral stent made of polyurethane with positioner size 5F, 22cm presterilised and disposable carrying an international authentication of quality like CE, BIS or FDA approval	10	Pack
1.027	Double J closed ended ureteral stent made of polyurethane 5F , 16cm. with standard positioner – presterilised and disposable carrying an international authentication of quality like CE, BIS or FDA approval	10	Pack

1.028	Double J closed ended ureteral stent made of polyurethane 5F, 26cm. with standard positioner – presterilised and disposable carrying an international authentication of quality like CE, BIS or FDA approval	25	Pack
1.029	Double J closed ended ureteral stent made of polyurethane 6F 26cm. with positioner – presterilised and disposable carrying an international authentication of quality like CE, BIS or FDA approval.	500	Pack
1.030	Double J closed ended ureteral stent made of polyurethane with positioner size 6F, 16cm presterilised and disposable carrying an international authentication of quality like CE, BIS or FDA approval	50	Pack
1.031	14 ' 7 F Variable double pigtail endopyelotomy or endoureterotomy ureteral stent 26 cm. made of polyurethane presterilised and disposable carrying an international authentication of quality like CE, BIS or FDA approval.	5	Pack
1.032	Nitinol ureteric stone basket with polyamide sheath that resists crumpling during usage 3F 70 cm carrying an international authentication of quality like CE, BIS or FDA approval (disposable and presterilised).	3	Pack
1.033	Nitinol tipless stone extractor basket with polyamide sheath that resists crumpling during usage, 2.2 Fr, 115 cm carrying an international authentication of quality like CE, BIS or FDA approval (Disposable and presterilised)	3	Pack
1.034	Nitinol tipless stone extractor basket with polyamide sheath that resists crumpling during usage, 1.5 Fr, 115 cm carrying an international authentication of quality like CE, BIS or FDA approval (Disposable and presterilised)	5	Pack
1.035	Tipless ureteroscopic stone basket for stone entrapment with the basket shaped in the form of a pyramid in open position similar to NGage™ of size 2.2 Fr, 115 cm	5	Pack
1.036	Ureteroscopic three prong grasper similar to Captura™ capable of holding stone and foreign body of size 2.8 Fr, 115 Cm	5	Pack
1.037	3 prong cystoscopic flexible foreign body grasping forceps 5.0F, 70 cm (Disposable and presterilised)	20	Pack
1.038	Pigtail radiopaque soft polyurethane nephrostomy catheter 20cm long (excluding the length of coil) with a straightener canula 10F disposable and presterilised carrying an international authentication of quality like CE, BIS or FDA approval	750	Pack
1.039	Pigtail radiopaque soft polyurethane nephrostomy catheter 20cm long (excluding the length of coil) with a straightener canula 12F disposable and presterilised carrying an international authentication of quality like CE, BIS or FDA approval	300	Pack

1.040	<p>Percutaneous pigtail nephrostomy set in presterilised and disposable single pack. Each pack containing the following:  Specifications: Each pack containing:</p> <ul style="list-style-type: none"> <li>i) 18G 20cm 2 part puncture needle</li> <li>ii) 0.038" 3mm J tip PTFE Coated guide wire 80cm long</li> <li>iii) Set of radiopaque PVC dilators 9-12F</li> <li>iv) 10F Pigtail nephrostomy catheter of soft polyurethane 20cm long (excluding the length of coil) along with a straightener canula.</li> <li>v) Connecting tube with stopcock for connecting to a urine collecting bag</li> <li>vi) Must carry any international authentication of quality like CE, BIS or FDA approval</li> </ul>	50	Pack
1.041	Malecot type nephrostomy tube, radiopaque, made of polyurethane, with straightener and connector for urobag, 20 cm long, 10F (in a sterile pack)	10	Pack
1.042	Malecot type nephrostomy tube, radiopaque, made of polyurethane, with straightener and connector for urobag, 20 cm long, 12F (in a sterile pack)	10	Pack
1.043	Malecot type nephrostomy tube, radiopaque, made of polyurethane, with straightener and connector for urobag, 20 cm long, 14F (in a sterile pack)	10	Pack
1.044	Chiba (Skinny) needle with stylet 24G 20cm (for puncturing and opacifying renal pelvis)-Presterilised and disposable	10	Pack
1.045	Sterile and disposable two part trocar needle with echo tip 18G, 20cm for initial puncture in percutaneous nephrostomy.	25	Pack
1.046	Sterile and disposable two part trocar needle with echo tip 18G, 15cm for initial puncture in percutaneous nephrostomy.	50	Pack
1.047	Set of Fascial dilators of radiopaque polyethylene for percutaneous nephrostomy (each set consisting dilators 8F to 14F size) presterilised and disposable	50	Pack
1.048	<p>Amplatz type graduated renal dilator set (presterilised and disposable) with the following: Specifications  Each set must have:</p> <ul style="list-style-type: none"> <li>i) 8F-30F radiopaque PVC dilators set with smooth surface and short tapered tips</li> <li>ii) 8F radiopaque stylet with both ends tapered for minimising kinking of guide wire</li> <li>iii) sheath for above stylet for insertion of safety guide wire</li> <li>iv) radiopaque Amplatz type Teflon renal sheath set with 3 sheaths of sizes 28F, 30F and 32F -17cm long</li> </ul>	5	Pack
1.049	Kaye Nephrostomy Tamponade Balloon Catheter made of radiopaque polyethylene, size 17 F and length 25 cm, with 15 cm long 12 mm inflated diameter balloon, with a flexible stylet along with a polyurethane Stent of size 5F, 75 cm long all in a sterile pack.	1	Pack
1.050	Ureteral Balloon Dilator catheter with 5mm Balloon 4cm long (40 psi pressure) 5.0F 65cm long; presterilised and disposable	2	Pack
1.051	Ureteral Balloon Dilator catheter 3.0F 65cm long, with 5mm Balloon 4cm long (225 psi max inflation pressure) presterilised and	2	Pack



	disposable		
1.052	Ureteral balloon dilatation tipless catheter, 6F, 65 cm, 4 cm long balloon, 6mm inflated balloon diameter, 60 psi pressure, presterilised & disposable	2	Pack
1.053	Ureteral Access Sheath 10F 45 cm With matching PTFE dilator that fits inside the sheath to facilitate its insertion over a guide wire e.g. Flexor (Cook Urological), the Access Forté XE (Applied Medical), the Navigator (Boston Scientific), and the AquaGuide (Bard Urological).	5	Pack
1.054	Ureteral Access Sheath 12F 45cm with matching PTFE dilator that fits inside the sheath to facilitate its insertion over a guide wire e.g. Flexor (Cook Urological), the Access Forté XE (Applied Medical), the Navigator (Boston Scientific), and the AquaGuide (Bard Urological).	5	Pack
1.055	Ureteral Access Sheath 14F 45cm with matching PTFE dilator that fits inside the sheath to facilitate its insertion over a guide wire e.g. Flexor (Cook Urological), the Access Forté XE (Applied Medical), the Navigator (Boston Scientific), and the AquaGuide (Bard Urological).	5	Pack
1.056	Ureteral dilator set with each dilator made of polyethylene with hydrophilic coating capable of being used with a guidewire with sizes 6, 8, 9, 10, 11, 12, 14, 16, 18 Fr and length 60 cm- 1 Set	2	Pack
1.057	Sterile and disposable irrigation device with compressible bulb for irrigation during ureteroscopy like "Path finder™"	50	Pack
1.058	Plastic Toomey syringe (70ml) with a ring at the end of piston to permit single-handed operation & to fit Karl Storz sheath, presterilised and disposable.	50	Pack
1.059	Plastic TUR chips evacuator to fit Karl Storz sheath, presterilised and disposable.	50	Pack
1.060	TUR irrigation set with Y connection of total length of 300cm (long) – presterilised and disposable	100	Pack
1.061	Long wearing self adhesive skin barrier with flange (of a 2 piece urostomy appliance) size 45mm (Convatec"/ Coloplast"/ Hollister type)	20	Pack
1.062	Matching Urostomy Pouch – soft, odour-proof and low noise that fits water tight with above flange with multi- chamber and has a tap for easy emptying . (Convatec'/ Coloplast'/ Hollister type)	10	Pack
1.063	3-Way Silicone coated latex Foley catheter of international standards from reputed manufacturers (whose name must be printed on package and catheter and manufacturer's complete address must be printed on the packaging) pre-sterilized by gamma irradiation or ethylene oxide, size: 20F	450	Pack
1.064	Disposable sterile suprapubic puncture and drainage set (10F)	10	Pack
1.065	Disposable presterilised TURP drape . The drape should fit ove ththe allen stirrups and should drain to bucket	500	Pack

1.066	Disposable presterilised PCNL drape	200	Pack
1.067	Drape laparotomy, sterile, disposable - consists of re-inforced mayo stand cover 120cm/140cm, utility drape four pieces 75/50 cm, transverse drape 200/150 cm, head end curtain 200/150 cm, hole sheet 300/150 cm.	200	Pack
1.068	Disposable presterilised plastic cover for laparoscopic camera cable	200	Pack
1.069	Sterile skin adherent film like Steridrape™ or Opsite™ size 30x30cm	100	Pack
1.070	Disposable single use bulldog clamp , light weight, maxi size 45 deg angle, (2 per pack) ( 5 PACK IN A BOX) like maxi angled scanlan vascu-statt II )	5	BOX
1.071	Disposable single use bulldog clamp , light weight, maxi size straight, (2 per pack) ( 5 PACK IN A BOX) like maxi straight scanlan vascu-statt II )	5	BOX
1.072	Catheter forgarty, 3FR	20	Pack
1.073	Catheter forgarty, 5FR	5	Pack
1.074	Suture capturing device like Capioslim of Boston Surgical with Shaft Dia 3mm, head widht 6.3mm, carrier Dia 1.2mm	2	Pack
1.075	Absorbable, monofilament suture like Monodek™ PDO, double armed with TC tapercut needle and a T 26mm 1/2 circle taper needle, 48" for use with Item no. 118	24	Pack
1.076	Sterile disposable silicone vascular sling- red colour	10	Pack
1.077	Sterile disposable silicone vascular sling- blue colour	10	Pack
1.078	Sterile disposable silicone vascular sling- yellow colour	10	Pack
1.079	Sterile disposable silicone vascular sling- white colour	10	Pack
1.080	Sterile disposable vascular punch 2.5mm diameter	10	Pack
1.081	Sterile disposable vascular punch 2.8mm diameter	20	Pack
1.082	Sterile disposable vascular punch 3mm diameter	5	Pack
1.083	Sterile disposable vascular punch 3.5mm diameter	5	Pack
1.084	Trans obturator mid urethral sling complete kit for female urethral incontinence approved by an international agency such as FDA or DCGI or CE or BIS	2	Pack
1.085	Trans obturator or retropubic mid urethral sling for female urethral incontinence approved by an international agency such as FDA or DCGI or CE or BIS	10	Pack
1.086	Transobturator mid urethral sling by outside in technique, complete kit for female urethral incontinence approved by an international agency such as FDA or DCGI or CE or BIS	2	Pack
1.087	Transobturator urethral sling system for male stress incontinence by outside in technique, complete kit approved by an international agency such as FDA or DCGI or CE or BIS	2	Pack
1.088	Retropubic mid urethral sling complete kit for female urethral incontinence approved by an international agency such as FDA or DCGI or CE or BIS	2	Pack
1.089	Implantable malleable penile prosthesis set - size 9	2	Pack
1.090	Implantable inflatable penile prosthesis set - Size 11	2	Pack

1.091	Implantable testicular prosthesis	2	Pack
1.092	Implantable 2 or 3 piece artificial urinary sphincter set	1	Pack
1.093	<p>Sterile disposable Surgical mopping pad with radio-opaque line marker &amp; a Coloured loop 30 x 30 cm. (12 ply)</p> <p>Specification: The marker should be made up of multifilament yarn with at least 60% barium coated which will not break or comeout separately during usage. Each should have folded and stitched edges to avoid fraying of the fabric. The material should have been bleached using hydrogen peroxide. Each pack should have ETO sterilized with double sealed blister pack for secured sterility with sterility indicator. There should be a colored loop for identification. Mention the number of pads in a single pack if the cost is quoted for a pack. SPR.</p>	1000	Pack
1.094	<p>Unsterile clean autoclavable disposable Surgical mopping pad with radio-opaque line marker &amp; a Coloured loop 30 x 30 cm. (12 ply)</p> <p>Specification: The marker should be made up of multifilament yarn with at least 60% barium coated which will not break or comeout separately during usage. Each should have folded and stitched edges to avoid fraying of the fabric. The material should have been bleached using hydrogen peroxide. There should be a colored loop for identification. Mention the number of pads in a single pack if the cost is quoted for a pack.</p>	1000	Pack
1.095	0.9% sterile physiological saline for intravenous use in 3 litre plastic bottle or bag	500	Pack
1.096	1.5% sterile glycine solution meant for use transurethral electroresection in 3 litre plastic bottle or bag	1000	Pack
1.097	Disposable Laparoscopic cautery hook with hand control function the lenth of the cautery tip should be 38cm.	25	Pack
1.098	Sterile Vaginal Probe Cover made from pure natural Latex	1000	Pack
1.099	Injection Onabotulinumtoxin A 100unit	10	Pack
1.100	Injection Onabotulinumtoxin A 50unit	10	Pack
1.101	Disposable Cystoscopic injection needle 37 cm, 4F for use through a Storz cystoscope sheath working channel	10	Pack
1.102	Strile and disposable Female Intermittent catheter 6.5" or 7" long , Latex free , Color - coded funnel for easy french size indication , Recessed , polished eyelets,	50	Pack
1.103	C-arm Drape compatible for Siemens C-Arm Model: MM5C (Sterile and disposable)	50	Pack
1.104	Disposable flexible adult size neutral plate (twin pin) with suitable cable to fit with covidien diathermy	75	Pack
1.105	Disposable flexible adult size neutral plate ( single pin) with suitable cable to fit with KLS Martin	20	Pack
1.106	Presterilised disposable monopolar diathermy hand piece with cable to fit L&T Diathermy D-400	50	Pack
1.107	Stockings upper thigh length, graduated compression sizes - Large	50	Pack

1.108	Stockings upper thigh length, graduated compression sizes - Medium	50	Pack
1.109	Stockings upper thigh length, graduated compression sizes - Small	50	Pack
1.110	Steri Drape Isolation Bag 50cmx50cm for organ preservation	20	Pack
1.111	Pessary Fitting Kit made of Silicon , high quality and skin frindly material	2	Pack
1.112	Ring Folding Pessary (Silicone)	5	Pack
1.113	Milex Ring with Knob made of silicon	5	Pack
1.114	Latex free surgical glove in sizes 7 and 7.5 presterile for use in patients who can potentially develop lated allergy as in patients who undergo multiple surgeries for spinal cord dysraphism	5	Pack
1.115	Sacral Neuro Modulation Device (Like Interstim II) -The lead should be a tined lead model inorder to get hold on to sacral muscles. -The lead model should come with stylets of different sizes. -The lead kit should be supplied along with a twist lock cable to connect to external stimulator -The introducer kit must contain needles with radiopaque markers.	1	Pack
1.116	Implantable Neurostimulator	1	Pack
1.117	Patient Remote	1	Pack
1.118	Introducer Kit	3	Pack
1.119	Tined Lead Kit	1	Pack
2	<b>OPERATIVE LAPAROSCOPY CONSUMABLES</b>		-
2.120	Laparoscopic titanium clips size-large for use with Ethicon clip applicator (in sterile cartridges containing 6 clips each)	60	Clips
2.121	Laparoscopic titanium clips size-medium - large for use with Ethicon clip applicator (in sterile cartridges containing 6 clips each)	600	Clips
2.122	Laparoscopic titanium clips size-medium for use with Ethicon clip applicator (in sterile cartridges containing 6 clips each)	600	Clips
2.123	Laparoscopic titanium clips size-small for use with Ethicon clip applicator (in sterile cartridges containing 6 clips each)	100	Clips
2.124	Laparoscopic sterile & disposable Monopolar L Hook Electrodes 5mm	1	Pack
2.125	Laparoscopic sterile & disposable suction irrigation cannula with trumpet valves 5mm	1	Pack
2.126	Laparoscopic sterile disposable 10mm specimen retrieval bag, deployable from outside the body with 4X6 inch bag size	10	Pack
2.127	Specimen retrieval pouch bag, sterile and disposable, laparoscopic impervious, sizes-15mm, 5inchx9inch	25	Pack
2.128	Laparoscopic sterile disposable 10mm specimen retrieval bag with 600ml	20	Pack
2.129	Laparoscopic sterile & disposable 5mm threaded cannula with bladeless trocar	20	Pack

2.130	Laparoscopic sterile & disposable 10mm threaded cannula with bladeless trocar	5	Pack
2.131	Laparoscopic sterile & disposable 12mm threaded cannula with bladeless trocar	25	Pack
2.132	Laparoscopic sterile & disposable 10mm smooth cannula with bladeless optical trocar	50	Pack
2.133	Laparoscopic sterile & disposable 12mm smooth cannula with bladeless optical trocar	10	Pack
2.134	Balloon tipped Cannula 5mm smooth with bladeless optical trocar, sterile & disposable for laparoscopy	2	Pack
2.135	Balloon tipped Cannula 12 mm smooth with bladeless optical trocar, sterile & disposable for laparoscopy	2	Pack
2.136	Cannula 12 mm, long 15cm for bariatric surgery smooth with bladeless optical trocar, sterile & disposable for laparoscopy	5	Pack
2.137	Sterile laparoscopic endoGIA universal stapler	10	Pack
2.138	Reload for sterile laparoscopic endoGIA universal stapler - white-vascular - 30mm with articulating shaft	30	Pack
2.139	Reload for sterile laparoscopic endoGIA universal stapler - white-vascular - 45mm with articulating shaft	5	Pack
2.140	Reload for sterile laparoscopic endoGIA universal stapler - blue--60mm with articulating shaft	50	Pack
2.141	Reload for sterile laparoscopic endoGIA universal stapler - white--60mm with articulating shaft	20	Pack
2.142	Endocutter 35mm with Articulating shaft, length 34 cm	10	Pack
2.143	Reload 35mm white (articulating) (1mm) compatible with above lap linear cutter stapler	30	Pack
2.144	Endocutter 45mm with Articulating shaft, length 34 cm	2	Pack
2.145	Reload 45mm (articulating) white (1mm) compatible with above lap linear cutter stapler	10	Pack
2.146	Endocutter 60mm with Articulating shaft, length 34cm	10	Pack
2.147	Reload 60mm (articulating) white (1mm) compatible with above lap linear cutter stapler	20	Pack
2.148	Reload 60mm (articulating) blue (1.5mm) compatible with above lap linear cutter stapler	50	Pack
2.149	Multifire Endo TA 30-2.5mm 12mm single use staplers	5	Pack
2.150	Multifire Endo TA 30-2.5mm 12mm single use loading unit	20	Pack
2.151	Tyvek Roll 500mm x 70m	2	Pack
3	<b>EQUIPMENT CONSUMABLES</b>		-
3.152	Angled cutting loop (monopolar) 24/26 Fr , Color Code : Yellow (single stem) - for TURP compatible with Karl Storz resectoscope (Per pack 6 PCS)	3	BOX
3.153	Straight Urethrotomy Knife -(VIU Knife) compatible with karlstroz working element 27050EK (Per pack 6 PCS)	1	BOX

3.154	Roller Electrode (monopolar) compatible with Karl Storz resectoscope (Per pack 6 PCS)	1	BOX
3.155	Straight Collins knife for incision compatible with Karl Storz resectoscope size 24F (Per pack 6 PCS)	1	BOX
3.156	OTIS Urethrotome knife compatible with Karlstroz OTIS Urethrotome	3	Pack
3.157	OTIS Urethrotome knife compatible with wolf OTIS Urethrotome	2	Pack
3.158	Bipolar coagulation electrode- for TURP compatible with Karl Storz Bipolar working element	12	Pack
3.159	Bipolar cutting loop - for TURP compatible with Karl Storz Bipolar working element	24	Pack
3.160	Bipolar knife electrode - for TURP compatible with Karl Storz Bipolar working element	12	Pack
3.161	Compression Sleeve medium Knee Length compatible with SCD Express	10	Pack
3.162	Compression Sleeve Large Knee Length compatible with SCD Express	10	Pack
3.163	Compression Sleeve medium Thigh Length compatible with SCD Express	10	Pack
3.164	Compression Sleeve Large Thigh Length compatible with SCD Express	10	Pack
3.165	Kick resistance compression system tubing kit (complete set) compatible with SCD Express	10	Pack
3.166	Sterile Disposable Upper body for adult compatible with Bair Hugger Patient Warmer Model : 775	30	Pack
3.167	Sterile Disposable Lower Body blanket for adult compatible with Bair Hugger Patient Warmer Model : 775	30	Pack
3.168	Sterile Disposable Full body blanket for adult for use in post operative ICU compatible with Bair Hugger Patient Warmer Model : 775	30	Pack
3.169	NIBP cuff Adult size Compatible with L&T Starplus multiparameter monitor	5	Pack
3.170	NIBP cuff Adult size Compatible with Wipro GE Monitor Model : B450	5	Pack
3.171	NIBP hose assembly Compatible with Wipro GE Monitor Model : B450	2	Pack
3.172	D type SpO2 extension cable Compatible with L&T Starplus multiparameter monitor	5	Pack
3.173	SpO2 Probe Adult Size like Duro™ Sensor Compatible with Wipro GE Monitor Model : B450	10	Pack
3.174	SpO2 Probe Adult Size like Duro™ Sensor Compatible with L&T Starplus multiparameter monitor	10	Pack
3.175	Disposable presterilised pressure transducer to fit Laborie Dorado KT urodynamic system	12	Pack

3.176	Disposable presterilised Pressure dome to fit in medex pressure transducer of Laborie Dorado KT Urodynamic system	20	Pack
3.177	Double lumen rectal balloon Catheter compatible for Laborie Dorado KT Urodynamic system.	15	Pack
3.178	Twin lumen Catheter for recording bladder pressures (8F) compatible for Laborie Dorado KT Urodynamic system.	15	Pack
3.179	Ventilator Circuit Sterile and Disposable compatible for ServoS Ventilators of Maquet Make	50	Pack
3.180	Catheter mount for ventilator	25	Pack
3.181	Grey handpeice compatible with Harmonic laparoscopic shears	1	Pack
3.182	Blue handpeice compatible with Harmonic laparoscopic shears	1	Pack
3.183	Ultrasonic 5mm, open curved shear, shaft length 23cm, compatible with harmonic Gen11	1	Pack
3.184	Ultrasonic curved shear for open surgery, 17cm, compatible with harmonic gen 11	1	Pack
3.185	Enseal articulating tissue sealer 5mm 36cm	1	Pack
3.186	Disposable Bipolar Cord compatible with Force Triad/FT 10 (covidian)	6	Pack
3.187	Bipolar Cable compatible with Wolf Bipolar Resectoscope set	2	Pack
3.188	Bipolar resection cord 15' compatible with karlstorz Bipolar working element	2	Pack
3.189	Cutting Electrodes compatiable with wolf bipolar resectoscope	30	Pack
3.190	Coagulation electrodes compatiable with wolf bipolar resectoscope	6	Pack
3.191	Hook electrodes compatiable with wolf bipolar resectoscope	6	Pack
3.192	Disposable Ligasure Blunt tip 5 mm laparoscopic sealer/divider 37cm compatible with Electrosurgical Energy System Model: Force Triad Energy Platform Make: Covidien	3	Pack
3.193	Disposable Ligasure Maryland laparoscopic sealer divider one step action 37cm length, 5mm dia	5	Pack
3.194	Disposable Ligasure Maryland laparoscopic sealer divider one step action 23cm length, 5mm dia	10	Pack
3.195	Vessel Sealing instrument with 36mm jaw length and 34mm cut length curved jaw 18cm shaft with Electrosurgical Energy System Model: Force Triad Energy Platform Make: Covidien ( Ligasure Impact)	5	Pack
3.196	Vessel Sealing instrument with 22mm jaw length and 20mm cut length straight jaw 37cm shaft length with 10mm shaft dia compatibale with Electrosurgical Energy System Model: Force Triad Energy Platform Make: Covidien (Atlas)	5	Pack
3.197	Strile and Disposable endoscopic surgery instrument - 5mm 35cm Type S front actuated grip compatiable for Thunderbeat (Per Box - 5 PCS)	1	BOX
3.198	Strile and Disposable endoscopic surgery instrument - 5mm 45cm Type S front actuated grip compatiable for Thunderbeat	1	Pack

3.199	Strile and Disposable Open surgery instrument - 5mm 20cm Ty(Per Box - 5 PCS)pe S front actuated grip compatiabile for Thunderbeat (Per Box - 5 PCS)	1	BOX
3.200	Strile and Disposable Open surgery instrument - 9mm 20cm open extended jaw front actuated grip compatiabile for Thunderbeat (Per Box - 5 PCS)	1	BOX
3.201	Strile and Disposable Open surgery instrument - 5mm 10cm inline grip compatiabile for Thunderbeat	1	BOX
3.202	Strile and Disposable Open surgery instrument -9cm scissors with open fine jaw compatiabile for Thunderbeat	1	Pack
3.203	Plasma Kinetic Cutting Small electrode for Bipolar resection in saline It should compatible with 12deg telescope (Per Box - 12 PCS)	1	BOX
3.204	Plasma Kinetic Cutting Medium electrode for Bipolar resection in saline It should compatible with 12deg telescope	5	BOX
3.205	Plasma Kinetic Needle electrode for Bipolar baldder neck incision	6	Pack
3.206	Plasma Kinetic Button electrode for Bipolar baldder neck incision	6	Pack
3.207	Plasma Kinetic roller electrode for Bipolar baldder neck incision	6	Pack
3.208	Plasma Kinetic Vaparoization electrode for Bipolar resection in saline	6	Pack
3.209	Angled loop for Enecculation of Prostate for bipolar resection in saline (Per Box 12 PCS)	1	BOX
3.210	Bipolar resection cable for Plasma Kinetic Electrodes	2	Pack
3.211	Bipolar Cable compatible with Olympus ESG -400 Electrosurgical unit	5	Pack
3.212	1.9 fr x 90 cm Nitinol Stone Retrieval Basket with two port scope adaptor to be used in combination with a 200μ laser fiber in most semi-rigid and flexible ureteroscopes and maintain cage stability during deployment. Should have 4 wire cage design with 11 mm cage diameter and 15 mm diameter when extended fully similar to Escape®.	2	Pack
3.213	1.9 fr x 120 cm Nitinol Stone Retrieval Basket with two port scope adaptor to be used in combination with a 200μ laser fiber in most semi-rigid and flexible ureteroscopes and maintain cage stability during deployment. Should have 4 wire cage design with 11 mm cage diameter and 15 mm diameter when extended fully similar to Escape®.	2	Pack
3.214	11/13 fr x 36 cm flexible ureteral access sheath should have kink resistant sheath reinforcement for stability, tapered tip and radiopaque marker for precise placement. Should have hydrophilic coating on sheath as well as dilator for ease of insertion. Should have dual durometer for atraumatic entry and single latch mechanism for ease of use similar to Navigator HD®.	2	Pack



3.215	12/14 fr x 36 cm flexible ureteral access sheath should have kink resistant sheath reinforcement for stability, tapered tip and radiopaque marker for precise placement. Should have hydrophilic coating on sheath as well as dilator for ease of insertion. Should have dual durometer for atraumatic entry and single latch mechanism for ease of use similar to Navigator HD®.	2	Pack
3.216	Nephrostomy high pressure balloon catheter for radial dilatation of the nephrostomy tract for working sheath placement. Should have a radiopaque marker. Should be supplied with a compatible PTFE sheath and inflator with pressure gauge. Should supply 30 fr x 12 cm size balloon with 17 cm PTFE sheath.	2	Pack
3.217	Nephrostomy balloon high pressure catheter for radial dilatation of the nephrostomy tract for working sheath placement. Should have a radiopaque marker. Should be supplied with a compatible PTFE sheath and inflator with pressure gauge. Should supply 30 fr x 15 cm size balloon with 20 cm PTFE sheath.	2	Pack
3.218	Stone retrieval basket made up of polyimide with flatwire construction design to maintain basket symmetry when stone is captured. Should supply 2.4 fr x 90 cm with basket OD of 16 mm similar to Segura®.	2	Pack
3.219	Stone retrieval basket made up of polyimide with flatwire construction design to maintain basket symmetry when stone is captured. Should supply 3 fr x 120 cm with basket OD of 16 mm similar to Segura®.	2	Pack
3.220	1.9 Frx8mmx120cm Nitinol stone retrieval device with opensure handle, have three arm stone retrieval basket opens and closes at full deflection to reach the lower pole of the kidney, should have hybrid grasper enables head on capture of small 1mm stones similar to Dakota®	2	Pack
3.221	Disposbale Lightrail fibre 230 compatible with Auriga 30W Holmium Laser	2	Pack
3.222	Disposbale Lightrail fibre 365 compatible with Auriga 30W Holmium Laser	2	Pack
3.223	Disposbale Lightrail fibre 270 compatible with Auriga 30W Holmium Laser	2	Pack
3.224	Disposbale Lightrail fibre 600 compatible with Auriga 30W Holmium Laser	2	Pack
4	<b>NON CONSUMABLE - GENERAL INSTRUMENTS</b>		-
4.225	Stainless steel trocar and canula with a slot for performing suprapubic cystostomy using a standard 14F latex Foley catheter	5	Pack
4.226	Stainless steel trocar and canula with a slot for performing suprapubic cystostomy using a standard 12F latex Foley catheter	5	Pack
4.227	Measuring scale with markings in cm and inches, 6 inches long made of surgical grade stainless steel	5	Pack

4.228	Weighted vaginal speculum with weights made of high quality surgical grade stainless steel	4	Pack
4.229	Yankauer suction tip length 12 1/2" (31.8 cm) made of high quality surgical grade stainless steel	10	Pack
4.230	Frazier suction tube with finger cut-off 7 Fr. made of high quality surgical grade stainless steel	10	Pack
4.231	Frazier suction tube with finger cut-off 10 Fr. made of high quality surgical grade stainless steel	10	Pack
4.232	Angled BP handle (10 to 15 degrees), No. 3 size, 250 mm (10 inches) long made of surgical grade stainless steel	6	Pack
4.233	Reusable open small clip applier right angled 28cm compatible with Ethicon™ small titanium alloy clips (LT100)	4	Pack
4.234	Reusable open small clip applier straight 28cm compatible with Ethicon™ small titanium alloy clips (LT 100)	4	Pack
4.235	Reusable open medium clip applier angled 26cm compatible with Ethicon™ medium titanium alloy clips (LT 200)	4	Pack
4.236	Reusable open medium -large clip applier straight 28cm compatible with Ethicon™ medium large titanium alloy clips (LT 300)	4	Pack
4.237	Reusable open medium -large clip applier angled 28cm compatible with Ethicon™ medium large titanium alloy clips (LT 300)	4	Pack
4.238	Reusable open medium -large clip applier right angled 28cm compatible with Ethicon™ medium large titanium alloy clips (LT 300)	4	Pack
4.239	Reusable open large clip applier straight 28cm compatible with Ethicon™ large titanium alloy clips (LT 400)	4	Pack
4.240	Reusable open large clip applier angled 28cm compatible with Ethicon™ large titanium alloy clips (LT 400)	4	Pack
4.241	Reusable open large clip applier right angled 28cm compatible with Ethicon™ large titanium alloy clips (LT 400)	4	Pack
4.242	Reusable open medium Hemolock™ clip applier angled 28cm	4	Pack
4.243	Reusable open medium Hemolock™ clip applier straight 28cm	4	Pack
4.244	Reusable open large Hemolock™ clip applier angled 28cm	4	Pack
4.245	Reusable open large Hemolock™ clip applier straight 28cm	4	Pack
4.246	Reusable open extra large Hemolock™ clip applier angled 28cm	4	Pack
4.247	Reusable open extra large Hemolock™ clip applier straight 28cm	4	Pack
4.248	Curved 11 inch hem-o-lok clip applier suitable for large hem-o- lok clips for open surgery	2	Pack
4.249	Right angle (70 degree) 11 inch hem-o-lok clip applier suitable for large hem-o- lok clips for open surgery	2	Pack
4.250	Curved 11 inch hem-o-lok clip applier suitable for Extra large hem-o- lok clips for open surgery	2	Pack
4.251	Right angle (70 degree) 11 inch hem-o-lok clip applier suitable for Extra large hem-o- lok clips for open surgery	2	Pack
4.252	Spencer Well's Artery Forceps 7" Box Joint Curved of high quality surgical grade Stainless steel	20	Pack

4.253	Spencer Well's Artery Forceps 7" Box Joint Straight of high quality surgical grade Stainless steel	20	Pack
4.254	Heiss artery forceps straight 8 inches long made of high quality surgical grade stainless steel	10	Pack
4.255	Heiss artery forceps curved 8 inches long made of high quality surgical grade stainless steel	10	Pack
4.256	Right angled forceps 8 inches long with short 5mm long fine tip made of high quality surgical grade stainless steel	10	Pack
4.257	Right angled forceps 9 inches long with short 5mm long fine tip made of high quality surgical grade stainless steel	10	Pack
4.258	Right angled forceps 10 inches long with 15mm long fine tip made of high quality surgical grade stainless steel	10	Pack
4.259	Mixer forceps longitudinal serrations 11 inch, 1.5 mm fine tip- The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
4.260	Sponge Holder Box Joint 10" of high quality surgical grade Stainless steel	10	Pack
4.261	Allis Tissue Forceps Box Joint 8" of high quality surgical grade Stainless steel	20	Pack
4.262	Babcock Intestinal Forceps 8" Box Joint of high quality surgical grade Stainless steel	10	Pack
4.263	Angled (20 to 30 degree) Babcock forceps 9 inches long of high quality surgical grade Stainless steel	5	Pack
4.264	Mayo towel clip 5 and 1/2 inches long made of high quality surgical grade stainless steel	20	Pack
4.265	Adson forceps 4.5inch long non-tooth serrated jaws of high quality surgical grade stainless steel	6	Pack
4.266	Adsons forceps 4.5 inch long, 1X2 teeth, 1.4mm tip of high quality surgical grade stainless steel	6	Pack
4.267	Adsons forceps 4.5 inch long, ring tip of high quality surgical grade stainless steel	6	Pack
4.268	Stainless steel Cheatles forceps 10 and 1/2 inches long	10	Pack
4.269	Deaver Retractor, 2" wide, 7" working length, 13" long of high quality surgical grade stainless steel	10	Pack
4.270	Deaver retractor - 3 inch width x 14 inch long blade made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack

4.271	Deaver retractor - 4" width x 12" long blade made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	5	Pack
4.272	Langenbeck retractor - 25mm X 6mm made of high quality surgical grade stainless steel	6	Pack
4.273	Langenbeck retractor -35mm X 11mm made of high quality surgical grade stainless steel	6	Pack
4.274	Langenbeck retractor -45mm X 18mm made of high quality surgical grade stainless steel	6	Pack
4.275	Czerny retractor made of high quality surgical grade stainless steel	10	Pack
4.276	Senn-Miller wound retractor with 18X6mm blade 6.5inches long of high quality surgical grade stainless steel	10	Pack
4.277	Reusable Scots perineal retractor frame with hinge made of high quality stainless steel with 5 sets of hooks, each set being in a separate sterile pack meant for a single use and containing 8 hooks.	2	Pack
4.278	Balfour transplant retractor- Adult size two fenestrated blades round (not sharp) , blades 7cm, overall length of arms 20 cm , 17 cm spread made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
4.279	Blade for Balfour transplant retractor not convex vertical blade 10cm Height X 7cm Width made of high quality surgical grade stainless steel. The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
4.280	Stainless steel tray with lockable lid and with a silicone mat for storing and sterilization of microsurgical instruments of size 30cm X 20cm X 15cm.	4	Pack
4.281	Instruments tray that is lockable made of durable medical grade plastic that can withstand sterilisation with suitable silicone mat and holders for sterilising laparoscopic instruments using plasma sterilisation (Sterrad™) of size -60cm X 30cm X 25cm	5	Pack
4.282	Gluteraldehyde (Like Cidex) sterilisation tray made of durable plastic of dimensions lxbxh=80cmx20cmx20cm with inner sieve like tray with handle for immersing and removing instruments Specifications i) The Gluteraldehyde (Like Cidex) sterilisation tray must be made of durable plastic ii) The tray must have dimensions lxbxh=80cmx20cmx20cm iii) There must be a well fitting inner sieve like tray with handle for immersing and removing instruments iv) There must be a lid for the tray	10	Pack

4.283	Jefferson dural toothed forceps, fine 1 x 2 teeth 7 inches (178mm) made of stainless steel with the manufacturer name and catalog number engraved on the instruments	20	Pack
4.284	Halsted Mosquito forceps 5 inches curved made of stainless steel with the manufacturer name and catalog number engraved on the instruments	50	Pack
4.285	Halsted Mosquito forceps 5 inches straight made of stainless steel with the manufacturer name and catalog number engraved on the instruments	50	Pack
4.286	Bone Nibbler double action Straight 190mm made of high quality stainless steel with the manufacturer name and catalog number engraved on the instruments	4	Pack
4.287	Bone Nibbler double action angular 190mm made of high quality stainless steel with the manufacturer name and catalog number engraved on the instruments	4	Pack
4.288	Mayo trolley with adjustable height made of high quality stainless steel of 90cm x 80 cm and height of 100cm including wheels	2	Pack
4.289	Surgical Instrument trolley made of high quality stainless steel of 90cm X 80cm and height of 80cm including wheels	2	Pack
4.290	Heavy base IV stand with wheels to withstand 6ltrs of saline or glycine made of High quality stainless steel.	2	Pack
4.291	Heavy base IV stand with wheels to withstand 6ltrs of saline or glycine made of castiron.	2	Pack
4.292	Mayo scissors curved 7 inches should be made of high quality stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
4.293	Metzenbaum scissors 8 inch tungstan carbide tip made of high quality stainless steel - The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
4.294	Metzenbaum scissors 11-1/4 inch tungstan carbide tip made of high quality stainless steel - The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
4.295	CUSHING VEIN retractor matte finish 9 inch-The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
4.296	Ventilator Circuit Sterile and Reusable compatible for ServoS Ventilators of Maquet Make	4	Pack
5	<b>LAPAROSCOPY INSTRUMENTS</b>		-

5.297	10mm complete, smooth, trocar,10mm,11cm, with pyramidal tip and10mm blunt trocar for complete trocar made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument with 5 spare rubber caps.	4	Pack
5.298	5mm Bariatric laparoscopic suction irrigation cannula with trump valve (50cm or Longer)	5	Pack
5.299	Lazy "S" retractors used in laparoscopic port insertion by open technique- 10mm wide, 18 cm long, set of two made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
5.300	'S' RETRACTOR (Double ended retractor)- Blade A 6 mm x 10 mm deep, Blade B 13.5 X 15 mm deep, Overall length- 13.5 mm made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
5.301	Hassan "S" retractors used in laparoscopic port insertion by open technique- 10mm wide, 18 cm long, set of two made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
5.302	Hassan "S" retractors used in laparoscopic port insertion by open technique- 13 mm wide, 18 cm long, set of two made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
5.303	Laparoscopic reusable & autoclavable right angled forceps without ratchet -10mm 31 cm long (The inner working length of the jaws from tip to angle must be at least 5mm) made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack

5.304	Laparoscopic reusable & autoclavable 5mm clip applicator for Medium (green) straight Hemolock™ type Clips made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.305	Laparoscopic reusable & autoclavable 10mm clip applicator for Large (purple) straight Hemolock™ type Clips made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.306	Laparoscopic reusable & autoclavable 10mm clip applicator for Large (purple) angled 20 deg Hemolock™ type Clips made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.307	Laparoscopic reusable & autoclavable 10mm clip applicator for Large (purple) angled 45 deg Hemolock™ type Clips made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.308	Laparoscopic reusable & autoclavable clip applicator 10mm for extra large (Gold/yellow) Hemolock™ type Clips made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.309	Laparoscopic reusable & autoclavable Suction Irrigation 2-Way Trumpet Valve 5mm made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack

5.310	Laparoscopic Carter Thomason type port closure needle 16G, 15 cm long made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.311	Laparoscopic reusable & autoclavable 10mm Trocar blunt tip and cannula made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.312	Laparoscopic reusable & autoclavable 10mm Trocar sharp tip and cannula made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.313	Laparoscopic stainless steel reusable & autoclavable 12mm Trocar and cannula made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.314	Laparoscopic stainless steel reusable & autoclavable 10mm Hason cannula with cone made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.315	Laparoscopic stainless steel reusable & autoclavable Trocar and cannula for 5mm instrument, 10cm long sharp tip made of high quality stainless steel with 5 spare rubber caps. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.316	Laparoscopic Metzenbaum scissors, serrated, Tungsten coated inserts, 5mm, 31cm, reusable & autoclavable made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.317	Laparoscopic premium Metzenbaum scissors, serrated, Tungsten coated inserts, 5mm, 31cm, reusable & autoclavable made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
5.318	Laparoscopic Tungsten carbide coated, needle holder, straight,	4	Pack



	5mm, 31cm light weight black handle with ratchet reusable & autoclavable made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument		
5.319	Laparoscopic Suction"/Irrigation Tube 40 cm, reusable & autoclavable made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	3	Pack
5.320	Laparoscopic Maryland dissection forceps, insulated to tip, 5mm, 31cm reusable & autoclavable made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	3	Pack
5.321	Laparoscopic Bowel grasping forceps, 20mm jaw, 5mm, 31cm reusable & autoclavable made of high quality stainless steel The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	3	Pack
5.322	Laparoscopic 5mm satinsky clamp The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	5	Pack
6	<b>ENDOSCOPY INSTRUMENTS</b>		-
6.323	Stainless steel tri-prong ureteroscopic semirigid straight stone holding forceps with spring action handle 5F/70cm for URSL procedure	10	Pack
6.324	Stainless steel ureteroscopic semirigid straight stone grasping forceps with alligator jaws 5F - for URSL procedure	2	Pack
6.325	Stainless steel tri-prong stone holding forceps with spring action handle 10Fr diam 40cm long - for PCNL Procedure	2	Pack
6.326	Stainless steel flat blade stone holding forceps with spring action handle 10Fr diam 40cm long- PCNL procedure	2	Pack
6.327	Stainless steel alligator stone holding forceps with double action serrated jaws 10Fr diam 40cm long - for PCNL Procedure	2	Pack
6.328	Alligator jaw stone crushing optical forceps made of stainless steel with compatible autoclavable sheath- 25fr and obturator. The forceps should be compatible with Storz™ cystoscope Sheath	2	Pack
6.329	OTIS Urethrotome - knife, compatible with Karl Storz OTIS mauermayer Urethrotome (27578A)	2	Pack
6.330	Stone Grasping forceps small with alligator jaws consisting of handle and Insert with sheath compatible with Miniature Nephroscope 15F Mfd. By M/s. RICHARD WOLF GMBH, GERMANY	2	Pack

6.331	Stainless steel, Cystoscopic injection needle 37 cm, 5F for use through a Storz cystoscope sheath working channel	5	Pack
6.332	20F Cystoscope sheath with two luer lock channels with matching obturator, both made of stainless steel compatible with a Karl Storz, Germany make adult cystoscope system.	2	Pack
6.333	Stone crushing forceps made of stainless steel with single action jaw compatible with a Karl Storz, Germany make 23.5F cystoscope sheath.	2	Pack
6.334	Cold cup optical (cystoscopic ) biopsy forceps made of stainless steel with double action jaws compatible with a Karl Storz, Germany make 20F adult cystoscope system.	2	Pack
6.335	250W twin bulb halogen endoscopic cold light source with light guide port to match Karl Storz™ light cable, power 220VAC along with power cord and spare fuses, 3 year warranty	2	Pack
6.336	Fiber optic endoscope light cable 4.5 mm diam 200cm length compatible with Storz™ light source. (Cable should be capable of being steam autoclaved, gas sterilized or cold soaked for sterilization)	2	Pack
6.337	Fiber optic endoscope light cable 4.5 mm diam 200cm length compatible with Stryker /Wolf™ light source. (Cable should be capable of being steam autoclaved, gas sterilized or cold soaked for sterilization)	2	Pack
6.338	Fiber optic endoscope light cable 4.5 mm diam 200cm length compatible with olympus light source ((OTV 190, OTV200,OTV300)™ light source. (Cable should be capable of being steam autoclaved, gas sterilized or cold soaked for sterilization)	2	Pack
6.339	Inner Sheath rotating with ceramic insulation for use with resectoscope outer of 26 Fr. Compatible with karlstorz working element	4	Pack
6.340	light guide adapter for olympus led light source otv s200, otv s190	2	Pack
7	<b>TRANSPLANT INSTRUMENTS</b>		-
7.341	Straight Ring tipped micro forceps, made of high quality stainless steel with diameter of the ring 1.5mm, total length 21 cm with rounded blades for hand grip, with counter balance, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
7.342	Straight Ring tipped micro forceps, made of high quality stainless steel with diameter of the ring 1.5mm, total length 23 cm with rounded blades for hand grip, with counter balance, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack

7.343	Straight Ring tipped micro forceps, made of high quality stainless steel with diameter of the ring 1.5mm, total length 25 cm with rounded blades for hand grip, with counter balance, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
7.344	Straight Platform tipped microforceps made of high quality stainless steel of 21 cm length, rounded blades for hand grip, with counter balance, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
7.345	Straight Platform tipped microforceps made of high quality stainless steel of 23 cm length, rounded blades for hand grip, with counter balance, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
7.346	Straight Platform tipped microforceps made of high quality stainless steel of 25 cm length, rounded blades for hand grip, with counter balance, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
7.347	Straight Needle holder made up of high quality stainless steel, coated with diamond dust slender jaws, should hold needles of 6 'O' to 7 'O' sutures with good grip, Jaw length 1.5 cm, total length 220mm with ring handle, with ratchets with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
7.348	Castroviezo Straight Needle Holder with catch with diamond dust jaws 18 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack

7.349	Castroviezo Straight Needle Holder with catch with diamond dust jaws 21 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
7.350	Castroviezo Straight Needle Holder with catch with diamond dust jaws 23 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
7.351	Castroviezo Straight Needle Holder with catch with diamond dust jaws 25 cm long made up of high quality stainless steel. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
7.352	Barraquer Micro Needle Holder with catch and straight jaws 4.5 inches long of high quality surgical grade stainless steel for bench surgery	4	Pack
7.353	Debaquey vascular forceps made of <u>titanium</u> tapered tip to 1.5 mm of length 9 ½ inch (241 mm) imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack
7.354	Debaquey vascular forceps made of <u>titanium</u> tapered tip to 1.5 mm of length 12 inch (305 mm) imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack
7.355	Gerald – Debaquey ring tip forceps tip size 1mm, length 8 inches made of high grade stainless steel imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack
7.356	Gerald – Debaquey tissue light weight round handle forceps tip size 1mm, length 7¼ inches (184 mm) made of <u>titanium</u> imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack
7.357	Micro tissue forceps, straight made of high grade stainless steel with fine Tungsten carbide dust tips, 1.0 mm tip with platform, counter balanced 210 mm length imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack

7.358	Micro tissue forceps, straight made of high grade stainless steel with fine Tungsten carbide dust tips, 1.0 mm tip with platform, counter balanced 229 mm length imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack
7.359	Micro tissue forceps, straight made of high grade stainless steel with fine Tungsten carbide dust tips, 1.0 mm tip with platform, counter balanced 254 mm length imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack
7.360	Jacobson fine micro needle holder <u>titanium</u> , fine tungsten carbide dust tips, straight, flat handle of length 9 inches imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack
7.361	Jacobson fine micro needle holder <u>titanium</u> , fine tungsten carbide dust tips, curved, flat handle of length 8 inches imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack
7.362	Jacobson fine micro needle holder titanium, curved tips, fine tungsten carbide dust tips, flat handle with ratchet, length 9 inch- The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
7.363	Castroviejo Style Microsurgical Needle Holders, straight, tungsten Carbide tip, round handle, with ratchet, 23 cm long, 1mm tips, for use with 5.0, 6.0 and 7.0 suture- The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	1	Pack
7.364	Castroviejo Style Microsurgical Needle Holders, curved, tungsten Carbide tip, round handle, with ratchet, 23 cm long, 1mm tips, for use with 5.0, 6.0 and 7.0 suture- The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	1	Pack
7.365	Castroviejo Style Microsurgical Needle Holders, straight, tungsten Carbide tip, flat handle, with ratchet, 23 cm long-Bite 1mm tips, for use with 5.0, 6.0 and 7.0 suture- The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	1	Pack

7.366	DEBAKEY-DIETHRICH forceps with fine tungsten carbide dust tip 9-1/2, tip 1MM-The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
8	<b>VASCULAR INSTRUMENTS</b>		-
8.367	De Bakey atraumatic dissecting forceps of 3.5mm wide tip and dimension of 200 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.368	De Bakey atraumatic dissecting forceps of 3.5mm wide tip and dimension of 240 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.369	De Bakey atraumatic dissecting forceps of 3.5mm wide tip and dimension of 300 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.370	De Bakey atraumatic dissecting forceps of 2mm wide tip and dimension of 150 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.371	De Bakey atraumatic dissecting forceps of 2mm wide tip and dimension of 200 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.372	De Bakey atraumatic dissecting forceps of 2mm wide tip and dimension of 240 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.373	De Bakey atraumatic dissecting forceps of 2mm wide tip and dimension of 300 mm. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack

8.374	Debakey Atraumatic Forceps 195mm long, 1mm tip of high quality surgical grade Stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.375	Straight, Light weight, tapered tip Debakey type vascular forceps with 1:2 serrations of total length 24 cm, tip width around 1mm, with rounded blades for hand grip, with counter balance, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.376	De Bakey Vascular Dilator Set (Set of ten dilators with diam 1mm, 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm, 4.5mm, 5mm and 7mm) with malleable shaft. Length of each dilator is 19cm made of high quality stainless steel	2	Pack
8.377	Cooley Non-Traumatic Vascular Clamp angled 90 degree with 4 cm long jaws 5 inches long of high quality surgical grade stainless steel with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.378	Angled, Atraumatic vascular occlusion clamp with inner jaw of Debakey type(1:2 serrations), with an angle of 60 degrees, working length of clamp of minimum 6.5cm and total length of 18 cm, with ring handle and ratchet, with non-reflecting surface with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.379	Straight, Atraumatic vascular occlusion clamp with inner jaw of Debakey type(1:2 serrations), working length of clamp of minimum 6.5cm and total length of 18 cm, with ring handle and ratchet, with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
8.380	Atraumatic Satinsky type tangential occlusion clamps with inner Jaw of Debakey type(1:2 serrations), with wide angle U shaped occlusion area, with 44 mm distance between tip of the instrument and starting of the working length respectively. Should have ring handle 9 inches long with ratchet, Should be made of high quality stainless steel, should be non-reflecting. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack

8.381	Atraumatic Satinsky type tangential occlusion clamps with inner Jaw of Debakey type(1:2 serrations), with wide angle U shaped occlusion area, with 50 mm distance between tip of the instrument and starting of the working length respectively. Should have ring handle 9 inches long with ratchet, Should be made of high quality stainless steel, should be non-reflecting The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
8.382	Atraumatic Satinsky type tangential occlusion clamps with inner Jaw of Debakey type(1:2 serrations), with wide angle U shaped occlusion area, with 63 mm distance between tip of the instrument and starting of the working length respectively. Should have ring handle 9 inches long with ratchet, Should be made of high quality stainless steel, should be non-reflecting. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
8.383	Straight Needle holder made up of high quality stainless steel, with tungsten carbide coated slender jaws, should hold needles of 5 'O' to 7 'O' sutures with good grip, Jaw length 1.5 cm, total length 21cm, with ring handle, with ratchets with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
8.384	Straight Needle holder made up of high quality stainless steel, with tungsten carbide coated slender jaws, should hold needles of 5 'O' to 7 'O' sutures with good grip, Jaw length 1.5 cm, total length 23cm, with ring handle, with ratchets with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.385	Straight Needle holder made up of high quality stainless steel, with tungsten carbide coated slender jaws, with good grip, Jaw length 1.5 cm, total length 25cm, with ring handle, with ratchets with non-reflecting surface. The instrument must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	6	Pack
8.386	Pott's Smith Scissors 45 deg angle 9" long of high quality surgical grade Stainless steel with non-reflecting surface. The instruments must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
8.387	Pott's Smith Scissors 9" bent on flat at 90 deg angle of high quality surgical grade Stainless steel with non-reflecting surface. The instruments must be of international standards having at least one of the international standards such as CE, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument	4	Pack
8.388	Micro Forceps Non-tooth angled 6 inches long of high quality surgical grade stainless steel for AVF	10	Pack



8.389	Micro Forceps Non-tooth straight 6 inches long of high quality surgical grade stainless steel for AVF	10	Pack
8.390	Castroviejo Micro Needle Holder with catch and straight jaws 6 inches long of high quality surgical grade stainless steel for AVF	4	Pack
8.391	Iris Scissors curved 4.5 inches long of high quality surgical grade stainless steel	5	Pack
8.392	Iris Scissors Straight 4.5 inches long of high quality surgical grade stainless steel	5	Pack
8.393	Micro Scissors Spring Type, round handle with serrations 6 inch long straight of high quality surgical grade stainless steel for AVF	5	Pack
8.394	Micro Scissors Spring Type, round handle with serrations 6 inches long curved of high quality surgical grade stainless steel for AVF	5	Pack
8.395	MCDOUGAL Prostatectomy clamps- used in securing dorsal vein complex in radical prostatectomy - - <u>Angled right</u> 2.5 cm tip, length 25 cm made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
8.396	MCDOUGAL Prostatectomy clamps- used in securing dorsal vein complex in radical prostatectomy - - - <u>Angled left</u> 2.5 cm tip, length 25 cm made of high quality surgical grade stainless steel The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
8.397	Debakey vascular dilators set: Sets of dilators in graduated sizes, 1, 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 9 and 10 mm and length of 7-1/2" (19 cm) with autoclavable steel case The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	4	Pack
8.398	Julian plus classic <sup>R</sup> needle holder high grade stainless steel with fine Tungsten carbide dust Straight 8 1/4 inch (210 mm) imported with FDA, European CE certification with the manufacturer name and catalog number engraved on the instruments	2	Pack
8.399	LOW RYDER micro needle holder with diamond dust coat of tip, straight, light weight, for holding 5'0- 7'0 sutures 15cm- The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
8.400	LOW RYDER micro needle holder with diamond dust coat of tip, straight, light weight, for holding 5'0- 7'0 sutures 21cm- The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer's name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack

8.401	Castrovejio micro scissors, straight – 5 1/2 inches for bench surgery- The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer’s name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
8.402	Castrovejio micro scissors, curved – 5 1/2 inches for bench surgery- The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer’s name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack
8.403	Debakey Harken clamp, curved, for IVC looping, 9 inch-The instrument must be of international standards having international standards such as FDA, BIS and DIN. The manufacturer’s name or brand, Catalogue number and certification details should be engraved on the instrument.	2	Pack

**Additional tender conditions:**

1. Firms participating in the tender must supply or demonstrate (in case of high value items) samples of the items quoted within two weeks of the tender opening date to the concerned Department.
2. Quotation will not be accepted if samples are not submitted.
3. The name and address of the manufacturer must be printed on the packaging of the disposable items failing which the tender is liable to be rejected.
4. The products when supplied to the Department must have a minimum period of 24 months of shelf life from the date of delivery.

## Section-III

### **GENERAL INSTRUCTIONS TO TENDERERS**

#### **1. Period of contract:**

The contract shall initially be for a period of **one year** that may be extended to **6 months**. The rates approved shall remain unchanged during the period of contract.

#### **2. Bid Security (Earnest Money Deposit)**

- i. In compliance with the OM No. F.9/4/2020-PPD dated 12.11.2020 on the subject —Bid Security/ Earnest Money Deposit, issued by the Procurement Policy Division, Department of Expenditure, Ministry of Finance, Government of India, there is no need for bidders to pay Bid Security/ Earnest Money Deposit for participating in this tender.
- ii. However, in lieu of Bid Security, the bidder must print this —Bid Security Declaration on his/her firm's letterhead duly sign the undertaking and upload the document in the fee cover.
- iii. The bidder hereby declares that they accept the condition that if they withdraw or modify their bids during period of validity etc., they will be suspended for a period of two years from participating in any tender invited by JIPMER, Puducherry with effect from the date of their withdrawal or modification of their bid.

#### **3. Eligibility conditions of bidders:**

- i. The Tenderer must be a domestic manufacturer that is a 'Class-I local supplier' or a 'Class-II local supplier' as defined under Public Procurement (Preference to Make in India), order 2017 of MoC and I (DIPP), Govt. Of India, as further amended by orders of even number dated 28.05.2018, 29.05.2019, 04.06.2020 and 16.09.2020. In case the manufacturer does not quote directly, they may authorize an agent as per proforma of Manufacturer authorization form as given in the Tender enquiry document to quote and enter into a contractual obligation.
- ii. In compliance with order (Public Procurement No.1) No. 6/18/2019-PPD dated 23rd July 2020 issued by the Public Procurement Division, Dept. of Expenditure, Min of Finance under Rule 144(xi) of GFR 2017 any bidder 'from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.
  - a. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
  - b. "Bidder from a country which shares a land border with India" for the purpose of this Order means: -

- I. An entity incorporated, established or registered in such a country; or
- II. A subsidiary of an entity incorporated, established or registered in such a country; or
- III. An entity substantially controlled through entities incorporated, established or registered in such a country; or
- IV. An entity whose beneficial owner is situated in such a country; or
- V. An Indian (or other) agent of such an entity; or
- VI. A natural person who is a citizen of such a country; or
- VII. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above

c. The beneficial owner for the purpose of (5.2.2) above will be as under:

- I. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation—

- "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent, of shares or capital or profits of the company;
  - "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- II. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership.
  - III. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals.
  - IV. Where no natural person is identified under (a) or (b) or (c) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
  - V. In case of a trust, the identification of the beneficial owner(s) shall include the identification of the author of the trust, the trustee, the beneficiaries with 15% or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

d. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

e. In case of turnkey contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

- f. Bidders must certify compliance with the above mentioned provisions in the tender form as per Section VII.
- g. The bidder should have successfully completed the delivery of the item of at least 25% of the quantity required in this tender to a government hospital in the last 3 years.
- h. The bidder or the manufacturer must have an average annual turnover of at least Rs.1,00,00,000/-(Rupees one crore only) each during the last three financial years i.e. 2017-18, 2018-19, 2019-20.
- i. Bidder should have ISO Certification.

#### **4. Purchase Preference**

- i. The Procurement of goods and services under this e-tender will be regulated as per the applicable provisions of Public Procurement (Preference to Make in India), order 2017 of MoC and I (DIPP), Govt. Of India, as further amended by orders of even number dated 28.05.2018, 29.05.2019, 04.06.2020 and 16.09.2020. Salient portions of the order are reproduced in Appendix A of this tender document by way of information. Bidders are advised to see the original orders and satisfy themselves that they qualify to participate in the tender. Bidders who are claiming eligibility to participate in this tender must submit a certificate in format given in Appendix A along with documentary evidence in support of their claim wherever necessary failing which their bid will be summarily rejected. The purchaser reserves the right to give preference to the 'Class-I local supplier'.
- ii. The Purchaser reserves the right to give the purchase preference to small-scale sectors, Micro and small scale enterprises etc. as per the instruction in vogue while evaluating, comparing and ranking the responsive Tenders as given in the MSMED Act 2006 reproduced below:
  - a. In exercise of powers conferred in Section 11 of the Micro, Small and Medium Enterprises Development (MSMED) Act 2006, the Government has notified a new Public Procurement Policy for Micro & Small Enterprises effective from 1st April 2012. The policy mandates that 25% of procurement of annual requirement of goods and services by all Central Ministries/Public Sector Undertakings will be from the micro and small enterprises. The Government has also earmarked a sub-target of 4% procurement of goods & services from MSEs owned by SC/ST entrepreneurs out of above said 25% quantity.
  - b. In accordance with the above said notification, the participating Micro and Small Enterprises (MSEs) in a tender, quoting price within the band of L1+15% would also be allowed to supply a portion of the requirement by bringing down their price to the L1 price, in a situation where L1 price is from someone other than an MSE. Such MSEs would be allowed to supply up to 25% of the total tendered value. In case there are more than one such eligible MSE, the 25% supply will be shared equally. Out of 25% of the quantity earmarked for supply from MSEs, 5% quantity is earmarked for procurement from MSEs owned by SC/ST entrepreneurs. However, in the event of failure of such MSEs to participate in the Tender process or meet the

tender requirements and the L1 price, the 5% quantity earmarked for MSEs owned by SC/ST entrepreneurs will be met from other participating MSEs.

- c. The MSEs fulfilling the prescribed eligibility criteria and participating in the Tender shall enclose with their tender a copy of their valid registration certificate with District Industries Centres or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or any other body specified by Ministry of Micro and Small enterprises in support of their being an MSE, failing which their tender will be liable to be ignored.
- d. Special provision for Micro and Small Enterprise owned by women: – Out of the total annual procurement from Micro and Small Enterprises, 3 per cent from within the 25 per cent target shall be earmarked for procurement from Micro and Small Enterprises owned by women.
- e. Note: “If the bidder is a MSME, it shall declare in the bid document the Udyog Aadhar Memorandum Number issued to it under the MSMED Act, 2006. If a MSME bidder do not furnish the UAM Number along with bid documents, such MSME unit will not be eligible for the benefits available under Public Procurement Policy for MSEs Order 2012.

## **5. Demonstration of sample**

The tenderer must give a sample within **ten** days of the closing of online submission of bids failing which the bids will be rejected.

## **6. Instructions for the filling the tender form**

- i. E-Tender form shall be completed in all respect, signed in full and stamped at appropriate places and initialed and stamped on all remaining pages. Incomplete or e-tenders without tender processing fee, bid security declaration, Make-in-India self-certification as in Appendix-A only by original manufacturer, GFR 144 (xi) compliance certificate as in Section-X shall be treated as invalid.
- ii. Bidders have to ensure that all the documents are properly filled.
- iii. Conditional tenders are liable to be rejected.
- iv. Bids received and found valid will be evaluated by JIPMER to ascertain the complete work/services under the specification and documents. The bidder should take care to submit all the information sought by JIPMER in prescribed formats.
- v. Incomplete bids, bids in paper format, conditional bids, telephonic bids or tenders submitted after the due date and time will not be considered and summarily rejected. Vendors are, therefore, advised to submit their bids well on time.
- vi. **The bidder can quote for one or more items mentioned in the list. Bidder has to give all details (HSN, MSME, Make-in-India, make/brand, model, pack size and remark) mentioned in BOQ for all quoted items, failure of that the bid will be rejected summarily.**

## 7. **Submission of tenders**

The bidders must ensure that they submit the **on-line bids** within the scheduled closing date & time.

## 8. **Late Tender:**

There is NO PROVISION of uploading late tender beyond stipulated date & time in the e-tendering system.

## 9. **Alteration and Withdrawal of Tender**

- i. The bidder, after submitting its bid, is permitted to alter/modify its bid, within the deadline for submission of bids. Alterations/modifications to bids received after the prescribed deadline will not be possible on the e-tender portal.
- ii. No tender should be withdrawn or modified after the deadline for submission of tender and before expiry of the tender validity period. If a bidder withdraws or modifies the tender during this period, it will result in the tenderer being suspended from participating in all tenders invited by JIPMER for a period of two years with effect from the date of withdrawal, as per the terms and conditions of bid security declaration furnished by the bidder in its tender.

## 10. **Preparation of e-tenders**

This is a Two-Bid Tender system, consisting of the **Techno-Commercial Bid and Price Bid** that are to be uploaded in the prescribed formats in the e-tendering portal. The tender(s) shall only be submitted online as mentioned below:

### I. **Techno-commercial Bid shall comprise**

- a. Fee Cover
  - i. **E-tender Processing fee** of Rs.590/- (Rupees five hundred and ninety only) inclusive of 18% GST payment **receipt** duly self-attested and rubber stamped should be uploaded.
  - ii. Scanned copy (100 or 200 DPI) in pdf format of **Bid Security Declaration** as per format attached in Section-IX
- b. In the cover named “Prequal/Technical” the scanned copy in pdf format of the following documents are to be uploaded:
  - i. The **Bidder’s Profile** as in Section-VI, **Tender Form** as in Section-VII must be downloaded duly filled signed and stamped, and an **Authorization letter** for signing tender documents if a person other than the Owner, Partner, Managing Director is signing the documents, must be uploaded as a single PDF file.

- ii. **Copies of Supply orders/Completion certificate** in support of Eligibility condition 1 and 2 and **Copies of abridged Annual report of last 03 years** (Income tax return acknowledgement, Assets and Liabilities, Balance sheet and Profit & Loss Account) must be uploaded as a single PDF file
- iii. **Manufacturer's Authorization letter** in company letterhead in format in given Section-VI and, in case the bidder is empaneled by the Competent Authority under **GFR 144 (xi) (mandatory)** a copy of the same or **GFR 144(xi) compliance certificate** as in Section-X must be uploaded.
- iv. Copy of Self Certified **GST registration certificate** and Copy of **PAN Card** must be uploaded as a single PDF file.
- v. **Bank Details** (Beneficiary name, Bank name, Account number, IFSC code, Branch address on letterhead) and **Check list** as in Section-VIII in the prescribed format duly filled and signed must be uploaded as a single PDF file.
- vi. Self-certification for supporting the claim to be a local supplier under the "Public Procurement preference to Make in India" order in format as in **Appendix-A (mandatory)** and any other document that the bidder wishes to submit as a single PDF file.
- vii. **A file mentioning the list of items without price** for which bidder is quoting must be uploaded as a single PDF file.

## **II. Price Bid:**

Prices are to be quoted in the prescribed Price Bid format provided in the e-tender portal using the BOQ template only. The price should be quoted for the **accounting unit** indicated in the e-tender document.

### **Note:**

- i) The bidder has to be diligent while filling up the Techno-Commercial Bid and Price Bid provided in prescribed formats and must not tamper with the contents of the sheets.
- ii) Bidders must ensure that the documents uploaded in pdf format are legible.
- iii) It is the responsibility of bidder to go through the Tender document to ensure furnishing all required documents in addition to above, if any.
- iv) The Make in India self-certification as in Appendix-A must be given and uploaded by original manufacture. The distributor can upload the Appendix-A given by original manufacture.
- v) ITE- Item-wise Eligibility Sheet should be downloaded, the items that the bidder wishes to quote must be selected as "Eligible", and this "ITE file" must also be uploaded for the price bid to be considered by the system. The selected items will be displayed once uploaded and the bidder can verify that all items he wishes to quote for, are present in the list
- vi) A person signing (manually or digitally) the tender form or any documents forming



part of the contract on behalf of another shall be deemed to warrant that he has authority to bind such other persons and if, on enquiry, it appears that the persons so signing had no authority to do so, the purchaser may, without prejudice to other civil and criminal remedies, cancel the contract and hold the signatory liable for all cost and damages.

- vii) A bid, which does not fulfill any of the above requirements and/ or give evasive information/reply against any such requirement, shall be liable to be ignored.
- viii) Tender sent by fax/telex/cable shall be ignored.

#### **11. Digital Signing of Tender**

The tenderers shall submit their tenders as per the instructions contained as above. Tenders shall be uploaded with all relevant tender documents in the prescribed format. The relevant tender documents should be uploaded by an authorized person having Class 3 digital signature certificate.

#### **12. Tender currencies.**

The tender shall be quoted only in INR.

#### **13. Additional information and instruction on GST:**

If the Tenderer desires to ask for GST or any other taxes to be paid extra, the same must be specifically stated. In the absence of any such stipulation, the price will be taken inclusive of such taxes and no claim for the same will be entertained later. The rate of GST quoted in the tender shall be taken for price comparison. However, the rate of GST quoted in the tender or the actual rate of GST applicable, whichever is lower shall be payable by the purchaser. The supplier can charge a higher GST than quoted in the tender only if the rate of GST was revised by the government after the tender closing date.

#### **14. Bid Security (Earnest Money Deposit)**

- i. In compliance with the OM No. F.9/4/2020-PPD dated 12.11.2020 on the subject —Bid Security/ Earnest Money Deposit<sup>tl</sup>, issued by the Procurement Policy Division, Department of Expenditure, Ministry of Finance, Government of India, there is no need for bidders to pay Bid Security/ Earnest Money Deposit for participating in this tender.
- ii. However, in lieu of Bid Security, the bidder must print this —Bid Security Declaration<sup>l</sup> on his/her firm's letterhead duly sign the undertaking and upload the document in the fee cover.
- iii. The bidder hereby declares that they accept the condition that if they withdraw or modify their bids during period of validity etc., they will be suspended for a period of two years from participating in any tender invited by JIPMER, Puducherry with effect from the date of their withdrawal or modification of their bid.

#### **15. Tender opening**

- i. The Tender Inviting Authority will open the e-tenders at the specified date and time and at the specified place as indicated in the NIT. In case the specified date of tender opening falls on / is subsequently declared a holiday or closed day for the Tender Inviting Authority, the tenders will be opened at the appointed time and

place on the next working day.

- ii. Authorized representatives of the tenderers, who have submitted tenders on time, may attend the tender opening provided they bring with them letters of authority from the corresponding tenderers. The tender opening official(s) will prepare a list of the representatives attending the tender opening. The list will contain the representatives' names & signatures and corresponding tenderers' names and addresses.
- iii. This being a Two-Bid Tender system, the **Techno-Commercial Tenders** are to be opened in the first instance, at the prescribed time and date as indicated in NIT. These Tenders shall be scrutinized and evaluated by the competent committee/ authority with reference to parameters prescribed in the tender document. During the Techno- Commercial Tender opening, the tender opening official(s) will read the salient features of the tenders like brief description of the goods offered, delivery period, bid security declaration and any other special features of the tenders, as deemed fit by the tender opening official(s). Thereafter, in the second stage, the Price bids of only the Techno - Commercially acceptable offers (as decided in the first stage) shall be opened for further scrutiny and evaluation on a date notified after the evaluation of the Techno-Commercial tender.

## **16. Scrutiny and evaluation of tenders**

### **A. Basic Principle**

Tenders will be evaluated on the basis of the terms & conditions already incorporated in the tender enquiry document, based on which tenders have been received and the terms, conditions etc. mentioned by the tenderers in their tenders. No new condition will be brought in while scrutinizing and evaluating the tenders.

### **B. Scrutiny of Tenders**

- i. The Purchaser will examine the Tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished and, whether the documents uploaded are in legible form.
- ii. The Purchaser's determination of a Tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- iii. The tenders will be scrutinized to determine whether they are complete and meet the essential and important requirements, conditions etc. as prescribed in the tender document. The tenders, which do not meet the basic requirements, are liable to be treated as non-responsive and will be summarily ignored.
- iv. The following are some of the important aspects, for which a tender shall be declared non-responsive during the evaluation and will be ignored;
  - i. Tender validity is shorter than the required period.
  - ii. Non-submission of Bid Security Declaration.
  - iii. Non-submission of receipt of tender processing fee.
  - iv. Non-submission of self-certification in format as given in Appendix-A only by original manufacturer, for determining eligibility to participate in the tender under the "Public Procurement preference to Make in India" order.
  - v. Non-submission of GFR-144 (xi) compliance certificate.

- vi. Tenderer has not agreed to give the required performance security of required amount in an acceptable form.
- vii. Non-submission of samples within ten days of the closing of online submission of bids
- viii. Poor/ unsatisfactory past performance.
- ix. Tenderers who stand de-registered/banned/blacklisted by any Central Govt. Ministries/Departments/Hospitals/Institutes.
- x. Tenderer is not eligible as per tender conditions.
- xi. Tenderer has not quoted for the entire quantity as specified in the List of Requirements/ BOQ for the item quoted.
- xii. Non-submission of all details of quoted items (HSN, MSME, Make-in-India, make/brand, model, pack size and remark).
- xiii. Tenderer has not agreed to other essential condition(s) specially incorporated in the tender enquiry, like delivery terms, delivery schedule, terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism applicable law.

#### **17. Minor Informality/Irregularity/Non-Conformity**

If during the preliminary examination, the purchaser find any minor informality and/or irregularity and/or non-conformity in a tender, the purchaser may waive the same provided it does not constitute any material deviation and financial impact and, also, does not prejudice or affect the ranking order of the tenders. Wherever necessary, the purchaser will convey its observation on such 'minor' issues to the tenderer by registered/speed post etc. asking the tenderer to respond by a specified date. If the tenderer does not reply by the specified date or gives evasive reply without clarifying the point at issue in clear terms, that tender will be liable to be ignored.

#### **18. Award of work**

- i. The selection of the agency will be at the sole discretion of the JIPMER who reserves its right to accept or reject any or all the proposals without assigning any reason thereof.
- ii. The lowest bid will be evaluated on the basis of annual estimated amount as quoted by bidders in the quotation including taxes.
- iii. Upon evaluation of offers the decision on the award of contract will be intimated to the successful bidder.
- iv. The annual estimate is given only as an indication. The actual quantity procured may increase or decrease. No assurance is given that the quantity stated will actually be procured.

## Section-IV

### GENERAL CONDITIONS OF CONTRACT

#### 1. **Price of goods**

The rate quoted in the e-tender will be fixed for the whole contract period.

#### 2. **Technical Specifications and Standards**

The Goods & Services to be provided by the supplier under this contract shall conform to the technical specifications mentioned in “Technical Specification” under Section II.

#### 3. **Terms of Delivery**

- i. Goods shall be delivered by the supplier within 30 days of issue of supply order. Please note that the time shall be the essence of the contract.
- ii. Any unexcused delay by the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following sanctions:
  - a) Imposition of liquidated damages,
  - b) Forfeiture of its performance security and
  - c) Termination of the contract for default.

#### 4. **Liquidated Damages**

If the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, the Purchaser/Consignee shall, without prejudice to other rights and remedies available to the Purchaser/Consignee under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods, installation, commissioning and/or services until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached Purchaser/Consignee may consider termination of the contract as per GCC 11. Since the Liquidated damages are in virtue of non-performance of services, it will attract GST or any other applicable taxes which in turn shall be deducted from the bidder.

#### 5. **Performance Security**

The successful bidder shall have to deposit an amount 3% of the value of contract as Performance Security Deposit (PSD) within two weeks after award of contract, through SBI Collect available on JIPMER website. In the event of any failure /default of the supplier with or without any quantifiable loss to the purchaser, the amount of the performance security is liable to be forfeited.

Subject to the condition mentioned above the Performance Security will be released without any interest to the supplier on completion of the supplier's all contractual obligations

including the warranty obligations and extension of time (with or without Liquidated Damages).

#### **6. Payment Procedure**

The contractor shall submit bill in triplicate upon satisfactory supply of goods. Bill must be raised based on the rate quoted in e-tender. Every effort shall be made to ensure that the payment will be made within 45 days of submission of bill. No advance payment will be considered. TDS will be deducted as per provision of Income Tax Act, GST Acts and other statutes as relevant.

#### **7. Risk Clause**

The contractor shall at all times have standby arrangements for carrying out the work under the contract, in case of any failure of the existing arrangements. JIPMER reserves the right for termination of the contract at any time by giving 30 days written notice, if the items delivered are found to be unsatisfactory and also has the right to award the contract to the next higher bidder willing to supply the item at the cost, risk and responsibilities of contractor and excess expenditure incurred on account of this will be recovered by JIPMER from the contractor's Performance Security Deposit or pending bills or by raising a separate claim.

#### **8. Termination clause:**

During the period of agreement if it is found that the agency is not providing proper services, the JIPMER reserves rights to make the vendor forfeit the security deposit deposited with JIPMER or part thereof in favour of JIPMER and agreement will be terminated after giving 30 days' notice. Furthermore, in such situations, tender can be allotted to second lowest bidder and the difference in cost shall be recovered from the earlier vendor who is breach of the contract. In addition in case it is found that the supplier is charging by fraudulent means or indulging in criminal activities the contract will be terminated immediately.

#### **9. Jurisdiction of the courts**

Jurisdiction of the courts for settlement of disputes:- Jurisdiction for the settlements of disputes if any is Puducherry only.

In above mentioned conditions Director JIPMER reserves all the rights.

**Section-V**

**BIDDER'S PROFILE**

**This form duly filled and signed by authorized representative of the bidder and the scanned copy must be uploaded online**

1.	Name & Designation of the contact person	
2.	Name and Address of the Tenderer	
3.	Phone No a) Land line number (functional between 9 am and 5pm)	
4.	Mobile No of contact person (available from 9am to 6pm)	
5.	Email ID of the Tenderer	
6.	Email ID of the contact person	
7.	Local supplier/Distributor in Chennai/ Puducherry or any other place (complete address must be written)	
8.	Manufacture Name	
9.	Manufacture Address	
10	Whether Tenderer is registered MSE Manufacture the product quoted. (If registered MSE, submit copy of the Udyog Aadhaar certificate or Equivalent Certificate)	Yes / No
<p>If there is any change in the above details, I will immediately intimate you by speed post or fax or email</p> <p>I.....hereby declare that the details given above are true to the best of my knowledge and I have thoroughly read and understood the terms and conditions of the tender and shall abide by the rules,</p> <p style="text-align: right;">Signature (Name and Designation &amp; Seal)</p> <p>Dated:</p>		

**NB: This form must be duly filled in by an authorized person**

**Section-VI**  
**MANUFACTURER'S AUTHORISATION FORM**  
**(Letterhead)**

The Director,  
JIPMER, Puducherry

Dear Sir,

Ref: Your TE document No: \_\_\_\_\_ dated: \_\_\_\_\_

We, \_\_\_\_\_ who are proven and reputable manufacturers of \_\_\_\_\_ (name and description of the goods offered in the Tender) having factories at \_\_\_\_\_, hereby authorize Messrs. \_\_\_\_\_ (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred TE documents for the above goods manufactured by us.

We also state that we are not participating directly in this tender for the following reason(s):  
\_\_\_\_\_. (Please provide reason here).

We further confirm that no supplier or firm or individual other than Messrs \_\_\_\_\_ (name and address of the above agent) is authorised to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred TE documents for the above goods manufactured by us. We also hereby extend our full warranty, CMC/AMC as applicable as per the General Conditions of Contract, read with modification, if any, in the Special Conditions of Contract for the goods and services offered for supply by the above firm against this TE document. We also hereby confirm that we would be responsible for the satisfactory execution of contract placed on the authorised agent.

We also confirm that the price quoted by our agent shall not exceed the price which we would have quoted directly”

Yours faithfully,

[Signature with date, name, designation and Email]

for and on behalf of Messrs \_\_\_\_\_

[Name & address of the manufacturers]

Note:

- (1) This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
- (2) Original letter may be sent.
- (3) The purchaser reserves the right to verify this document with its signatory.

**SECTION-VII**  
**TENDER FORM**  
**(On Firms' Letter Head)**

To  
The Director  
JIPMER, Puducherry 605006

Date \_\_\_\_\_

Ref. Your TE document No. \_\_\_\_\_ dated \_\_\_\_\_

We, the undersigned have examined the above mentioned TE document, including amendment/corrigendum No. \_\_\_\_\_, dated \_\_\_\_\_ (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver \_\_\_\_\_ (Description of goods and services) in conformity with your above referred document **for the sum as shown in the price schedules attached herewith and made part of this tender**. If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC, Special Conditions of Contract”, for due performance of the contract.

We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and we certify that this bidder is not from such a country/ from such a country and has been registered with the Competent Authority and a copy of the valid registration by the Competent Authority is attached as evidence of the same (Strike out what is not applicable). In case there are Turnkey works to be carried out this bidder will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered.

We agree to keep our tender valid for acceptance as required in the GIT, Special Instructions to Tenderers” or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender up to the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We confirm that we do not stand deregistered/banned/blacklisted by any Govt. Authorities in the last 7 years.

We confirm that we fully agree to the terms and conditions specified in above mentioned TE document, including amendment/ corrigendum if any.

(Signature with date)  
(Name and designation)

Duly authorized to sign tender for and on behalf of



**Section-VIII**

**CHECK LIST FOR SUBMISSION OF TENDER**

(To be filled by the tenderer and submitted along with the bid)

Sl. No.	Particular	Yes / No
1	i. Tender Processing Fee (Mandatory for all bidders) ii. Bid security declaration	
2	Copies of Supply orders/Completion certificate in support of Eligibility condition 2(ii).	
3	Copy of PAN Card	
4	Copy of ISO Certification of bidder, ISI/CE Certification of each product wherever asked	
5	Copies of last three years Income Tax Return statement with Balance sheets & Profit & Loss A/c i.e. 2017-18, 2018-19, 2019-20.	
6	Copy of GST Registration Certificate	
7	Authorization letter for signing tender documents if a person other than the Owner, Partner, Managing Director is signing/uploading the tender	
8	Tender form as in Section – VII duly signed and stamped	
9	Manufacturer's authorization form in format as in Section VI and	
10	Self-certification for supporting the claim to be a local supplier under the "Public Procurement preference to Make in India" order in format as in Appendix A	
11	A copy bidder's empanelment by the Competent Authority under GFR 144 (xi) or GFR 144 (xi) compliance certificate	
12	A PDF file containing list of all items quoted by the bidder without price bid in technical cover	
13	All details of the items (HSN, MSME, Make-in-India, make/brand, model, pack size and remark) quoted by the bidder.	
14	Any other document(s) enclosed (To be specified)	

I/We certify that the information furnished above is true and correct. The terms and conditions are acceptable to us and have the authority to bid a tender.

Signature of the owner/  
Managing Partner/Director

Name:

Seal:

Date:

Place:

**SECTION – IX**

**Bid Security Declaration  
(To printed on the Firm's letterhead)**

(In compliance with the OM No. F.9/4/2020-PPD dated 12.11.2020 on the subject —Bid Security/ Earnest Money Deposit, issued by the Procurement Policy Division, Department of Expenditure, Ministry of Finance, Government of India, there is no need for bidders to pay Bid Security/ Earnest Money Deposit for participating in this tender. However, in lieu of Bid Security, the bidder must print this —Bid Security Declaration on his/her firm's letterhead duly sign the undertaking and upload the document in the fee cover.)

I/We hereby declare that we accept the condition that if I/We withdraw or modify our bids during period of validity etc., we will be suspended for a period of two years from participating in all tenders invited by JIPMER, Puducherry with effect from the date of our withdrawal or modification of our bid.

(Signature with date)

(Name and designation)

Duly authorized to sign this tender and declaration

for and on behalf of \_\_\_\_\_ (Name of the Bidder's Firm) Seal

## Appendix-A

### Self-certification format for claiming purchase preference under the “Public Procurement preference to Make in India” order

As per the order issued by

(i) Department of Industrial Policy and Promotion (DIPP) vide No. P-45021/2/2017-BE-II dated 15.06.2017 as further amended by Order No.P-45021/2/2017-B.E.-II dated 28.05.2018, Order No.P-45021/2/2017-B.E.-II dated 29.05.2019, Order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020 and Order No. P-45021/2/2017-PP (BE-II) dated 16.09.2020; and

(ii) Department of Pharmaceuticals vide No. F- 31026/36/2016-MD dated 18.05.2018 and the subsequent orders thereof; The purchaser reserves the right to give preference to the local supplier.

A local supplier (definition of “local supplier” is given in clause 2 of the aforesaid order of DIPP as amended from time to time) has to submit the following along with their e-tender(s) failing which their bid will be evaluated without considering such preference mentioned in the DIPP order dated 15.06.2017 further amended on 28.05.2018, 25.09.2019 and 04.06.2020:

a. The local supplier at the time of e-tender, bidding or solicitation shall be required to provide self-certification that the item offered meets the minimum local content and shall give details of the location(s) at which the local value addition is made in the format in Annexure A.

“Certified that the following items quoted has more than 50% or 20% to 50% of value addition in India at the location(s) mentioned against each and is eligible for purchase preference as per the Govt. of India “Public Procurement preference to Make in India” order Dt.15.06.2017 as further amended by Order No.P-45021/2/2017-B.E.-II dated 28.05.2018, Order No.P-45021/2/2017-B.E.-II dated 29.05.2019, and Order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020.

Sl. No	Name of the item	Details of the location(s) at which the local value addition was made.

Authorized Signature:

Name:

Designation:

b. In cases of procurement for a value in excess of Rs. 10 Crore. the local supplier shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.

c. Minimum Local Content: ‘Class-I local supplier’ means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50%, as defined

under the Order. “Class-II local supplier” means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this Order.

d. Margin of Purchase Preference: The margin of purchase preference shall be 20%.

e. Manufacture under license/technology collaboration agreements with phased indigenization are exempted from meeting the stipulated local content if the product is being manufactured in India under a license from a foreign manufacturer who holds intellectual property rights and where there is a technology collaboration agreement/transfer of technology agreement for indigenous manufacture of a product developed abroad with clear phasing of increase in local content

f. Decisions on complaints relating to implementation of this Order shall be taken by the competent authority which is empowered to look into procurement-related complaints relating the procuring entity.

g. A constituted committee with internal and external experts will examine for independent verification of self-declarations and auditor’s/accountant’s certificates on random basis and in the case of complaints.

h. A fees of Rs.10000/- in the form of demand draft favoring The Director, JIPMER, payable at Puducherry, is required to be deposited with complaints for verification of local content.

i. False declarations will be breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

j. A supplier who has been debarred by any procuring entity for violation of this Order shall not be eligible for preference under this Order for procurement by any other procuring entity for the duration of the debarment. The debarment for such other procuring entities shall take effect prospectively from the date on which it comes to the notice of other procurement entities.

Officer in Charge  
Purchase Section  
JIPMER Puducherry  
For Director, JIPMER

**SECTION – X**

**GFR-144 (xi) compliance certificate  
(To printed on the Firm's letterhead)**

Tender No:

**GFR-144(xi) compliance certificate** (as per order F.No. 6/18/2019-PPD, Ministry of Finance, GOI)

I have read the clauses regarding restrictions under GFR144(xi) on procurement from a bidder of a country which shares a land border with India. I certify that ....., the vendor

- is not such a country
- is from a country and has been registered with a competent authority (attached evidence of valid registration).

(Select one of the above and strike off the other)

I hereby certify that we fulfill all requirement in this regard and is eligible to be considered for the procurement on CPP portal.

Thanking you.

Authorized Signatory