
 सत्यमेव जयते	JAWAHARLAL INSTITUTE OF POST-GRADUATE MEDICAL EDUCATION & RESEARCH (Institution of National Importance Under Ministry of Health & Family Welfare, Government of India) Dhanvantari Nagar, Puducherry-605 006	
	Tele: JIPMER E.mail: purchase@jipmer.edu.in Website: www.jipmer.edu.in	

No.JIP/Pur.12(25) RCT-EL/OeT/2023

Dated: 12 FEB 2024

CORRIGENDUM
(Department of Radiation Oncology)

THE BELOW **CORRIGENDUM** REFERS TO THIS

OFFICE TENDER No. JIP/Pur. 12(25) RCT-EL/OeT/2023

Dated: 03.01.2024

Item Name: Replacement of existing 13 years old Conventional Simulator with Entry level CT Simulator – 01 Unit – 01 Unit.

It is hereby informed that the following points are amended in the above tender document as follows:

Sl. No.	Existing as	To be Amended as
	Point No.	B Detailed Specifications:
Page No.61, 63, 64, 65, 66 Section VIII	11.4	Image storage of 400GB or more for at least 2,00,000 or more images in 512 x 512 matrixes uncompressed or better (quote the latest configuration)
	15.4	200 number disposable syringes compatible with contrast injector are to be supplied in phased manner over 5 years.
	16.7	In case any component of the CT system is not functional, the machine will be considered to be down irrespective of whether patient studies are being performed or not.
	16.9	Please quote the rates of consumables recommended as well as other necessary consumables valid for 5 years block
	17.4	The vendor should provide comprehensive training on CT-Simulator in a well advanced cancer center for four persons (one Radiation Oncologist, one Medical Physicist, two technologists). The
		B Detailed Specifications:
		Please specify the Image storage capacity in 512 X 512 matrixes uncompressed format
		200 number disposable syringes compatible with contrast injector are to be supplied
		To be deleted
		To be deleted
		The vendor should provide comprehensive training on CT-Simulator on site for all staff (Radiation Oncologist, Medical Physicist, Radiotherapy technologist and others).

		training period should be at least for one week. This is subjected to the condition that vendor training comes as default with the scope of tender.	The training period should be at least for one week. Training should be imparted as on need basis for another 10 days.
		Scope of Work for Site Modification General Requirements	Scope of work for site Modification: General Requirements (Vendors are requested to visit the respective site in coordination with the institute before bidding)

R. S. S. S.

OFFICER I/C OF PURCHASE

क्रय प्रभारी अधिकारी

Officer In-Charge of Purchase

जिपमेर / JIPMER

पुदुच्चेरी / Puducherry - 605 006